



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### **Usage guidelines**

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### **About Google Book Search**


Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

5524

M2

T14

**B** 1,022,043



L

552

M2

T12



SMITHSONIAN MISCELLANEOUS COLLECTIONS.

1313

A BIBLIOGRAPHY  
OF THE  
ANALYTICAL CHEMISTRY  
OF  
MANGANESE.  
1785-1900.

BY  
HENRY P. TALBOT AND JOHN W. BROWN.



CITY OF WASHINGTON:  
PUBLISHED BY THE SMITHSONIAN INSTITUTION.

1902.

The Knickerbocker Press, New York

1901

LETTER OF TRANSMITTAL.

WASHINGTON, May 11th, 1901.

The Committee on Indexing Chemical Literature, appointed in 1882 by the American Association for the Advancement of Science, has voted to recommend to the Smithsonian Institution for publication the following:

"A Bibliography of the Analytical Chemistry of Manganese, 1785-1900," by Henry P. Talbot and John W. Brown.

This forms one of the following series:

Index to the Literature of Uranium, 1785-1885, by Henry Carrington Bolton, 1885.

Index to the Literature of Columbium, 1801-1887, by Frank W. Traphagen, 1888.

Index to the Literature of the Spectroscope, by Alfred Tuckerman, 1888.

Index to the Literature of Thermodynamics, by Alfred Tuckerman, 1890.

A Bibliography of the Chemical Influence of Light, by Alfred Tuckerman, 1891.

A Bibliography of Aceto-Acetic Ester, by Paul H. Seymour, 1894.

Index to the Literature of Didymium, 1842-1893, by A. C. Langmuir, 1895.

Indexes to the Literature of Cerium and Lanthanum, by W. H. Magee, 1895.

A Bibliography of the Metals of the Platinum Group, by Jas. Lewis Howe, 1897.

Review and Bibliography of the Metallic Carbides, by J. A. Mathews, 1898.

Index to the Literature of Thallium, 1861-1897, by Miss Martha Doan, 1898.

Index to the Literature of Zirconium, by A. C. Langmuir and Charles Baskerville, 1899.

HENRY CARRINGTON BOLTON,  
*Chairman.*

MR. S. P. LANGLEY,  
*Secretary Smithsonian Institution.*

U J 5-31-05  
Revised 10-16-29 E. L. H.





## PREFACE.

---

In 1875 Dr. H. Carrington Bolton published an "Index to the Literature of Manganese, 1596-1874," comprising the references to the entire available journal literature relating to manganese and its compounds which had appeared before the latter date. The general plan of his index did not, however, provide for the separate classification of the articles containing analytical data, and as the journal literature since 1874 has increased so enormously in volume as to render the search for such data very laborious, it was deemed worth while to compile a separate bibliography bearing upon the qualitative detection and quantitative separation and determination of manganese, for the use of analytical chemists. For this purpose Dr. Bolton's work has been reviewed almost from its beginning, and while we are in part indebted to his "Index" for the references from 1785 to about 1830 (having received his permission to make use of them), yet a number of these early journals were independently examined by us as indicated in our list. From 1830 the compilation is practically independent, although we desire to express our obligation to the Bolton "Index" for the opportunity afforded for the verification of a portion of our work. All the originals of the references have been examined except those marked with an asterisk.

The compilation of material for this Bibliography was practically completed when the "Bibliography of Steel-Works Analysis," published by Brearley in the *Chemical News*, 1899, came to our attention. We are indebted to this Bibliography for an opportunity to verify a portion of our later references and for some four or five references which we had omitted.

The abbreviations used in this Bibliography are those recommended by the Committee on Indexing Chemical Literature of the American Association for the Advancement of Science. The original reference is placed first, and, in general, articles corresponding to references which follow those to the *Chemisches Centralblatt* or the *Jahresbericht der Chemie* are decidedly briefer than the original papers. It has not been practicable, however, to rigidly maintain this distinction.

The Subject Index has been based upon such an examination of the original articles as was possible with a reasonable expenditure of time, and is based therefore upon the salient points rather than upon minute details, although an attempt has been made to carry the subdivision of subjects as far as possible. Under the heading "Applications of Quantitative Methods" (page 111 *et seq.*), only those references are, in general, included in which the title of the article specifies the material analyzed. This is particularly true of irons, steels, ferromanganese, and spiegeleisen.

We desire to express our obligation to Dr. H. C. Bolton for the permission to make use of his "Index," as well as for assistance in the examination of a file of journals, and to Mr. A. C. Davis for his valuable assistance in the examination of proof-sheets.

This compilation was made possible by a ready access to the valuable libraries of the Massachusetts Institute of Technology, notably the William Ripley Nichols Chemical Library, but we also wish to express our appreciation of the courtesies extended to us by the Boston Public Library, the Library of the American Academy of Arts and Sciences, the Boston Society of Natural History, the Surgeon-General's Office at Washington, the Library of Congress, the libraries of Yale, Columbia, Lehigh, and Harvard Universities, the Massachusetts College of Pharmacy, and the John Crerar and Astor Libraries. Professor James Lewis Howe's excellent "Bibliography of the Platinum Metals" has served as a model for the arrangement of our data.

HENRY P. TALBOT.

JOHN W. BROWN.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY,  
BOSTON

JANUARY, 1902.

LIST OF JOURNALS EXAMINED IN THE PREPARATION OF  
THIS BIBLIOGRAPHY.

- American Chemical Journal, 1 (1879)—24 (1900).  
 American Chemist, 1 (1870)—7 (1877).  
 American Journal of Science (Silliman), 1 (1818)—[4] 7 (1900).  
 Analyst, 1 (1876)—25 (1900).  
 Annalen de Physik (Gren, Gilbert, Poggendorff, Wiedemann), 1 (1799)—[2] 237 (1877).  
 Annalen der Chemie [Pharmacie] (Liebig), 1 (1832)—313 (1900).  
 Annales de chimie et de physique [2], 40 (1829)—[7] 21 (1900), except [3] 38 and 39.  
 Annals of Philosophy, 1 (1813)—[2] 12 (1826).  
 Archiv de Pharmacie, 51 (1847)—238 (1900).  
 Berg- und hüttenmännische Zeitung, 1 (1842)—59 (1900).  
 Berichte der deutschen chemischen Gesellschaft, 1 (1868)—33 (1900).  
 Bulletin de la société chimique (Paris), [2] 1 (1858)—[3] 24 (1900).  
 Chemical Gazette, 1 (1843)—17 (1859).  
 Chemical News, 1 (1860)—82 (1900).  
 Chemiker Zeitung, 3 (1879)—25 (1900), except volume 5.  
 Chemische Industrie, 8 (1885)—15 (1892) and 21 (1898)—23 (1900).  
 Chemisches Annalen (Crell), 1 (1784)—13 (1802).  
 Chemisches Centralblatt [Pharmaceutisches], 1832—1900.  
 Chemisch-technisches Repertorium, 1 (1862)—39 (1900), except 1879—81.  
 Chemist, 1 (1840)—8 (1848).  
 Comptes rendus de l'Académie des sciences, 1 (1835)—131 (1900).  
 Gazzetta chimica italiana, 1 (1871)—30, (1900).  
 Iron, 1 (1872)—41 (1893).  
 Jahrbuch der Chemie (Meyer), 1891—1900.  
 Jahresbericht für chemische Technologie (Wagner), 1 (1855)—46 (1900).  
 Jahresbericht über die Fortschritte der Chemie, 1847—1891.  
 Jahresbericht über die Fortschritte der physischen Wissenschaften, 1 (1822)—28 (1849).  
 Journal of the American Chemical Society, 1 (1879)—22 (1900).  
 Journal of Analytical and Applied Chemistry (Hart), 1 (1887)—7 (1893).  
 Journal of the Chemical Society (London), 1 (1841)—78 (1900).  
 Journal für Chemie (Schweigger), 1 (1811)—69 (1833).  
 Journal of the Franklin Institute, 1 (1826)—143 (1897).  
 Journal of the Iron and Steel Institute, 1874—1900.  
 Journal für praktische Chemie, 1 (1834)—[2] 62 (1900).  
 Journal of the Society of Chemical Industry, 1 (1882)—19 (1900).  
 Mittheilungen aus der technischen Gewerbe Museum, Wien, 1891—1899.  
 Monatshefte für Chemie, 1 (1880)—21 (1900).

Viii BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- Moniteur scientifique, 1 (1857)—44 (1896).  
Oesterreichische Zeitschrift für Berg- und Hüttenwesen, 1 (1853)—47 (1898).  
Polytechnisches Centralblatt, 1 (1835)—40 (1875).  
Polytechnisches Journal [Dingler], 1 (1820)—314 (1899).  
Proceedings of the Chemical Society (London), 3 (1887)—14 (1898), except  
Vol. 8.  
Recueil des travaux chimique des Pays-Bas, 1 (1882)—19 (1900).  
Répertoire de chimie pure et appliqué, 1 (1858)—5 (1863).  
Revue de chimie industrielle, 1 (1890)—11 (1900).  
School of Mines Quarterly, 1879—1900.  
Stahl und Eisen, 1 (1881)—20 (1900).  
Technisch-chemisches Jahrbuch, 15 (1892)—21 (1899).  
Transactions of the American Institute of Mining Engineers, 1 (1871)—30  
(1900).  
Wiener Akademie Berichte, 1 (1848)—107 (1898).  
Zeitschrift für analytische Chemie (Fresenius), 1 (1862)—39 (1900).  
Zeitschrift für angewandte Chemie, 1888—1900.  
Zeitschrift für anorganische Chemie, 1 (1892)—23 (1900).  
Zeitschrift für physikalische Chemie, 1 (1887)—36 (1900).

# A BIBLIOGRAPHY OF THE ANALYTICAL CHEMISTRY OF MANGANESE.

1785-1900.

BY HENRY P. TALBOT AND JOHN W. BROWN.

---

- 1785: 1. HJELM, P. J. Versuche aus dem Braunstein den Braunsteinkönig (Magnesium) zu erhalten, und denselben mit einigen Metallen zusammenzuschmelzen. (*Title from Crell's Ann.*)  
\* Königl. Vetensk. Acad. Nya. Handl., 1785; Crell's Ann., 1787, a, 451.  
Detection by the color produced on fusion with alkalis.
- 1786: 1. RINMANN, S. (*Title unknown.*)  
\* S. Chem. Ann., 3, 276; Crell's Ann., 1786, a, 361.  
Separation from iron.
- 1788: 1. PORCEL. Pour decouvrir dans un mine de fer les oxides (ou chaux) de zinc et de manganèse par le moyen de l'acide acetaux.  
J. de phys., 33, 436.  
Separation from zinc by treatment of the ignited oxides with acetic acid.
- 1792: 1. HERMBSTÄDT. Versuche und Bemerkungen über verschiedene Gegenstände.  
Crell's Ann., 1792, b, 315.  
Separation from iron by the aid of tartaric acid.
- 1796: 1. RICHTER. Etwas über die Reinigung des Braunsteins vom Eisen.  
Crell's Ann., 1796, b, 300.  
Separation from iron by the aid of tartrates.
- 1797: 1. KIRWAN. Ueber die Zerlegung und Probierung metallhaltiger Erze.  
Crell's Ann., 1797, b, 436.  
Separation from iron by nearly neutralizing the hydrochloric acid solution by caustic potash and boiling.

2 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1799: 1. VAUQUELIN. Analyse de quatre échantillons d'aciers.  
J. de Mines, 5, 15.  
Separation from iron by means of acid potassium carbonate.
- 1806: 1. BERZELIUS, J. Om Fettsyran.  
Ahandlingar i Fysik, Kemi och Mineralogi, 1806, 171; J. für Chem.  
(Gehlen), 2, 286.  
Separation from iron by means of benzoic and succinic acids.
- 1806: 2. JOHN, J. F. Beiträge zur chemischen Kenntniss des Mangans.  
J. für Chem. (Gehlen), 3, 452; Ann. Phil. (1813), 2, 172.  
Separation from iron by means of oxalates and succinates.
- 1811: 1. BUCHHOLZ. (Title unknown.)  
\* J. für Chem. (Gehlen), 9, 673; Ann. Phil. (1813), 2, 343; Ann.  
chim. phys. (1), 79, 310; J. de Mines, 30, 301.  
Separation from iron by means of oxalates.
- 1812: 1. PFAFF, C. H. Ueber die Scheidung des Mangans vom Eisen, und das Verhältniss des Mangans gegen einige Reagentien.  
J. für Chem. (Schweigger), 4, 368.  
Comments on the methods of separation used by Vauquelin, Richter, Berzelius, and John.
- 1813: 1. HATCHETT. On the Method of Separating Iron from Manganese.  
Ann. Phil., 2, 343; J. für Chem. (Schweigger), 14, 352.  
Separation from iron by means of ammonia in slight excess in the presence of ammonium chloride.
- 1814: 1. DAVY, J. Ueber die Verbindungen des Halogens mit Mangan, Blei, Zink, Arsenik, Antimonium und Wismuth.  
J. für Chem. (Schweigger), 10, 510.  
Separation from iron by volatilization of ferric chloride.
- 1815: 1. JOHN, J. F. Vermischte Bemerkungen.  
J. für Chem. (Schweigger), 14, 399.  
Detection in plant ashes by the formation of metaphosphate.
- 1817: 1. GROTHUSS, T. Methode das Eisen vom Mangan zu scheiden.  
J. für Chem. (Schweigger), 20, 272; Ann. Phil., 13, 50.  
Separation from iron by means of potassium "anthrazothionate."
- 1819: 1. BRANDES, R. Chemische Untersuchungen der Manganerze.  
J. für Chem. (Schweigger), 26, 124.  
Use of Davy method to separate iron, and precipitation of manganese as carbonate. See 1814: 1.

- 1819: 2. FARADAY, M. (Title unknown.)  
 Quart. J. Sci., 6, 357.  
 Separation from iron.
- 1819: 3. PFAFF, C. H. Noch ein Wort über die Scheidung des Mangans vom Eisen nebst einiger Bemerkungen über Mangansalze und die Reactionen des Mangans.  
 J. für Chem. (Schweigger), 27, 91.  
 Comments on various methods for the separation from iron.
- 1820: 1. GAHN. Ueber das Löthrohr.  
 J. für Chem. (Schweigger), 29, 308.  
 Detection by means of blow-pipe beads.
- 1821: 1. HERSCHELL, J. F. W. Separation of Iron from other Metals.  
 Phil. Mag., 57, 393; Ann. Phil. (2), 3, 95; Ann. chim. phys. (2), 20, 304; J. für Chem. (Schweigger), 32, 452.  
 Separation in boiling solution by means of ammonium carbonate.
- 1821: 2. PFAFF, C. H. Ueber Fällung des Eisens und des Mangans durch Hydrothionsäure.  
 J. für Chem. (Schweigger), 33, 475.  
 Precipitation by means of sulphuretted hydrogen.
- 1824: 1. FROMMHERZ, C. Ueber die Mangansäure.  
 J. für Chem. (Schweigger), 41, 270.  
 Determination in manganic acid by the oxygen evolved on ignition.
- 1827: 1. DU MENIL. Ueber Scheidung des Mangans vom Eisen, wie auch des Kobalts vom Mangan.  
 J. für Chem. (Schweigger), 51, 225; Berzelius' Jsb., 8, 156.  
 Separation from iron by means of arsenic acid or oxalates stated to be valueless; separation from cobalt by means of oxalates and ammonia.
- 1827: 2. QUESNEVILLE, Jr. Sur un moyen analytique pour separer le fer du manganese.  
 J. de pharm., 12, 474; Ann. chim. phys. (2), 34, 198; Berzelius' Jsb., 7, 143.  
 Separation from iron by means of sulphates, succinates, and arsenates.
- 1827: 3. STROMEYER. Chemische Analyse einer neuen Abhandlung des Magnesits und eine neue sichere Methode das Mangan von der Talk- und Kalkerde zu scheiden.  
 Göttingische Geleht. Anzeige, 1827, 1569; Ann. der Phys. (Pogg.), 11, 169; J. für Chem. (Schweigger), 21, 223; Mag. für Pharm. (Geiger), 22, 339; Berzelius' Jsb. (1829), 8, 186.  
 Separation from calcium and magnesium by means of chlorine.



#### 4 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1829: 1. GAY-LUSSAC. Sur l'essai des oxides de manganèse du commerce.  
J. de pharm., 1828, Oct.; J. techn. Chem. (Erdmann), 4, 274.  
Determination of peroxide in pyrolusite by treatment with hydrochloric acid, passage of chlorine into milk of lime and titration with indigo.
- 1829: 2. LASSAIGNE. Note sur la purification de l'oxide de manganèse.  
Ann. chim. phys. (2), 40, 329; J. für Chem. (Schweigger), 56, 163;  
Dingl. pol. J., 33, 126; Arch. Pharm., 35, 262.  
Separation from iron by means of acid oxalates not found suitable for analytical purposes.
- 1829: 3. MARTINI. Ueber das arseniksaure Kali als Scheidungsmittel des Eisens vom Mangan.  
J. für Chem. (Schweigger), 56, 162.  
Separation from iron by means of potassium arsenate, and by succinic and benzoic acids.
- 1830: 1. BECQUEREL. Un procédé electro-chimique pour retirer le manganèse et le plomb des dissolutions dans lesquelles ils se trouvent.  
Mém. de l'Inst., 10, 286; Ann. chim. phys. (2), 43, 380.  
Separation from iron and zinc by electrolysis.
- 1830: 2. FUSS, W. E. Ueber Darstellung des reinen Manganoxyduls.  
J. für Chem. (Schweigger), 60, 346.  
Separation from iron by ammonia and precipitation as carbonate.
- 1831: 1. FUCHS, J. N. Beitrag zur Scheidung des Eisenoxydes vom Eisenoxydul und anderen Metalloxyden.  
J. für Chem. (Schweigger), 62, 192; Pharm. Centrbl., 1831, 461;  
Berzelius' Jsb. (1833), 12, 164.  
Separation from iron by means of calcium carbonate.
- 1831: 2. LIEBIG, J. Scheidung der Bittererde, des Manganoxyduls, des Kobalts und Nickels, des Eisenoxyduls vom Eisenoxyd, und des Bleioxyds vom Wismuthoxyd.  
Mag. der Pharm. (Geiger), 35, 111; Ann. chim. phys. (2), 48, 290;  
(2), 49, 111; Pharm. Centrbl., 1831, 747; Berzelius' Jsb. (1833), 12, 166.  
Finds method of Fuchs unreliable. See 1831: 1.
- 1831: 3. TURNER, E. Manganese: Mode of Ascertaining the Value of its Ores.  
\* J. Roy. Inst., 1, 293; Dingl. pol. J., 40, 212; J. Frank. Inst., 11, 356; Pharm. Centrbl., 1831, 304; \* Rep. Pat. Inv., 11, 224;

- Phil. Mag., 9, 235; J. techn. Chem. (Erdmann), 10, 485; Ann. de Mines (3), 2, 321; Am. J. Sci., 21, 364; Ann. der Phys. (Pogg.), 14, 216; Arch. Pharm., 39, 35.
- Treatment of ore with hydrochloric acid, passage of the chlorine into water and titration with a solution of ferrous sulphate to the disappearance of the odor of chlorine.
- 1832: 1. BERTHIER, P. Analyse de quelques mineraux de manganèse d'espèces variées.
- Ann. chim. phys. (2), 51, 79; Dingl. pol. J., 47, 104; Pharm. Centrbl., 1833, 129; J. techn. Chem. (Erdmann), 16, 379.
- Determination of peroxide by liberation of nitrogen from ammonium chloride, by heating with sulphur, and by solution in oxalic acid and collecting the carbon dioxide formed.
- 1832: 2. DÖBEREINER. Ueber das Verhalten der Magnesia zu einigen Metallsalzen.
- J. für Chem. (Schweigger), 63, 482; Pharm. Centrbl., 1832, 109.
- Separation from iron and cobalt by means of magnesia alba.
- 1832: 3. DUFLOS, A. Ueber Prüfung des Chlorkalks und des Braunersteins.
- J. für Chem. (Schweigger), 63, 346; Pharm. Centrbl., 1831, 800; J. techn. Chem. (Erdmann), 13, 278.
- Treatment with hydrochloric acid, oxidation of sulphurous acid by the chlorine generated, and precipitation of barium sulphate.
- 1832: 4. DUFLOS, A. Ueber Prüfung der Manganerze auf ihren Sauerstoffgehalt und über den Variocit von Ithfeld.
- J. für Chem. (Schweigger), 64, 81; Pharm. Centrbl., 1832, 105.
- See 1832: 3.
- 1832: 5. KASTNER. Scheidung verschiedener Salzbasen.
- N. Arch. für Chem. u. Meteorologie, 4, 433; Pharm. Centrbl., 1832, 208.
- Separation from iron by means of ammonium salts of camphoric and suberic acids.
- 1832: 6. LIEBIG, J. Ueber Scheidung des Manganoxyduls von Eisenoxyde.
- Ann. Chem. (Liebig), 1, 242; Pharm. Centrbl., 1832, 347.
- Acknowledges correctness of Döbereiner's criticisms. See 1832: 2.
- 1833: 1. GÖBEL. Verhalten der Ameisensäure zu einigen Metalloxyden und Hyperoxyden.
- J. für Chem. (Schweigger), 67, 76; Pharm. Centrbl., 1833, 271; Berzelius' Jsb. (1835), 14, 133.
- Determination of peroxide by solution in hydrochloric and formic acids, and absorption of the carbon dioxide liberated.

6 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1833: 2. PLANIWA. Trennung des Manganoxys und Eisenoxys.  
 \* Baumgartner's N. Ztschr., 2, 241; Pharm. Centrbl., 1833, 699.  
 Separation from iron by fusion of the precipitate produced by ammonia with alkali and a nitrate.
- 1833: 3. ZENNECK. Pneumatische Methode der Untersuchung von Manganerzen auf ihren Superoxydgehalt, nebst Angabe von einigen demnach angestellten Prüfungen.  
 J. techn. Chem. (Erdmann), 18, 75; Pharm. Centrbl., 1833, 959; Am. J. Sci., 29, 374.  
 A comparison of gasometric methods, including Berthier's methods, expulsion of oxygen by heating the ore alone, by heating with sulphuric acid, and by heating with sugar; also the measurement of chlorine evolved on treatment with hydrochloric acid, and the measurement of the nitrogen evolved by heating with concentrated hydrochloric acid, with the addition of ammonia.
- 1834: 1. DEMARÇAY, H. Sur l'emploi des sels insolubles comme moyen de séparation dans l'analyse chimique.  
 Ann. chim. phys. (2), 55, 398; Pharm. Centrbl., 1834, 660; Ann. Chem. (Liebig), 11, 241.  
 Separation from iron by boiling a solution to which a few drops of ammonium carbonate solution in excess have been added.
- 1835: 1. GAY-LUSSAC. Nouvelle instruction sur la chlorométrie.  
 Ann. chim. phys. (2), 60, 252; Pol. Centrbl., 1836, 286; Ann. Chem. (Liebig), 18, 47; Arch. Pharm., 58, 128.  
 Determination of peroxide by solution in hydrochloric acid, passage of the chlorine into potassium hydroxide solution, and titration for the hypochlorite formed with arsenious acid.
- 1835: 2. PERSOZ, J. Sur l'ordre de tendance des oxides pour les acides et les applications qui en decoulent.  
 Ann. chim. phys. (2), 58, 199; Pharm. Centrbl., 1835, 437.  
 Separation from iron, nickel, and cobalt by means of mercuric oxide.
- 1836: 1. KRASKOWITZ. Manganreaction.  
 Ann. der Phys. (Pogg.), 36, 565; Pharm. Centrbl., 1836, 175; Arch. Pharm., 58, 199.  
 Detection by means of the red produced by hydrochloric acid when brought into contact with the mass after fusion with potassium carbonate.
- 1836: 2. THOMSON. On minerals containing columbium.  
 Rec. Gen. Sci., 1836, 412; Pol. Centrbl., 1836, 788; Pharm. Centrbl., 1836, 475; Ann. des Mines (3), 11, 249; J. prakt. Chem., 9, 433; Ann. Chem. (Liebig), 19, 194; J. de pharm. (2), 22, 440; Dingl. pol. J., 61, 55; J. Frank. Inst., 22, 343; Arch. Pharm., 58, 68 and 132.

- Detection by fusion with sodium carbonate. Determination by precipitation as carbonate and ignition to manganomanganic oxide. Separation from iron by means of benzoates.
- 1836: 3. WITTSTEIN, G. C. Ueber die Prüfung des käuflichen Braunsteins auf seinen Gehalt an reinen Superoxyd.  
Buchner's Repert. (2), 7, 169; Arch. Pharm., 58, 199.  
Comments on current methods for the valuation of manganese ores.
- 1837: 1. DÖBEREINER. (Title unknown.)  
Berzelius' Jsb., 16, 159; Chemist, 1, 237.  
Separation from cobalt through differences in solubility of the chlorides in ether.
- 1837: 2. EBELMEN. Nouveau moyen d'analyse les mineraux de manganèse.  
Ann. des Mines (3), 12, 607; Pharm. Centrbl., 1838, 808; L'Inst. (1838), 6, 331; J. prakt. Chem., 14, 312; J. Frank. Inst., 26, 332.  
Determination of peroxide by solution in hydrochloric acid, passage of the chlorine evolved into a solution of sulphurous acid, and precipitation with barium chloride.
- 1837: 3. RICHTER, W. Trennung des Manganoxyduls von Zinkoxyd.  
J. prakt. Chem., 9, 159; Pharm. Centrbl., 1837, 90; Ann. des Mines (3), 13, 460; Ann. Chem. (Liebig), 24, 309; Berzelius' Jsb., 17, 190.  
Separation from zinc by ignition of the nitrates and treatment of the oxides with acetic acid.
- 1837: 4. SCHEERER, T. Ueber eine Methode das Kobaltoxyd, sowie das Nickeloxyd und Manganoxyd vom Eisenoxyd, von der Arsenik- und Arsenigen-säure zu trennen. (Title from *Ann. der Phys.* [Pogg].)  
Nyt. Mag. Naturvidenskaberne, Physiographiske Forening Christiania, 1840, 46; Ann. der Phys. (Pogg.), 42, 104; Pharm. Centrbl., 1838, 7; J. prakt. Chem., 12, 354; Ann. des Mines, 13, 454; Dingl. pol. J., 68, 463; Arch. Pharm., 66, 202.  
Separation from iron, arsenic and arsenious acids, by precipitation as basic sulphate or chloride.
- 1838: 1. GIESELER. Prüfung eines im Handel vorkommenden gepulverten Braunsteins auf seinen Gehalt an Manganhyperoxyd und an fremden Bestandtheilen.  
Arch. Pharm., 65, 209.  
Comments on Duflos' (1832: 3), Thomson's (1836: 2), and other methods for the determination of peroxide.

8 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1838: 2. WACKENRODER, H. Neue Methode zur Scheidung des Mangans vom Eisen, Nickel, Kobalt und Zink.  
Arch. Pharm., 66, 113; Pharm. Centrbl., 1838, 673 and 674; 1839, 193; Berzelius' Jsb. (1840), 19, 279; Jsb. chem., 1847, 975.  
Separation by means of sulphuretted hydrogen in acetic acid solution, and also by precipitation as sulphides and solution in dilute hydrochloric acid.
- 1839: 1. FIKENTSCHER, F. C. Prüfung der Braunsteinerze auf Sauerstoffgehalt.  
J. prakt. Chem., 17, 173; Dingl. pol. J., 73, 204.  
Determination of peroxide through loss of weight of strip of copper inserted in the hydrochloric acid during solution of the ore.
- 1839: 2. FUCHS, J. N. Eisenerzprobe (und Braunsteinprobe) auf nassem Wege.  
J. prakt. Chem., 17, 160; Pol. Centrbl., 1839, 665.  
See Fikentscher, 1839: 1.
- 1839: 3. W. Trennung von Kobalt und Mangan.  
Ann. Chem. (Liebig), 29, 217; Pharm. Centrbl., 1839, 384; Ann. des Mines (3), 15, 431; Arch. Pharm., 74, 57.  
Separation by means of silver nitrate and ammonia.
- 1841: 1. BERZELIUS. (Title unknown.)  
Berzelius' Jsb., 20, 189.  
Treatment with hydrofluoric acid to determine the state of oxidation of manganese in its minerals.
- 1841: 2. HENRY. (Title unknown.)  
\* Acad. de Med., 1839; Pharm. Centrbl., 1841, 923.  
Determination in mineral waters.
- 1841: 3. LIEBIG, J. Ueber Darstellung und Anwendung des Cyankaliums.  
Ann. Chem. (Liebig), 41, 293.  
Separation from cobalt by means of cyanide.
- 1841: 4. ULLGREN. (Title unknown.)  
Berzelius' Jsb., 21, 147; Chem. Gaz., 1, 13; Pharm. Centrbl., 1842, 254; Ann. Chem. (Liebig), 40, 266; Ann. des Mines (4), 2, 206.  
Separation from nickel and cobalt by precipitation with potassium hydroxide and hypochlorite, solution of the precipitate in hydrofluoric acid, and boiling with ammonia in excess.
- 1842: 1. LEA, H. C. Remarks upon the Examination of the Peroxide of Manganese.  
Am. J. Sci. (1), 42, 81.  
Tests to distinguish manganous from manganic salts.

- 1842: 2. LEVOL, A. Nouveau moyen d'essai du manganèse.  
 J. de pharm. (3), 1, a, 210; Chemist, 3, 149; Pol. Centrbl., 1842, 874; Dingl. pol. J., 85, 299; Ann. des Mines (4), 2, 205; J. prakt. Chem., 26, 151; Chem. Gaz., 1, 329; Ann. Chem. (Liebig), 44, 355; Arch. Pharm., 81, 322.  
 Determination of peroxide by solution of the ore in hydrochloric acid and a ferrous salt, and titration for the excess of the latter with potassium chlorate, using indigo test paper.
- 1842: 3. OTTO, J. F. Unterscheidung des Zinks von Mangan in Auflösungen welche Ammoniaksalze enthalten.  
 Ann. Chem. (Liebig), 42, 347; Pharm. Centrbl., 1842, 684; Chem. Gaz., 1, 180; Am. J. Sci. (1), 47, 194; Ann. des Mines (4), 3, 569; Berzelius' Jsb., 23, 242.  
 Separation by precipitation as sulphide and solution in acetic acid.
- 1842: 4. OTTO, J. F. Neue Methoden den Chlorkalk und den Braunstein zu prüfen.  
 Dingl. pol. J., 85, 296; Pol. Centrbl., 1842, 876; Chemist, 3, 346; J. de pharm., 1842, Mar.  
 Determination of peroxide by solution in hydrochloric acid and addition of ferrous sulphate, using potassium ferri-cyanide as an indicator.
- 1843: 1. BAUMANN, H. Prüfung des Braunsteins auf seinen Gehalt an Superoxyd.  
 Arch. Pharm., 84, 171; Chem. Gaz., 1, 499.  
 Solution of ore in hydrochloric acid and passage of chlorine into a solution of silver nitrate. (It is not evident how this procedure could possibly yield results of any value whatever.)
- 1843: 2. EBELMEN. Note sur le dosage du manganèse.  
 Ann. chim. phys. (3), 8, 508; Ann. des Mines (4), 4, 409; Pharm. Centrbl., 1844, 400; Chem. Gaz., 1843, 685; Ann. Chem. (Liebig), 48, 369; Arch. Pharm., 90, 178.  
 Determination as protoxide by reduction of the higher oxides by ignition in a current of hydrogen.
- 1843: 3. FRESSENIUS, F., and WILL, H. Neue Verfahrungsweisen zur Bestimmung des Werthes der Pottasche und Soda, der Säuren und des Braunsteins.  
 Ann. Chem. (Liebig), 47, 87; 49, 137; Dingl. pol. J., 90, 219; Pol. Centrbl., 1843, b, 395; Chem. Gaz., 1844, 52; Pharm. Centrbl., 1843, 804; Berzelius' Jsb. (1845), 24, 261; Buchner's Rep., 83, 240.  
 Determination of peroxide by solution with oxalates and absorption of the carbon dioxide.

10 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1844: 1. ETTLING. Chemische Untersuchung des in der Nähe von Giessen vorkommenden Braunsteins.  
Ann. Chem. (Liebig), 43, 185; Berzelius' Jsb., 23, 243.  
Determination of peroxide by the procedure of Gay-Lussac (1835:1).
- 1845: 1. CLOEZ. Séparation de l'oxyde de cobalt de l'oxyde de manganèse.  
J. de pharm. (3), 7, 157; Pharm. Centrbl., 1845, 543; Berzelius' Jsb. (1847), 26, 277; Chem. Gaz., 3, 102.  
Separation by means of potassium polysulphide.
- 1845: 2. CRUM, W. Empfindliches Prüfungsmittel auf Mangan.  
Ann. Chem. (Liebig), 55, 219; Pharm. Centrbl., 1845, 894; Chem. Gaz., 3, 502; Am. J. Sci. (2), 1, 262; Ann. des Mines (4), 11, 496; Ann. der Phys. (Pogg.), 105, 294; J. de pharm. (3), 9, 221; Berzelius' Jsb. (1847), 26, 276.  
Oxidation to permanganic acid by means of lead peroxide in nitric acid solution.
- 1846: 1. BARRESWIL. Sur un nouveau mode de séparation du cobalt d'avec le manganèse.  
Ann. chim. phys. (3), 17, 53; C. R., 22, 421; Pharm. Centrbl., 1846, 415; Jsb. Chem., 1847, 974; Berzelius' Jsb., 27, 214; Pol. Centrbl., 1847, 642; 1848, 1295; Am. J. Sci. (2), 2, 260; Chem. Gaz., 1846, 159; J. de pharm. (3), 9, 189; Ann. des Mines (4), 11, 499; Dingl. pol. J., 100, 157; J. prakt. Chem., 38, 171.  
Separation by means of hydrogen sulphide in the presence of barium carbonate.
- 1846: 2. PHILLIPS, R. A New Test for Manganese.  
Chemist, 7, 152; Am. J. Sci. (2), 2, 259.  
Detection by means of the amethyst color given to solutions in which a piece of phosphorus is partly immersed, the whole being allowed to stand for some time in the dark.
- 1846: 3. ROWNEY, T. Analysis of the Bohemian Glass as found in the Combustion Tubes employed in Organic Analysis.  
Proc. Chem. Soc. (Lond.), 3, 300.  
Determination in glass.
- 1846: 4. VÖLKER, A. Ueber die rothe Färbung der Manganoxydsalze.  
Ann. Chem. (Liebig), 59, 27; Pharm. Centrbl., 1846, 923; Chem. Gaz., 4, 397.  
Separation from cobalt by volatility of the manganous chloride in hydrogen.
- 1847: 1. BOBIERRE, A. (Title unknown.)  
\* Monit. Ind., 1847, No. 1190; Dingl. pol. J., 107, 448.  
Modification of the Gay-Lussac apparatus for the determination of peroxide.

- 1847: 2. LEVOL, A. Additions concernant une méthode d'essai de manganèse publiée dans ce recueil en Mars 1842.  
 J. de pharm. (3), 10, 26; Berzelius' Jsb. (1848), 27, 213; J. prakt. Chem., 38, 341.  
 Determination of the total amount of hydrochloric acid consumed by an ore, as well as the amount oxidized to chlorine. See 1842: 2.
- 1847: 3. ROSE, H. Ueber die Trennung des Nickels von Kobalt und die beider von anderen Metallen.  
 Ann. Chem. (Liebig), 64, 417; Jsb. Chem., 1847, 974; Ann. der Phys. (Pogg.), 71, 555.  
 Separation by means of sulphides and treatment with dilute hydrochloric acid. Comments on Barreswil (1846: 1) and Wackenroder (1838: 2) methods.
- 1847: 4. STRECKER. Ueber Barreswil's Trennungsmethode des Kobalts von Mangan.  
 Ann. Chem. (Liebig), 61, 219; Pharm. Centrbl., 1847, 367; Jsb. Chem., 1847, 974; Berzelius' Jsb. (1849), 28, 179; Pol. Centrbl., 1848, 1296; Chem. Gaz., 1847, 205; Am. J. Sci. (2), 4, 271.  
 Barreswil method regarded as inefficient. See 1846: 1.
- 1847: 5. SCHOENBEIN, C. F. Das Ozon als Reagens für Mangan.  
 Ann. der Phys. (Pogg.), 72, 466; Jsb. Chem., 1847, 952, Berzelius' Jsb. (1849), 28, 180.  
 Detection through the browning of solutions by ozone.
- 1847: 6. DE VRY. Bestimmung des Braunsteingehalts.  
 Ann. Chem. (Liebig), 61, 249; Pharm. Centrbl., 1847, 479.  
 Recommendation of Fresenius-Will method. (1843: 3.)
- 1849: 1. EBELMEN. Sur un nouveau mode d'emploi de l'hydrogen sulfuré dans l'analyse chimique.  
 Ann. chim. phys. (3), 25, 92; Chem. Centrbl., 1849, 169; Jsb. Chem., 1849, 592; Berzelius' Jsb. (1851), 30, 161; J. de pharm. (3), 15, 266; J. prakt. Chem., 46, 305; Ann. Chem. (Liebig), 72, 329; Chem. Gaz., 1849, 82.  
 Separation from cobalt, nickel and zinc by heating the oxides in an atmosphere of sulphuretted hydrogen and treatment of the sulphides with acetic or dilute hydrochloric acid.
- 1850: 1. DAVY, E. (Proceedings.)  
 Proc. Irish Acad., 4, 345.  
 Substance heated with flowers of sulphur, the mass extracted with water, and the manganese precipitated as ferrocyanide.
- 1851: 1. LAMING, R. On the Quantitative Estimation of Manganese.  
 Phil. Mag. (4), 1, 517; Dingl. pol. J., 121, 77.  
 Precipitation as carbonate; also a study of the stability of the carbonate.



12 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1851: 2. MÜLLER, L. Prüfung des Braunsteins und Chlorkalks auf deren Gehalt an Mangansuperoxyd und wirksames Chlor.  
Ann. Chem. (Liebig), **80**, 98; Pol. Centrbl., **1852**, 312; Jsb. Chem., **1851**, 635; Chem. Centrbl., **1852**, 266; Chem. Gaz., **1852**, 75; Dingl. pol. J., **124**, 50; Arch. Pharm., **121**, 306.  
Determination of peroxide by passing chlorine evolved into stannous chloride solution, and titration of the excess of the latter with ferric chloride.
- 1851: 3. PERSONNE and LHERMITE. Faits pour servir à l'histoire des acides manganique et hypermanganique.  
J. de pharm. (3), **19**, 115; Arch. Pharm., **118**, 181.  
Determination of peroxide from loss of weight of strip of copper immersed during solution in sulphuric acid.
- 1851: 4. SCHABUS. Ueber die Anwendung des chromsauren Kalis zur Eisen-, Braunstein- und Chlorkalkprobe.  
Wien Akad. Ber., **6**, 406; J. prakt. Chem., **35**, 368; Dingl. pol. J., **125**, 278; Pol. Centrbl., **1852**, 571; Jsb. Chem., **1851**, 634; Ann. Chem. (Liebig), **80**, 360.  
Determination of peroxide by solution with ferrous sulphate and titration for the excess of the latter with potassium bichromate.
- 1852: 1. CHAPMAN. Detection of Manganese in Limestone Rocks.  
Phil. Mag., (4) **3**, 144; Chem. Centrbl., **1853**, 16; Chem. Gaz., **1852**, 60; Arch. Pharm., **124**, 168.  
Addition of borax necessary for the success of the usual fusion test.
- 1852: 2. GIBBS, W. Contributions to Analytical Chemistry.  
Am J. Sci. (2), **14**, 204; Chem. Gaz., **1852**, 368; Jsb. Chem., **1852**, 728; Chem. Centrbl., **1853**, 105; J. prakt. Chem., **58**, 241; Ann. Chem. (Liebig), **86**, 57 and 62; Ann. chim. phys. (3), **40**, 233; Arch. Pharm., **124**, 168.  
Separation from zinc, nickel, the alkaline earths and alkalis, by precipitation from neutral solutions by lead peroxide. Comments on Crum's method of detection. See 1845: 2.
- 1853: 1. BUNSEN, R. Ueber eine volumetrische Methode von sehr allgemeiner Anwendbarkeit.  
Ann. Chem. (Liebig), **86**, 283; Jsb. Chem., **1853**, 626; Chem. Centrbl., **1853**, 545; Ann. chim. phys., (3), **41**, 339.  
Determination by solution in hydrochloric acid, passage of the chlorine into potassium iodide solution, and titration of the iodine with sulphurous acid.
- 1853: 1a. DEVILLE, H. St. C. Nouvelle méthode generale d'analyse chimique.  
Ann. chim. phys. (3), **38**, 5; J. prakt. Chem., **60**, 9.  
Separation from alkalis and alkaline earths by ignition of the nitrates and treatment of the residue with dilute nitric acid.

- 1853: 2. FLAJOLOT. Sur la séparation de quelques oxydes métalliques.  
Ann. des Mines (5), 3, 641; Ann. chim. phys. (3), 39, 460; Jsb. Chem., 1853, 678; Chem. Centrbl., 1854, 156; C. R. 36, 1090; Chem. Gaz., 1853, 380; J. prakt. Chem., 59, 508; 61, 110.  
Separation from cobalt and zinc by precipitation with sodium carbonate in the presence of potassium cyanide.
- 1853: 3. HEIZEL. (Title unknown.)  
Ztschr. für Pharm., 2, 32; N. Rep. Pharm., 2, 271.  
Comments on Crum's test. See 1845: 2.
- 1853: 4. HEMPEL, W. Mémoire sur l'emploi de l'acide oxalique dans les dosages à liqueurs titrées. Lusanne, 1853.  
Jsb. Chem., 1853, 629.  
Precipitation by means of sodium hypochlorite, solution of the precipitate in oxalic acid and titration for the excess.
- 1853: 5. KRIEGER, G. Zur volumetrische Bestimmung der Manganverbindungen.  
Ann. Chem. (Liebig), 87, 257; Jsb. Chem., 1853, 626; Chem. Gaz., 1853, 450; Am. J. Sci., (2), 17, 126; J. prakt. Chem., 61, 472.  
See Bunsen, 1853: 1.
- 1853: 6. LÖWE, J. Ueber die Entdeckung kleiner Mengen von Mangan auf nassem Wege.  
Dingl. pol. J., 130, 436.  
Oxidation to permanganic acid by means of sodium hypochlorite.
- 1853: 7. LÖWENTHAL, J. Versuche über die Trennung des Zinns von anderen Metallen.  
J. prakt. Chem., 60, 259.  
Separation from tin by means of sodium sulphate.
- 1853: 8. MORFIT, C., and BOOTH, J. C. On the Analysis of Cast Iron.  
Chem. Gaz., 1853, 388 and 411; J. prakt. Chem., 61, 102.  
Separation from iron by means of barium carbonate and precipitation as carbonate.
- 1853: 9. PARKINSON. (Title unknown.)  
Ann. Chem. (Liebig), 86, 62; Jsb. Chem., 1852, 730.  
Confirmation of Gibbs' results. See 1852: 2.
- 1853: 10. PRICE. On a New Method for the Determination of the Commercial Value of Oxide of Manganese.  
Chem. Gaz., 1853, 416; Pol. Centrbl., 1854, 111; Dingl. pol. J., 131, 34; J. prakt. Chem., 60, 471.  
Determination of peroxide by solution in hydrochloric acid, passage of the chlorine into a solution of arsenious acid, and titration for the excess of the latter with permanganate.

14 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1853: 11. RIVOT. (Title unknown.)  
Ann. des Mines, 6, 519; Pol. Centrbl., 1853, 821.  
Separation from cobalt and nickel.
- 1853: 12. SCHIEL, T. Separation of Manganese from Iron and Nickel.  
Am. J. Sci. (2), 15, 275; Chem. Centrbl., 1853, 528; Pol. Centrbl., 1853, 1512; J. prakt. Chem., 59, 184; Chem. Gaz., 1853, 413; Arch. Pharm., 115, 162.  
Precipitation by chlorine in the presence of sodium acetate.
- 1854: 1. DAVY, E. On Some New and Simple Methods of Detecting Manganese in Natural and Artificial Compounds and of Obtaining its Combinations for Economical Uses.  
Proc. Roy. Soc. (Lond.), 6, 385; Jsb. Chem., 1854, 734; Chem. Centrbl., 1854, 415; Chem. Gaz., 1854, 117; Phil. Mag. (4), 7, 222; J. prakt. Chem., 61, 448; Arch. Pharm., 130, 39.  
Detection by fusion with potassium hydroxide. Also by ignition with sulphur, oxidation to sulphate, solution, and precipitation with potassium ferrocyanide. See 1850: 1.
- 1854: 2. STRENG, A. Ueber eine allgemein Anwendbare Bestimmungsmethode auf maassanalytischem Wege.  
Ann. der Phys. (Pogg.), 92, 71; Dingl. pol. J., 133, 220; Jsb. Chem., 1854, 720; Chem. Centrbl., 1854, 683; Ann. Chem. (Liebig), 92, 414; Wagner's Jsb., 1, 20; Chem. Gaz., 1854, 271.  
Precipitation by means of hypochlorite, solution in stannous chloride, and titration for the excess of the latter with potassium bichromate, using iodo-starch indicator.
- 1855: 1. MOHR, F. Ueber Oxydations- und Reductionsanalysen.  
Ann. Chem. (Liebig), 93, 51; Dingl. pol. J., 135, 289; Wagner's Jsb., 1, 19.  
Criticism of Streng's procedure. See 1854: 2.
- 1855: 2. MÜLLER, L. Chemische Mittheilungen.  
Dingl. pol. J., 138, 116.  
Criticism of Streng. See 1854: 2.
- 1855: 3. FRESSENIUS, R. Ueber das Trocknen des Braunsteins zum Behuf seine Prüfung.  
Dingl. pol. J., 135, 277; Pol. Centrbl., 1855, 693 and 745; Wagner's Jsb., 1, 19.  
Discussion of the temperature which should be employed to dry pyrolusite before analysis.
- 1856: 1. GURLT, A. On the Compounds of Carbon and Iron and their Influence on the Production of Pig Iron.  
Chem. Gaz., 14, 260.  
Separation from iron by means of sodium bicarbonate. Precipitation by potassium hydroxide and ignition.

- 1856: 2. SCHREINER, E. Prüfung einiger Sorten käuflichen gepulverten Braunsteins.  
 Vierteljschr. für Pharm. (Wittstein), 5, 236; Dingl. pol. J., 140, 105; Pol. Centrbl., 1856, 955.  
 Addition of pyrolusite to ferrous sulphate solution until the iron is oxidized. (A crude method.)
- 1857: 1. BARRESWIL. Sur quelques procédés d'analyse applicable aux recherches mineralogiques.  
 C. R., 44, 677; Chem. Centrbl., 1857, 449; Jsb. Chem., 1857, 592; L'Inst., 25, 114; Chem. Gaz., 1857, 291; J. de pharm. (3), 31, 342; J. prakt. Chem., 71, 317; Arch. Pharm., 147, 46.  
 Detection by means of the violet color produced by sirupy phosphoric acid or salt of phosphorus.
- 1857: 2. BÖTTGER, R. Ueber das Verhalten verschiedenen Stoffe zu geschmolzenen reinen chlorsauren Kali.  
 Rep. für Pharm. (Buchner), 6, 247; J. phys. Ver. zu Frankfurt, 1856, 27; J. prakt. Chem., 70, 433; Chem. Centrbl., 1857, 635; Jsb. Chem., 1857, 136; Pol. Centrbl., 1857, 886; Pol. Notizbl., 12, 129; Arch. Pharm., 146, 288.  
 Detection by the color produced when the substance is brought into contact with fused potassium chlorate.
- 1857: 3. FIELD, F. On the Separation of Iron and Manganese.  
 Chem. Gaz., 1857, 374; Jsb. Chem., 1857, 592; Dingl. pol. J., 146, 315.  
 Separation by means of lead oxide. (PbO).
- 1857: 4. TERREIL, A. Note sur le dosage du manganèse, du nickel, du cobalt et du zinc.  
 C. R. 45, 652; J. de pharm. (3), 32, 383; Dingl. pol. J., 149, 265; Jsb. Chem., 1857, 593; L'Inst., 25, 366; Chem. Gaz., 1857, 452; J. prakt. Chem., 73, 481; Monit. scientif., 1, 607; Arch. Pharm., 151, 306.  
 Influence of ammonium salts on the precipitation as sulphide.
- 1858: 1. HEMPEL, C. W. Verhalten von Jod- und Bromkalium gegen die höheren Oxyde des Mangans.  
 Ann. Chem. (Liebig), 107, 101.  
 Determination of peroxide by directly heating the substance with potassium iodide and acid, and titration for the iodine liberated.
- 1858: 2. HENRY, T. H. On the Separation of Nickel and Cobalt from Manganese.  
 Phil. Mag. (4), 16, 197; Am. J. Sci. (1869), (2), 47, 130; Chem. Centrbl., 1859, 94; Jsb. Chem., 1858, 619; J. prakt. Chem., 76, 252.  
 Separation by means of phosphoric acid in the presence of an excess of ammonia and ammonium chloride.

16 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1858: 3. ROSE, H. Ueber die Lösungen der Manganoxysalze und über die Walter Crum'sche Reaction insbesondere.  
\* Monatsber. Akad. Wiss. (Berlin), Nov., 1858; Rep. für Pharm., 8, 81.  
See title.
- 1858: 4. SPILLER, J. On Some Remarkable Circumstances Tending to Disguise the Presence of Various Acids and Bases in Chemical Analysis.  
J. Chem. Soc. (Lond.), 10, 114 and 117.  
Effect of citrates and grape sugar upon the precipitation of manganese.
- 1859: 1. FIKENTSCHER, F. C. Prüfung der Braunsteinerze auf Sauerstoffgehalt.  
J. prakt. Chem., 17, 173; Wagner's Jsb., 5, 65.  
Determination of peroxide from the loss of weight suffered by a strip of copper immersed during the solution in hydrochloric acid.
- 1859: 2. NOLTÉ, G. Untersuchung des Braunsteins auf seinen Gehalt an Mangansuperoxyd.  
Berg- u. hüttenm. Ztg., 18, 149; Ding. pol. J., 152, 136; Chem. Gaz., 1859, 288; Pol. Centrbl., 1859, 1079; Chem. Centrbl., 1859, 414; Wagner's Jsb., 5, 65; Arch. Pharm., 157, 187.  
Comments and experiments upon procedure of Fikentscher. See 1859: 1.
- 1859: 3. VON KOBELL. Ueber die Anwendung des phosphorsauren Manganoxys in der Titiranalyse, und der Phosphorsäure zur Mineralbestimmung.  
J. prakt. Chem., 76, 415.  
Detection by means of violet color produced by phosphoric acid.
- 1860: 1. FIELD, F. On the Separation of the Oxides of Nickel and Cobalt from Peroxide of Iron.  
Chem. News, 1, 4.  
Separation from iron by means of lead oxide (PbO).
- 1860: 2. GORGEU, A. Sur une combinaison de permanganate et de manganate de potasse.  
C. R., 50, 610.  
Precipitation by means of ammonium sulphide and ignition to manganomanganic oxide.
- 1860: 3. LENSSEN, E. Volumetrische Bestimmung des Manganoxys.  
J. prakt. Chem., 80, 428; Jsb. Chem., 1860, 655; Chem. Centrbl., 1861, 78; Rep. chim. pure, 3, 139.  
Volumetric determination by reduction of potassium ferricyanide and titration for the ferrocyanide with permanganate.

- 1860: 4. MACHNEA, M. Note sur la composition du permanganate de potasse.  
C. R., 51, 140.  
Determination by the method of Gay-Lussac. Also by the determination of the chlorine evolved, with the aid of arsenious or sulphurous acid.
- 1860: 5. ROSE, H. Chemisch-analytische Beiträge; Ueber die Bestimmung der Mengen von Metall in Schwefelverbindungen.  
Ann. der Phys. (Pogg.), 110, 122; Jsb. Chem., 1860, 644; Chem. Centrbl., 1860, 583; Ztschr. Chem., 1860, 557; Rep. chim. pure, 2, 391.  
Precipitation as sulphide and ignition in hydrogen.
- 1860: 6. ROSE, H. Chemisch-analytische Beiträge; Bestimmung des Mangans; Trennung des Manganoxyduls von Thonerde, Magnesia, Kalkerde und Eisenoxyd.  
Ann. der Phys. (Pogg.), 110, 301; Chem. News, 2, 266 and 302; J. prakt. Chem., 84, 23 and 27; Rep. chim. pure, 2, 457; Arch. Pharm., 161, 57.  
Precipitation as sulphide and weighing as such. Separation from aluminium by means of ammonia in the presence of ammonium chloride; from magnesium and calcium by means of chlorine.
- 1860: 7. ROSE, H. Chemisch-analytische Beiträge; Trennung des Kobaltoxyds vom Nickeloxyd.  
Ann. der Phys. (Pogg.), 110, 412; Jsb. Chem., 1860, 656; Ztschr. Chem., 1860, 622; Rep. chim. pure, 3, 91.  
Separation from nickel or zinc by means of lead peroxide in neutral solution. See Gibbs, 1852: 2.
- 1861: 1. FRESENIUS, R. Ueber den Einfluss von freiem Ammon und von Ammonsalzen auf die Fällung des Nickels, Kobalts, Zinks, Mangans, Eisens, und Urans durch Schwefelammonium.  
J. prakt. Chem., 82, 257; Chem. Centrbl., 1861, 525; Chem. News, 4, 150; Rep. chim. pure, 3, 66.  
Precipitation as sulphide.
- 1861: 2. KOLBE, H. Directe quantitative Bestimmung der Kohlensäure, kohlensaure Salze, und Braunsteinanalyse.  
Ann. Chem. (Liebig), 119, 129; Dingl. pol. J., 161, 373.  
Determination of peroxide by weighing the carbon dioxide evolved from oxalic acid on solution of pyrolusite.
- 1861: 3. MOHR, F. Bestimmung der verschiedenen Oxydationsstufen im Braunstein.  
Ann. Chem. (Liebig), 117, 382; Jsb. Chem., 1861, 850; Rep. chim. pure, 3, 254.  
Determination of the available oxygen in the original specimen and also after ignition.

18 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1861: 4. MÖLLER. Analyse des Tritomits von Brevig.  
Ann. Chem. (Liebig), 120, 243; Ztschr. anal. Chem., 1, 217.  
Separation from iron, alumina, and alkaline earths by chlorine, and determination by the method of Bunsen.
- 1861: 5. QUADRAT, B. Ueber Methode zur Prüfung des Braunsteins auf seinen Handelswerth. (*Title from Pol. Centrbl.*)  
\* Schweiz. pol. Ztschr., 6, 103; Pol. Centrbl., 1861, 683; Ztschr. Chem., 1861, 605; Wagner's Jsb., 7, 143.  
Determination of peroxide from the loss of weight of strip of copper immersed during solution of the pyrolusite in hydrochloric acid.
- 1861: 6. ROSE, H. Chemisch-analytische Beiträge; Trennung des Zinns von Mangan.  
Ann. der Phys. (Pogg.), 112, 172; Chem. News, 5, 86; Jsb. Chem., 1861, 855; Ztschr. Chem., 1861, 281; Rep. chim. pure, 3, 389.  
Separation by means of sulphuric acid.
- 1862: 1. ABEL, F. A. On the Chemical Examination of Iron Samples and of the Materials Employed in their Manufacture.  
Chem. News, 6, 123; Rep. chim. appl., 5, 26.  
Separation from iron by the acetate method, precipitation by means of bromine in ammoniacal solution, and ignition to manganomanganic oxide.
- 1862: 2. RÖHR, R. Zur Braunsteinprüfung.  
Ztschr. anal. Chem., 1, 48; Jsb. Chem., 1861, 850.  
Treatment of pyrolusite with dilute sulphuric acid before the application of the Fresenius-Will method.
- 1862: 3. SIMMLER, T. Beiträge zur chemischen Analyse durch Spectralbeobachtungen.  
Ann. der Phys. (Pogg.), 115, 425; Ztschr. anal. Chem., 1, 356.  
Spectrum produced by manganous chloride.
- 1863: 1. FRESENIUS, R. Missbrauch bei Braunsteinanalysen.  
Ztschr. anal. Chem., 2, 346; Chem. Centrbl., 1864, 511; Pol. Centrbl., 1864, 826; Chem.-techn. Rep., 3, a, 105; Dingl. pol. J., 172 73.  
Comments on the application of the Fresenius-Will method to specimens of pyrolusite containing carbonates.
- 1863: 2. GUYARD, A. Du dosage direct du manganèse, de l'antimoine, et de l'uranium par la méthode des volumes, et de quelques composés de ces métaux.  
Bull. soc. chim. (2), 1, 89; Chem. Centrbl., 1864, 339; Jsb. Chem., 1863, 679; J. de pharm. (3), 45, 409; Chem. News, 8, 292; Ztschr. anal. Chem., 3, 373.  
Volumetric determination by means of potassium permanganate.

- 1863: 3. LIPPERT, G. Beiträge zur Analyse des Roheisens.  
Ztschr. anal. Chem., 2, 43.  
Separation from iron by boiling the nearly neutral solution of the chlorides. Precipitation as sulphide and weighing as such. Separation from nickel and zinc through the solubilities of the sulphides.
- 1864: 1. CROOKES, W. On Thallium.  
J. Chem. Soc. (Lond.), 2, 143.  
Separation from thallium by means of potassium iodide.
- 1864: 2. FRESSENIUS, R. Versuche betreffend die von E. Lenssen angegebenen maassanalytische Bestimmung des Mangans durch Reduction von Ferridcyankalium.  
Ztschr. anal. Chem., 3, 209; Jsb. Chem., 1864, 707.  
Experimental data bearing upon the method of Lenssen. See 1860: 3.
- 1864: 3. GIBBS, W. On the Quantitative Separation of Cerium from Yttrium, Aluminium, Glucinum, Manganese, Iron, and Uranium.  
Am. J. Sci. (2), 37, 354; Ztschr. anal. Chem., 3, 397.  
Separation from cerium by means of sodium sulphate.
- 1864: 4. MITTENZWEY, M. Beitrag zur volumetrischen Bestimmung der Gerbsäure, Gallussäure, sowie des Eisens, Mangans, u. s. w.  
J. prakt. Chem., 91, 86 and 87; Pol. Centrbl., 1864, 895; Dingl. pol. J., 173, 294; Jsb. Chem., 1864, 680; Chem. Centrbl., 1864, 551; Ztschr. anal. Chem., 3, 371; Chem. News, 9, 253; Bull. soc. chim. (2), 3, 131.  
Determination from the volume of oxygen absorbed when alkaline solutions of manganous salts are shaken with air.
- 1864: 5. ———. Braunsteinprobe.  
Berg- u. hüttenm. Ztg., 23, 374; Pol. Centrbl., 1865, 67; Dingl. pol. J., 174, 299.  
Procedure of Nolté as used at "Grube Kaiser Franz." See 1859: 2.
- 1864: 6. WINKLER, C. Ueber die volumetrische Bestimmung des Kobalts.  
Ztschr. anal. Chem., 3, 423.  
Titration with permanganate in the presence of mercuric oxide.
- 1865: 1. Alfraise, P. Méthode de dosage des minerais de manganèse par rapport à la production du chlore.  
Monit. scientif., 7, 477.  
Solution of ore in presence of stannous chloride, and titration for the excess of the latter with permanganate.



- 1865: 2. GIBBS, W. On the Separation of Chromium from Aluminium, Iron, Manganese, Cobalt, Nickel, Zinc, and Magnesium; On the Employment of Acetate of Sodium for the Separation of Iron and Aluminium from other Bases; On the Separation of Manganese from Cobalt, Nickel, and Zinc.  
 Am. J. Sci. (2), 39, 58; Ztschr. anal. Chem., 3, 331; Chem. Centrbl., 1865, 405; Jsb. Chem., 1865, 712; J. prakt. Chem., 95, 356; Ztschr. Chem., 1865, 307; Dingl. pol. J., 178, 133; Chem. News, 11, 101 and 147; Bull. soc. chim. (2), 6, 126.  
 Separation from chromium by means of chlorine or lead peroxide in alkaline solution; separation from zinc, cobalt, and nickel by means of sulphuretted hydrogen in acetic acid solution.
- 1865: 3. HABICH, R. Maassanalytische Bestimmung des Mangans mit übermangansaurem Kali nach Guyard.  
 Ztschr. anal. Chem., 3, 474; Jsb. Chem., 1865, 713; Ztschr. Chem., 1865, 473; Chem. News, 12, 58.  
 Comments on Guyard method. See 1863: 2.
- 1865: 4. LUCKOW, C. Ueber Elektro-Metallanalyse.  
 Dingl. pol. J., 177, 231 and 296; 178, 42; Jsb. Chem., 1865, 686.  
 Precipitation of the peroxide by electrolysis.
- 1865: 5. RUBE, C. Ueber die Abscheidung des Mangans bei analytischen Arbeiten.  
 J. prakt. Chem., 94, 246; Chem. Centrbl., 1865, 830; Jsb. Chem., 1865, 711; Ztschr. Chem., 1865, 347; Ztschr. anal. Chem., 4, 421; Bull. soc. chim. (2), 4, 119.  
 Separation from iron and aluminum by means of mercuric oxide.
- 1865: 6. WARINGTON, R., Jr. On the Presence of Manganese in Oolite and Lias.  
 J. Chem. Soc. (Lond.), 3, 206.  
 Precipitation by means of chlorine, and ignition to mangano-manganic oxide.
- 1866: 1. BUNSEN, R. Flammenreactionen.  
 Ann. Chem. (Liebig), 138, 291; Phil. Mag. (4), 32, 104; Jsb. Chem., 1866, 782; Ztschr. anal. Chem., 5, 376.  
 Blowpipe reactions.
- 1866: 2. EGGERTZ, V. Ueber die Bestimmung des Mangangehaltes in Eisen und Eisenerzen.  
 \* Jern.-Kont. Ann., 1866, Heft 3; Berg- u. hüttenm. Ztg., 26, 187; Monit. scient. (1868), 10, 25; Jsb. Chem., 1868, 872; \* Schweiz. pol. Ztschr., 1867, 154; Ztschr. Chem., 1868, 507; Ztschr. anal. Chem., 7, 495; Bull. soc. chim. (2), 11, 238; Chem. News, 18, 232; Wagner's Jsb., 13, 12.  
 Separation from iron by the acetate method, precipitation by means of bromine, and drying and weighing of the precipitated peroxide.

- 1866: 3. FRÖHDE, A. Anwendung des unterschwefligsauren Natrons zur qualitativen und quantitativen Analyse und zur Darstellung von Präparaten.  
Arch. Pharm., 177, 75; Ztschr. anal. Chem., 5, 396.  
Separation from cobalt and nickel by heating with sodium thiosulphate and removing the manganous sulphide by dilute acids.
- 1866: 4. REICHARDT, E. Ueber die Bestimmung und Scheidung von Manganoxydul, Eisenoxyd und-oxydul.  
Ztschr. anal. Chem., 5, 60; Arch. Pharm., 179, 234; Vjschr. Pharm. (Wittstein), 16, 394; Ztschr. Chem., 1866, 592; Bull. soc. chim. (2), 7, 495; Jsb. Chem., 1866, 800.  
Separation from ferrous and ferric iron by the acetate method, precipitation as peroxide by means of sodium hypochlorite, and ignition to manganomanganic oxide.
- 1866: 5. TERREIL, A. Séparation du cobalt et du nickel, et séparation du manganèse, du nickel et du cobalt.  
Bull. soc. chim. (2), 5, 88; Dingl. pol. J., 180, 305; Chem. Centrbl., 1866, 149; Jsb. Chem., 1866, 806; C. R., 62, 139; L'Inst., 1866, 28; Ztschr. Chem., 9, 211; Ztschr. anal. Chem., 5, 113; J. prakt. Chem., 100, 52; Chem. News, 13, 133.  
Separation from cobalt and nickel by means of potassium permanganate or chlorine, in ammoniacal solution.
- 1867: 1. BRAUN, C. D. Zur Bestimmung des wirksamen Sauerstoffs in einigen Sauerstoffsäuren und Metalloxyden, eine Methode von vielfacher Anwendbarkeit.  
Ztschr. anal. Chem., 6, 66 and 73; Jsb. Chem., 1867, 845; Chem. Centrbl., 1867, 396; Ztschr. Chem., 1867, 541; Chem.-techn. Rep., 6, b, 96.  
Detection by fusion with sodium pyrophosphate, or by heating the solution to be tested with phosphoric acid in the presence of lead peroxide. Determination by passing the chlorine evolved from the action of hydrochloric acid into a ferrous salt solution, and titration for the unoxidized iron.
- 1867: 2. FORBES, D. Analysis of Blister Steel.  
Chem. News, 16, 105; Chem. Centrbl., 1869, 37.  
Separation from iron by means of barium carbonate, precipitation by means of ammonium sulphide, solution of the precipitate in sulphuric acid, re-precipitation as carbonate, and ignition to manganomanganic oxide.
- 1867: 3. GIBBS, W. On the Estimation of Manganese as Pyrophosphate.  
Am. J. Sci. (2), 44, 216; Jsb. Chem., 1867, 845; Ztschr. Chem., 1867, 721; J. prakt. Chem., 103, 395; Ztschr. anal. Chem., 7, 101; Bull. soc. chim. (2), 9, 201; Chem. News, 17, 195.  
See title.

- 1867: 4. TOSH, E. G. On the Analysis of Cast Iron.  
Chem. News, **16**, 168.  
Separation from iron by the acetate method, precipitation as sulphide, re-precipitation as the carbonate, and ignition to manganomanganic oxide.
- 1868: 1. BRAUN, C. D. Ueber das Verhalten der Manganoxydsalze zu den Natronsalzen der Phosphorsäure bei Anwesenheit wirksamen Sauerstoffs.  
Ztschr. anal. Chem., **7**, 340; Jsb. Chem., **1868**, 227; Ztschr. Chem., **1869**, 306.  
Detection by heating with phosphoric acid and lead peroxide. See also 1867: 1.
- 1868: 2. JUETTE. Sur une méthode de dosage de l'acide tartarique et de l'acide malique, au moyen du fer, de l'aluminium, du manganèse, etc., et réciproquement.  
C. R., **66**, 417; Chem. News, **18**, 63; Bull. soc. chim. (2), **10**, 28.  
Volumetric estimation by titration with tartaric or malic acid in alkaline solution.
- 1868: 3. LUNGE, G. Ueber die analytischen Arbeiten in Sodafabriken.  
Dingl. pol. J., **186**, 205; Chem. Centrbl., **1868**, 1071.  
Determination of the peroxide by passing the chlorine evolved under the action of hydrochloric acid, into a ferrous salt solution, and titration for the unoxidized iron.
- 1868: 4. TERREIL, A. Action des solutions salines sur les minéraux.  
C. R., **66**, 668; Ztschr. Chem., **11**, 337; Chem. News, **13**, 45.  
Separation from magnesium and zinc by means of ammonium sulphide in the presence of a large amount of ammonium salts.
- 1869: 1. CLASSEN, A. Ueber die Fällung und Bestimmung des Mangans durch Anwendung von Schwefelammonium.  
Ztschr. anal. Chem., **8**, 370; Chem. Centrbl., **1870**, 530; Jsb. Chem., **1869**, 887; Ztschr. Chem., **1870**, 285; Bull. soc. chim. (2), **14**, 44; Chem.-techn. Rep., **9**, b, 122.  
Some conditions under which precipitation as sulphide is incomplete.
- 1869: 2. DAMOUR, A. Notice sur la Jakobsite: nouvelle espèce minérale.  
C. R., **69**, 168; Jsb. Chem., **1869**, 891; L'Inst., **1869**, 243.  
Separation from iron by the acetate method and from magnesium by means of hydrogen peroxide.
- 1869: 3. GALETTI, M. Abänderung der Methoden zur volumetrischen Bestimmung des in Erzen enthaltenen Kupfers und Zinks mit einer Normallösung von Ferrocyankalium.  
Ztschr. anal. Chem., **8**, 137.  
Separation from zinc in alkaline solution by means of bromine.

- 1869: 4. HOW. On the Non-Precipitation of Manganese by Sulphide of Ammonium in Presence of some Organic Ammoniacal Salts.  
Chem. News, **19**, 137; Jsb. Chem., **1869**, 887; Bull. soc. chim. (2), **13**, 48; Ztschr. Chem., **1869**, 414; Ztschr. anal. Chem., **9**, 382.  
Influence of oxalic, tartaric, and citric acids on the precipitation as sulphide.
- 1869: 5. LUCKOW, C. Bestimmung des Kupfers in Mansfelder Schiefern.  
Ztschr. anal. Chem., **8**, 24.  
Electrolytic separation from copper.
- 1869: 6. MOHR, F. Zur Braunsteinanalyse.  
Ztschr. anal. Chem., **8**, 314; Chem. News, **22**, 236.  
Determination of manganese peroxide in pyrolusite. Comments on the Fresenius and Will method. See 1843: 3.
- 1869: 7. MUCK. Ueber die Fällbarkeit des Kobalts durch Schwefelwasserstoff und Reinigung kobalthaltiger Mangansalze.  
Ztschr. Chem., **12**, 626; Bull. soc. chim. (2), **13**, 334.  
Precipitation of cobalt from a solution containing manganous carbonate by means of hydrogen sulphide.
- 1869: 8. PRIOR, M. E. Ueber der Zusammensetzung der Mangan-carbonate.  
Ztschr. anal. Chem., **8**, 428; Jsb. Chem., **1869**, 886; Ztschr. Chem., **1870**, 274; Bull. soc. chim. (2), **14**, 194.  
Determination by precipitation as carbonate. Determination of manganese peroxide by passing the chlorine evolved from the action of hydrochloric acid into a ferrous salt solution and titrating for the unoxidized iron.
- 1869: 9. RENARD, A. De l'emploi du phosphate de soude pour l'élimination du manganèse dans l'analyse volumétrique des minerais de zinc.  
Bull. soc. chim. (2), **11**, 473; Chem. Centrbl., **1870**, 224; Ztschr. anal. Chem., **8**, 460; Chem. News, **20**, 35; Ztschr. Chem., **1869**, 662.  
Separation from zinc by means of phosphates in ammoniacal solution.
- 1869: 10. SHERER, E., and RUMPF, G. On the Estimation of Peroxide of Manganese in Manganese Ores.  
Chem. News, **20**, 302; **21**, 48; Jsb. Chem., **1869**, 889; Ztschr. Chem., **1870**, 478.  
Comparison of the method of Fresenius and Will with the Bunsen method; also discussion of the iron method, and passage of chlorine into milk of lime and titration with arsenious acid.

24 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1869: 11. TESCHENMACHER, E. F., and SMITH, J. D. Zur Braunschsteinprüfung.  
 Ztschr. anal. Chem., 8, 509; Ztschr. Chem., 13, 287; Jsb. Chem., 1869, 888.  
 Comparison of the results obtained by the method of Fresenius and Will and by the iron method.
- 1870: 1. FRESSENIUS, R. Zur Analyse von Körpern welche beim Erhitzen mit Salzsäure Chlor entwickeln.  
 Ztschr. anal. Chem., 9, 63; Jsb. Chem., 1870, 993; Ztschr. Chem., 1870, 479.  
 Criticisms of Bunsen's method for the determination of peroxide in pyrolusite.
- 1870: 2. GIBBS, W. On the Precipitation of Copper and Nickel by Alkaline Carbonates.  
 Am. J. Sci. (2), 44, 213; Chem. Centrbl., 1870, 62.  
 Precipitation of manganese by means of oxalic acid in presence of alcohol.
- 1870: 3. LEISON, W. G. On the Precipitation and Determination of the Metals of the Magnesium Group in the Form of Oxalates.  
 Am. J. Sci. (2), 50, 240; Chem. News, 22, 210; Chem. Centrbl., 1870, 706.  
 Precipitation as oxalate. Comments on Gibbs's method. See 1870:2.
- 1870: 4. PARKER, J. S. On the Estimation of Manganese in Spiegeleisen.  
 Chem. News, 22, 186; Dingl. pol. J., 199, 49; Chem. Centrbl. 1870, 725; Berg.- u. hüttenm. Ztg., 30, 55; Wagner's Jsb., 17, 13.  
 Influence of copper on the precipitation of manganese as hydrated peroxide.
- 1870: 5. PATTINSON, J. On the Estimation of Peroxide of Manganese in Manganese Ores.  
 Chem. News, 21, 267; Am. Chemist, 1870, 141; Ztschr. anal. Chem., 9, 509; Chem. Centrbl., 1870, 636; Jsb. Chem., 1870, 991; Bull. soc. chim. (2), 14, 347; Pol. Centrbl., 1871, 117 and 1568; Berg.- u. hüttenm. Ztg., 29, 347; Ztschr. Chem., 1870, 442; Chem.-techn. Rep. 10 a, 146; Dingl. pol. J., 197, 422; Wagner's Jsb., 16, 183.  
 Refers to Fresenius and Will's, Sherer and Rumpf's, and Bunsen's methods.
- 1870: 6. PAUL, B. H. On the Testing of Manganese Ores.  
 Chem. News, 21, 16; Ztschr. anal. Chem., 9, 410.  
 Solution of the ore in oxalic acid and titration for the excess with potassium permanganate.

- 1870: 7. POLLACCI, E. Présence du manganèse dans le lait et dans le sang.  
 J. de pharm. (4), 11, 375; Chem. News, 21, 274; Quart. J. Sci., 7, 530.  
 Qualitative test for manganese in milk and blood by means of lead peroxide in nitric acid solution of the ash.
- 1870: 8. ROWAN, T. On the Estimation of Manganese in Spiegel-eisen and Ferro-manganese.  
 Eng., 9, 455; Dingl. pol. J., 197, 330; Chem. Centrbl., 1870, 592;  
 Jsb. Chem., 1870, 993; Chem.-techn. Rep., 9, b, 126; Wagner's Jsb., 16, 13; Berg- u. hüttenm. Ztg., 29, 347.  
 Separation from iron by the acetate method, precipitation by chlorine, and re-precipitation as carbonate.
- 1870: 9. SHERER, E. Assay of Manganese Ores.  
 Chem. News, 21, 284; Ztschr. anal. Chem., 9, 513; Am. Chemist, 1, 144; Berg- u. hüttenm. Ztg., 30, 312.  
 Comments on Pattinson article. See 1870 : 5.
- 1870: 10. SHERER, E., and RUMPF, G. Ueber die verschiedenen Methoden der Braunsteinprüfung.  
 Ztschr. anal. Chem., 9, 46; Jsb. Chem., 1869, 889; Ztschr. Chem. 1870, 478; Chem. News, 22, 227; N. Jahrb. Pharm., 34, 211;  
 Pol. Centrbl., 1870, 46.  
 See 1869 : 10.
- 1870: 11. TALBOTT, J. H. A New Analytical Process.  
 Am. J. Sci. (2), 50, 244; Chem. Centrbl., 1870, 707; Jsb. Chem., 1871, 928; Chem.-techn. Rep., 10, a, 147; Ber., 4, 279.  
 Precipitation as sulphide and re-precipitation as phosphate.
- 1870: 12. TISSANDIER, G. Méthodes d'analyse et composition des produits chimiques industrielles.  
 Monit. scientif., 12, 277.  
 Valuation of "manganese" of commerce. Formation of hypochlorite from chlorine evolved, and titration with arsenious acid.
- 1871: 1. ALLEN, A. H. On the Employment of Potassium Ferricyanide as a Test for Cobalt, Nickel, and Manganese.  
 Chem. News, 23, 290; Jsb. Chem., 1871, 930; Bull. soc. chim. (2), 16, 93; J. Chem. Soc. (Lond.), 24, 757; Ztschr. anal. Chem., 11, 79; Ztschr. Chem., 1871, 413.  
 Detection by means of potassium ferricyanide.
- 1871: 2. CHATARD, T. M. Contribution to Chemistry from the Laboratory of the Lawrence Scientific School.  
 Am. J. Sci. (3), 1, 419; Jsb. Chem., 1871, 928; Chem. Centrbl., 1871, 426; Chem. News, 24, 196; Ztschr. anal. Chem., 11, 308; J. Chem. Soc. (Lond.), 26, 531.  
 Quantitative application of Crum's test. Ammonium oxalate employed to titrate for the permanganic acid. See 1845 : 2.

- 1871: 3. KÄMMERER, H. Ueber die Anwendung des Broms statt des Chlors zu analytischen Zwecken.  
Ber., 4, 218; Jsb. Chem., 1871, 866; Ztschr. Chem., 1871, 444;  
Ztschr. anal. Chem., 10, 464.  
Recommends use of bromine for manganese precipitations.
- 1871: 4. LUCK, E. Beiträge zur Braunsteinanalyse nach den Fresenius-Will'schen Verfahren.  
Ztschr. anal. Chem., 10, 310; Jsb. Chem., 1871, 929; J. Chem. Soc. (Lond.), 25, 264; Dingl. pol. J., 202, 305; Pol. Centrbl., 1871, 1568.  
Determination of the accuracy of the method.
- 1871: 5. ROWAN, T. On the Estimation of Manganese in Spiegel-eisen and Ferro-manganese.  
Chem. News, 23, 279; J. Chem. Soc. (Lond.), 24, 756; Am. Chemist, 2, 75.  
Precipitation of manganese as carbonate.
- 1871: 6. TAMM, H. On a New Method of Estimating Zinc.  
Chem. News, 24, 150; Jsb. Chem., 1871, 932; Ztschr. Chem., 14, 467; Bull. soc. chim. (2), 16, 261.  
Determination of manganese as phosphate.
- 1872: 1. ALLEN, A. H. Estimation of Manganese.  
Chem. News, 26, 81.  
Comments on Tamm's article. See 1871: 6.
- 1872: 2. BÖTTGER, R. Nachweisung von Spuren von Mangan.  
\*Jsb. phys. Ver. Frankfurt, 10, 388; Vierteljsb. prakt. Pharm., 21, 418; Jsb. Chem., 1872, 911; Ztschr. anal. Chem., 1872, 433; Chem. News, 24, 192; Chem.-techn. Rep., 10, b, 150; J. Frank. Inst., 93, 87.  
Detection of small amounts of manganese by contact of substance with fused potassium chlorate.
- 1872: 3. FRESSENIUS, R. Ueber die Bestimmung des Mangans auf gewichtsanalytischem Wege.  
Ztschr. anal. Chem., 11, 290 and 413; Jsb. Chem., 1872, 908; Am. Chemist, 3, 472; J. Chem. Soc. (Lond.), 26, 409.  
Determination as protosquioxide after precipitation as manganous carbonate, hydroxide, hydrated peroxide (Guyard), or oxalate; as pyrophosphate (Gibbs) or as sulphide (Fresenius, Classen).
- 1872: 4. HORNER. The Spectra of Manganese in Blowpipe Beads.  
Chem. News, 25, 139; J. Chem. Soc. (Lond.), 25, 524.  
Detection by means of absorption spectra of blowpipe beads.

- 1872: 5. **KESSLER, F.** Beiträge zur Analyse des Roheisens und Stahls.  
 Ztschr. anal. Chem., **11**, 255; Monit. scientif., **15**, 826; Chem. News, **28**, 158.  
 Separation from iron by acetate and sulphate methods. Precipitation of manganese by bromine, solution in antimonious chloride, and titration with potassium permanganate.
- 1872: 6. **KESSLER, F.** Ueber die Bestimmung des Mangans in Roheisen, Stahl, und Stabeisen.  
 Ber., **5**, 605; Oester. Ztschr. Berg- u. Hüttenw., **20**, 405; Dingl. pol. J., **205**, 332 and 439; Pol. Centrbl., **1872**, 1608; Technologiste, Dec. **1872**; Chem. Centrbl., **1872**, 617; Chem. News, **27**, 14; J. Chem. Soc. (Lond.), **25**, 925; Chem.-techn. Rep., **11**, b, 199; Wagner's Jsb., **19**, 11; Am. Chemist, **4**, 76; Iron, **2**, 326.  
 See 1872: 5.
- 1872: 7. **LECLERC, A.** Dosage du manganèse dans les sols et dans les végétaux.  
 C. R., **75**, 1209; Chem. News, **26**, 296; Jsb. Chem., **1872**, 910; Chem. Centrbl., **1872**, 88; Bull. soc. chim. (2), **19**, 177; Ztschr. anal. Chem., **12**, 308; Dingl. pol. J., **206**, 366; J. Chem. Soc. (Lond.), **26**, 193; Chem.-techn. Rep., **12**, a, 193; Am. Chemist (1875), **5**, 267; Arch. Pharm., **202**, 268.  
 Oxidation to permanganic acid by means of lead peroxide, or red lead, and titration with mercurous nitrate.
- 1872: 8. **PICHARD.** Dosage du manganèse dans les minerais de fer, les fontes, les aciers, par un procédé colorimétrique.  
 C. R., **75**, 1821; Dingl. pol. J., **207**, 136; Jsb. Chem., **1872**, 909; Chem. News, **27**, 85; Bull. soc. chim. (2), **19**, 253; Ztschr. anal. Chem., **12**, 308; J. Chem. Soc. (Lond.), **26**, 407; Chem.-techn. Rep., **12**, a, 195; Berg- u. hüttenm. Ztg., **32**, 91.  
 Oxidation to permanganic acid by means of lead peroxide in nitric acid solution.
- 1872: 9. **DE REZENDE.** Note sur un procédé de séparation du fer et du manganèse.  
 Ann. des Mines (7), **1**, 418.  
 Separation from iron by means of cupric oxide.
- 1872: 10. **TAMM, H.** On an Improved Mode of Estimating Manganese.  
 Chem. News, **26**, 37; Am. Chemist, **3**, 145; Jsb. Chem., **1872**, 910; Monit. scientif., **14**, 973; Bull. soc. chim. (2), **19**, 121.  
 Precipitation with ammonium carbonate from solutions containing ammonium chloride. Separation from iron by the succinate method, and from zinc and nickel by ammonium carbonate.



- 1872: 11. TAMM, H. On the Metallurgy of Manganese, and the Docimastic Assaying of Manganese Ores.  
Chem. News, 26, 111; Am. Chemist, 3, 177; Pol. Centrbl., 1872, 1348.  
Dry assay with various fluxes.
- 1873: 1. BRÜNNER, A. Schnell durchführbare colorimetrische Probe auf Mangengehalt des Roheisens, Stahls, Eisens, und Erze.  
Oester. Ztschr. Berg- u. Hüttenw., 21, 341; Chem. Centrbl., 1873, 757; Bull. soc. chim. (2), 21, 278; J. Chem. Soc. (Lond.), 27, 604 and 816; Chem.-techn. Rep., 12, b, 196; Wagner's Jsb., 20, 10; Pol. Centrbl., 1873, 1367; Dingl. pol. J., 210, 278.  
Conversion to sodium manganate and comparison of solutions.
- 1873: 2. GIBBS, W. On the Estimation of Manganese as Pyrophosphate.  
Chem. News, 28, 51; Jsb. Chem., 1873, 934; J. Chem. Soc. (Lond.), 27, 92.  
Precipitation by means of salt of phosphorus. See 1867: 3.
- 1874: 1. KOPPMAYER, M. Ueber A. Brünner's colorimetrische Probe auf Mangengehalt des Stahls, Eisens, und der Erze.  
Dingl. pol. J., 211, 133; Jsb. Chem., 1874, 988; Chem. Centrbl., 1874, 138; J. Chem. Soc. (Lond.), 27, 1009; Pol. Centrbl., 1874, 395; Berg- u. hüttenm., Ztg., 33, 109.  
Regards Brünner's method as valueless. See 1873: 1.
- 1874: 2. MORRELL, T. T. Estimation of Manganese.  
Am. Chemist, 5, 213; Jsb. Chem. 1874, 988.  
Colorimetric method depending upon the liberation of iodine in solution, after precipitation by bromine.
- 1874: 3. PIESSE, C. H. The Estimation of Silicon, Graphite, Manganese, Aluminium, and Calcium in Pig Irons.  
Chem. News, 29, 110; Jsb. Chem., 1874, 986; Bull. soc. chim. (2), 22, 67; J. Chem. Soc. (Lond.), 27, 711.  
Separation from iron by the basic acetate method and precipitation by bromine.
- 1874: 4. PARRY, J. Estimation of Manganese in Spiegeleisen.  
Chem. News, 29, 86; Jsb. Chem., 1874, 987; Am. Chemist, 4, 434; J. Chem. Soc. (Lond.), 27, 712; Bull. soc. chim. (2), 22, 68.  
Adaptation of Fresenius-Will method, after solution in nitric acid and ignition of the residue left on evaporation.
- 1874: 5. POUCHET, A. G. Revue des méthodes d'analyse des produits industriels: Titrage et assai des manganèses.  
Monit. scientif., 16, 1139.  
Comments of Mohr (1855: 1), Fresenius-Will (1843: 3), and Bunsen (1853: 1) methods for the determination of peroxide; also of method involving oxidation of sulphurous acid by chlorine evolved, and precipitation of barium sulphate. Outlines of

- methods for the determination of total acid consumed, and of manganese in "Weldon Mud."
- 1874: 6. WILLIS, A. Estimation of Manganese in Spiegeleisen.  
Chem. News, **29**, 150; Jsb. Chem., **1874**, 987.  
Comments on Piesse, 1874: 3.
- 1875: 1. BOUSSINGAULT. Études sur la transformation du fer en acier par la cémentation.  
Ann. chim. phys. (5), **5**, 184; Dingl. pol. J., **224**, 80; Jsb. Chem., **1877**, 1061; Chem. Centrbl., **1877**, 376.  
Separation from iron by basic acetate method, and precipitation by hypochlorite. Determination of small quantities by means of lead peroxide and titration with mercurous nitrate; also electrolytic deposition.
- 1875: 1a. BOLTON, H. C. Index to the Literature of Manganese, 1596-1874.  
\* Annals Lyceum Nat. Hist. N. Y., Nov., **1875**.  
Compilation of journal literature on manganese and its compounds.
- 1875: 2. KERN, S. Estimation of Manganese in Spiegeleisen, Iron, and Steel.  
Chem. News, **32**, 100; Jsb. Chem., **1875**, 955; Ztschr. anal. Chem., **16**, 505; J. Chem. Soc. (Lond.), **29**, 110; Chem.-techn. Rep., **14**, a, 278; Wagner's Jsb., **22**, 19; Am. Chemist, **6**, 192.  
Precipitation as manganous hydroxide, reduction in hydrogen, separation of iron by magnet, and ignition to protosesquioxide.
- 1875: 3. LUNGE, G. Ueber die neusten Fortschritte in der Soda- und Chlorkalk-Industrie in England.  
Dingl. pol. J., **215**, 157; Pol. Centrbl., **1875**, 853.  
Determination in "Weldon Mud" by ferrous sulphate and permanganate.
- 1875: 4. MORRELL, T. T. Note on the Estimation of Manganese in Spiegeleisen.  
Am. Chemist, **6**, 45; Jsb. Chem., **1875**, 954.  
Separation from iron by the basic acetate method, precipitation by bromine, and colorimetric determination by the liberation of iodine. (See 1874: 2.)
- 1875: 5. VOGEL, H. W. Ueber die Absorptionsspectren einiger Salze der Metalle der Eisengruppe und Anwendung in der Analyse.  
Ber., **8**, 1533; Dingl. pol. J., **219**, 533.  
Detection by means of absorption spectra of permanganic acid.

30 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1876: 1. CAMPANI, G. Il manganese nelle ceneri si manifesta facilmente sotto la forma di fosfato manganico.  
Gazz. chim. ital., 1876, 464; Jsb. Chem., 1876, 1000; Chem. News, 35, 75; J. Chem. Soc. (Lond.), 32, 223.  
Detection in plant ashes by the color of the residue after evaporation with nitric acid.
- 1876: 2. FRESENIUS, R. Methode zur Analyse alkalischer Mineralwasser.  
Ztschr. anal. Chem., 15, 222 and 225.  
Determination in mineral water by precipitation as sulphide and ignition in hydrogen.
- 1876: 3. GALBRAITH, W. The Determination of Manganese in Spiegeleisen.  
Chem. News, 33, 47; Am. Chemist, 6, 462; Oester. Ztschr. Berg- u. Hüttenw., 25, 31; Jsb. Chem., 1876, 999; Dingl. pol. J., 221, 448; Ztschr. anal. Chem., 16, 506; J. Chem. Soc. (Lond.), 28, 750; Wagner's Jsb., 22, 18; Berg- u. hüttenm. Ztg., 35, 355; Chem.-techn. Rep., 15, 479.  
Solution in nitric acid, evaporation and ignition; solution of residue with ferrous ammonium sulphate and titration for the excess.
- 1876: 4. KERN, S. Estimation of Manganese in Cast Iron.  
Chem. News, 33, 90; J. Chem. Soc. (Lond.), 29, 962; Dingl. pol. J., 221, 188; Am. Chemist, 7, 76; Rev. univers. des Mines, 39, 199; Bull. soc. chim. (2), 26, 474.  
Precipitation of iron and manganese by potassium hydroxide, solution of manganese by addition of ammonium chloride, filtration, precipitation as sulphide, strong heating with sulphuric acid, and weighing as mangano-manganic oxide.
- 1876: 5. PETERS, S. On the Estimation of Manganese in Iron and Steel.  
Chem. News, 33, 35; Jsb. Chem., 1876, 999; Dingl. pol. J., 221, 486; J. Chem. Soc. (Lond.), 29, 750; Wagner's Jsb., 22, 19; Chem.-techn. Rep., 15, 480.  
Colorimetric method. Oxidation to permanganic acid by lead peroxide.
- 1876: 6. PHIPSON, T. L. Determination of Manganic Oxide.  
Chem. News, 34, 19 and 39.  
Determination of manganese peroxide in the presence of sesquioxide.
- 1877: 1. BOLTON, H. C. Schemes of Analysis Executed in the School of Mines, Columbia College.  
Am. Chemist, 7, 307.  
Determination as pyrophosphate (Gibbs' method, 1867: 3).
- 1877: 2. CHAPMAN, E. J. On Some Blow-pipe Reactions.  
Chem. News, 35, 13 and 26; J. Chem. Soc. (Lond.), 31, 489.  
Detection by means of sodium carbonate.

- 1877: 3. CLASSEN, A. Quantitative Bestimmung des Mangans durch Fällung als Manganoxalat.  
Ztschr. anal. Chem., **16**, 315; J. Chem. Soc. (Lond.), **32**, 804; Dingl. pol. J., **225**, 515; Chem. Centrbl., **1877**, 503; Chem.-techn. Rep., **16**, 636.  
Precipitation as oxalate and weighing as protosesquioxide.
- 1877: 4. CLASSEN, A. Zur Trennung des Mangans von Kalk.  
Ztschr. anal. Chem., **16**, 318; Jsb. Chem., **1877**, 1055; Chem. Centrbl., **1877**, 470; J. Chem. Soc. (Lond.), **32**, 805; Dingl. pol. J., **225**, 515; Chem.-techn. Rep., **16**, 636.  
Separation by means of oxalic acid not practicable.
- 1877: 5. CLASSEN, A. Ueber die Abscheidung des Mangans als wasserfreies Sulfür.  
Ztschr. anal. Chem., **16**, 319; Jsb. Chem., **1877**, 1062; Chem. Centrbl., **1877**, 470; J. Chem. Soc. (Lond.), **32**, 514.  
Precipitation as sulphide in presence of potassium oxalate.
- 1877: 6. CLASSEN, A. Ueber eine neue Methode zur Trennung des Eisens von Mangan, Kobalt, Nickel und Zink.  
Ber., **10**, 1316; Jsb. Chem., **1877**, 1064 and 1066; Chem. Centrbl., **1877**, 602; Ztschr. anal. Chem., **16**, 471; Bull. soc. chim. (2), **30**, 409.  
Separation from iron by means of neutral potassium oxalate and acetic acid.
- 1877: 7. CLASSEN, A. Quantitative Bestimmung von Mangan, Kobalt, Nickel und Zink durch Fällung als Oxalate.  
Ber., **10**, 1315; J. Chem. Soc. (Lond.), **32**, 924.  
See 1877: 3.
- 1877: 8. DEBY. Determination of Manganese in Spiegel, Iron, and Steel at Terrenoire.  
\* Report, **1877**, II; Berg- u. hüttenm. Ztg., **37**, 391.  
Oxidation to permanganic acid by lead peroxide and titration with arsenious acid.
- 1877: 9. FUNARO, A. Della separazione quantitativa del ferro e del manganese nei minerali ferro-manganici.  
Gazz. chim. ital., **7**, 286; Jsb. Chem., **1877**, 1064; Chem. Centrbl., **1877**, 661; Ber., **10**, 1383; J. Chem. Soc. (Lond.), **32**, 805; Dingl. pol. J., **225**, 610; Chem.-techn. Rep., **16**, 635.  
Separation from iron by means of ammonium benzoate or succinate.
- 1877: 10. HANNAY, J. B. Note on a New Manganese Reaction.  
J. Chem. Soc. (Lond.), **33**, 269; Jsb. Chem., **1877**, 1063; Chem. Centrbl., **1878**, 41; Chem. News, **36**, 212; Bull. soc. chim. (2), **30**, 412; Ber., **10**, 2052; Chem.-techn. Rep. **16**, 637.  
Precipitation by potassium chlorate in nitric acid solution, and determination by gravimetric and volumetric methods.

32 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1877: 11. KERN, S. Quantitative Analysis of Certain Metals in Iron and Steel.

Chem. News, 35, 67; Jsb. Chem., 1877, 1057; J. Chem. Soc. (Lond.), 32, 647; Eng. Min. J., 24, 127.

Determination in chrome-iron alloys. Use of sodium hypochlorite for precipitation advised.

- 1877: 12. KERN, S. On the Estimation of Manganese in Spiegeleisen and Ferro-manganese.

Chem. News, 35, 247 and 270; Ber., 10, 975; Jsb. Chem., 1877, 1062; Chem. Centrbl., 1877, 457; Dingl. pol. J., 225, 392; Chem.-techn. Rep., 16, 635.

Determination in alloys by ignition of mixed oxides of iron and manganese in hydrogen, and then in chlorine, leaving a residue of protosesquioxide. Also direct ignition of the alloy with ammonium chloride.

- 1877: 13. KRÄMER, C. Zur Trennung des Mangans von Eisen.

Ztschr. anal. Chem., 16, 334; Jsb. Chem., 1877, 1063; J. Chem. Soc. (Lond.), 32, 805.

Separation from iron by the basic acetate method. See Stöckmann, 1877: 20.

- 1877: 14. MUNROE, C. E. The Estimation of Manganese as Pyrophosphate.

Am. Chemist, 7, 287; Jsb. Chem., 1877, 1061; Iron, 9, 555.

The influence of ammonia upon the determination as phosphate.

- 1877: 15. PARREÑO, A. G. Determination du manganèse métallique par la voie volumétrique.

Ann. chim. phys. (5), 11, 571; Jsb. Chem., 1877, 1062; Chem. Centrbl., 1877, 615; Am. J. Sci. (3), 14, 418; J. Chem. Soc. (Lond.), 32, 924; Pharm. Centr., 18, 396; Chem.-techn. Rep., 16, 636.

Ignition of mineral to mangano-manganic oxide, treatment with hydrochloric acid and determination of the iodine liberated from potassium iodide, by the chlorine evolved.

- 1877: 16. PERREY. (Title unknown.)

\* Bull. de Rouen, 1877, 104; Jsb. Chem., 1877, 1063; Chem. Centrbl., 1878, 15; Dingl. pol. J., 226, 194; Chem.-techn. Rep., 16, 640.

Comparison of Fresenius-Will (1843: 3), Hempel (1858: 1), Gay-Lussac (1829: 1), Mohr (1855: 1), and Bunsen (1853: 1) methods for analysis of pyrolusite.

- 1877: 17. RICHE, M. A. Note sur la dosage du manganèse, du nickel, du zinc et du plomb.  
C. R., 85, 226; Jsb. Chem., 1877, 1066; Chem. News, 36, 96; Ztschr. anal. Chem., 17, 216; Bull. soc. chim. (2), 29, 378; Dingl. pol. J., 239, 380; J. Chem. Soc. (Lond.), 32, 924; Eng. Min. J., 24, 222; Chem.-techn. Rep., 16, 637; Rev. univers. des mines, 2, 297; Chem. Ind., 7, 27.  
Electrolytic determination.
- 1877: 18. RILEY, E. On the Estimation of Manganese in Spiegeleisen and Iron in Manganiferous Ores.  
J. Iron Steel Inst., 1877, a, 52; Chem. News, 35, 175; J. Chem. Soc. (Lond.), 32, 1; Chem. Centrbl., 1877, 376; Oester. Ztschr. Berg- u. Hüttenw., 25, 424; Dingl. pol. J., 227, 493; Iron, 9, 617, 711, and 746; Jsb. Chem., 1877, 1061; Ber., 10, 911; Bull. soc. chim. (2), 29, 282; Berg- u. hüttenm. Ztg., 36, 223; Wagner's Jsb., 23, 21; Chem.-techn. Rep., 16, 633.  
Separation from iron by the acetate method, precipitation by bromine, and ignition; also determination by difference.
- 1877: 19. ROSENTHAL, G. Ueber die Fällung des Mangans mit Wasserstoffsperoxyd.  
Dingl. pol. J., 225, 154; Jsb. Chem., 1877, 1037; Chem. Centrbl., 1877, 651; Chem. News, 36, 147; Ztschr. anal. Chem., 17, 364; J. Chem. Soc. (Lond.), 32, 923; Bull. soc. chim. (2), 32, 364; Berg- u. hüttenm. Ztg., 36, 324; Chem.-techn. Rep., 16, 635.  
Separation from iron by the acetate method, and precipitation by means of hydrogen peroxide.
- 1877: 20. STÖCKMANN, C. Ueber die Bestimmung von Mangan und Phosphor im Spiegeleisen.  
Ztschr. anal. Chem., 16, 172; Jsb. Chem., 1877, 1063; Dingl. pol. J., 225, 108; J. Chem. Soc. (Lond.), 32, 648; Chem. News, 36, 275; Monit. scientif., 19, 1274.  
Separation from iron by the acetate method. See 1877: 13.
- 1878: 1. BONG, G. Sur un bleu au manganèse.  
Bull. soc. chim. (2), 29, 199; Jsb. Chem., 1878, 1129.  
Detection with the aid of a flux of silica, metallic sodium, and calcium carbonate.
- 1878: 2. DESHAYES, V. Dosage du manganèse dans les fers, fontes et aciers; dans les spiegels, ferro-manganèses et minerais.  
Bull. soc. chim. (2), 29, 541; Jsb. Chem., 1878, 1062; Chem. News, 38, 70; J. Chem. Soc. (Lond.), 34, 808; Bull. soc. ind. minerale (2), 7, 163.  
Oxidation to permanganic acid by lead peroxide, and titration with arsenious acid.
- 1878: 3. MATZURKE, G. Zur Trennung von Eisen und Mangan.  
Ztschr. anal. Chem., 17, 78; Jsb. Chem., 1878, 1061.  
Separation from iron by acetate method. See Krämer, 1877: 13.

- 1878: 4. MORAWSKI, T., and STINGL, J. Ueber eine maassanalytische Bestimmung des Mangans.  
 J. prakt. Chem. (2), **18**, 96; Jsb. Chem., **1878**, 275; Chem. Centrbl., **1878**, 758; Chem. News, **38**, 297; J. Chem. Soc. (Lond.), **36**, 277; Ztschr. anal. Chem., **18**, 471; Ber., **11**, 1933; Bull. soc. chim. (2), **32**, 603; Chem.-techn. Rep., **17**, b, 241.  
 Determination by potassium permanganate in slightly acid solution.
- 1878: 5. MORAWSKI, T., and STINGL, J. Zur Bunsen'schen Braunsteinbestimmungsmethode.  
 J. prakt. Chem. (2), **18**, 101; Chem. Centrbl., **1878**, 759; Jsb. Chem., **1878**, 275; Ztschr. anal. Chem., **18**, 471; Ber., **11**, 1933; J. Chem. Soc. (Lond.), **36**, 278.  
 Modification of an apparatus for the Bunsen method for the analysis of pyrolusite.
- 1878: 6. MÜLLER, F. C. G. Untersuchungen über den Bessemerprocess.  
 Ber., **11**, 552; Ztschr. Ver. d. Ing., **22**, 467.  
 Separation from iron by the acetate method and precipitation by chlorine.
- 1878: 7. PROCHASKA, J. Der Siemens-Martinprocess im Südbahnwalzwerke im Graz.  
 Oester. Ztschr. Berg- u. Hüttenw., **26**, 116; Berg- u. hüttenm. Ztg., **37**, 147.  
 Oxidation to permanganate acid by red lead and titration by ferrous sulphate.
- 1878: 8. RICHE, A. Mémoire sur le dosage du manganèse, du plomb du cuivre, du zinc et du nickel; et sur l'analyse des alliages de ces métaux.  
 Ann. chim. phys. (5), **13**, 508; Berg- u. hüttenm. Ztg., **37**, 26; Jsb. Chem., **1878**, 1062; J. Chem. Soc. (Lond.), **34**, 750.  
 Electrolytic determination.
- 1878: 9. WRIGHT, C. R. A., and LUFF, A. P. Researches on Some Points in Chemical Dynamics.  
 J. Chem. Soc. (Lond.), **33**, 526.  
 A study of the oxides of manganese with reference to the bearing of the results reached upon current analytical methods.
- 1879: 1. BEILSTEIN, F., and JAWEIN, L. Ueber eine directe Trennung des Mangans von Eisen.  
 Ber., **12**, 1528; Iron, **14**, 587; Jsb. Chem., **1879**, 1045; Chem. News, **40**, 300; Ztschr. anal. Chem., **19**, 77; Chem. Ztg., **3**, 630; Bull. soc. chim. (2), **32**, 604; J. Chem. Soc. (Lond.), **38**, 61; Dingl. pol. J., **234**, 254; Wagner's Jsb., **26**, 320; Monit. scientif., **22**, 811;

- J. Am. Chem. Soc., **1**, 533; Berg- u. hüttenm. Ztg., **38**, 360; Am. Chem. J., **2**, 73; Arch. Pharm., **215**, 449; J. Iron Steel Inst., **1880**, 354.
- Separation from iron by iodine in cyanide solution; also by precipitation by potassium chlorate in nitric acid; precipitation as sulphide.
- 1879: 2. CARNOT, A. Sur l'emploi de l'hydrogène sulfuré par voie sèche dans les analyses.  
Bull. soc. chim. (2), **32**, 161; C. R., **89**, 167; Jsb. Chem., **1879**, 1024. Determination as sulphide, with use of Rose crucible. See 1860: 5.
- 1879: 3. CLASSEN, A. Zur Trennung des Mangans von Zink.  
Ztschr. anal. Chem., **18**, 194; Chem. Centrbl., **1879**, 366; J. Chem. Soc. (Lond.), **36**, 1055; Chem. Ztg., **3**, 253; Chem. News, **40**, 33; J. Am. Chem. Soc., **1**, 327.  
Criticism of Tamm procedure. See 1872: 10.
- 1879: 4. CLASSEN, A. Ueber eine neue quantitative analytische Methode von vielfacher Anwendbarkeit.  
Ztschr. anal. Chem., **18**, 379, 380, and 396; Chem. News, **40**, 33; Chem. Ztg., **3**, 676; Bull. soc. chim. (2), **35**, 91; J. Chem. Soc. (Lond.), **36**, 969.  
Separation from iron and aluminum with the aid of potassium oxalate.
- 1879: 5. CLASSEN, A. Ueber eine neue Methode zur Trennung des Eisenoxyds und der Thonerde von Mangan.  
Ztschr. anal. Chem., **18**, 175; Chem. Centrbl., **1879**, 365; Jsb. Chem., **1879**, 1045; Bull. soc. chim. (2), **33**, 446; J. Chem. Soc. (Lond.), **36**, 1055; J. Am. Chem. Soc., **1**, 325.  
See 1879: 4.
- 1879: 6. KESSLER, F. Ueber die Bestimmung des Mangans, besonders in Eisen-Manganlegirungen.  
Ztschr. anal. Chem., **18**, 1; Iron, **13**, 643, 675, and 706; Jsb. Chem., **1879**, 1050; Chem. Centrbl., **1879**, 90; J. Chem. Soc. (Lond.), **36**, 341; Chem. Ztg., **3**, 30; J. Am. Chem. Soc., **1**, 83; Am. Chem. J., **1**, 363; J. Frank. Inst., **107**, 411; Dingl. pol. J., **232**, 91; J. Iron Steel Inst., **1880**, 353.  
Separation from iron by means of sodium sulphate, precipitation by bromine, solution of the peroxide by antimonious chloride, and titration with potassium permanganate.
- 1879: 7. LEDEBUR, A. Zur chemischen Untersuchung des Eisens und seiner Erze.  
Berg- u. hüttenm. Ztg., **38**, 47.  
Comparison of Kessler (1879: 6), Riley (1877: 18), Müller (1851: 2), the sulphide and indirect methods of determination.



36 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1879: 8. MACKINTOSH, J. B. (Correspondence.)  
School Mines Quart., **1**, 127.  
Separation from iron by the acetate method, and precipitation by bromine.
- 1879: 9. PATTINSON, J. On a New Volumetric Method of Determining Manganese in Manganiferous Iron Ores, Spiegeleisen, Steel, etc.  
J. Iron Steel Inst., **1879**, a, 209; b, 335; Rev. univers. des mines, **10**, 135.  
Precipitation by hypochlorite in the presence of ferric salts, solution by ferrous iron and titration of the excess.
- 1879: 10. PATTINSON, J. On a Method of Precipitating Manganese entirely as Dioxide and its Application to the Volumetric Determination of Manganese.  
J. Chem. Soc. (Lond.), **35**, 365; Chem. News, **39**, 201; Jsb. Chem., **1879**, 1047; Monit. scientif., **22**, 465; Ztschr. anal. Chem., **19**, 346; Ber., **12**, 1025; J. Am. Chem. Soc., **1**, 327; Iron, **13**, 336; **14**, 12; Wagner's Jsb., **26**, 321; Dingl. pol. J., **234**, 160; J. Anal. Chem., **1**, 71.  
See 1879: 9.
- 1879: 11. PICKERING, S. U. On the Reaction between Sodium Thiosulphate and Iodine: Estimation of Manganese Oxides and Potassium Bichromate.  
J. Chem. Soc. (Lond.), **37**, 128; Chem. News, **40**, 261; Jsb. Chem., **1880**, 1182; Chem. Centrbl., **1880**, 103; Bull. soc. chim. (2), **36**, 261; Dingl. pol. J., **236**, 350.  
Determination of peroxide in pyrolusite by the titration of iodine liberated by the chlorine evolved on solution in hydrochloric acid.
- 1879: 12. PELLITZ, W. Analyse des Zsadanyer Meteoriten.  
Ztschr. anal. Chem., **18**, 64.  
Determination in meteorites.
- 1879: 13. RÖSSLER, C. Ueber eine neue Bestimmung des Mangans mit Anwendung des Volhard'schen Silbertitrierverfahrens.  
Ber., **12**, 925; Jsb. Chem., **1879**, 1050; Chem. Centrbl., **1879**, 427; J. Chem. Soc. (Lond.), **36**, 746; Chem. News, **40**, 169; Bull. soc. chim. (2), **33**, 281; Wagner's Jsb., **25**, 16; J. Am. Chem. Soc., **1**, 329; Dingl. pol. J., **233**, 86.  
Precipitation with ammoniacal silver nitrate, filtration of the manganese-silver compound, and titration for the excess of the silver by the sulphocyanide procedure.

- 1879: 14. VOLHARD, J. Zur Scheidung und Bestimmung des Mangans.  
 Ann. Chem. (Liebig), **198**, 318; Jsb. Chem., **1879**, 1048; Chem. News, **40**, 207; J. Chem. Soc. (Lond.), **38**, 141; Ztschr. anal. Chem., **20**, 271 and 285; Ber., **12**, 2175; Bull. soc. chim. (2), **34**, 715; Berg- u. hüttenm. Ztg., **39**, 150; J. Iron Steel Inst., 1880, 355.  
 Volumetric determination by potassium permanganate; separation from iron and aluminum by mercuric or zinc oxide; precipitation by halogens or lead peroxide in neutral solution; determination as manganous sulphate and as manganomanganic oxide.
- 1880: 1. BÖTTGER, R. Höchst empfindliche Reaction auf Mangan.  
 \* Technische Blätter; \* Tagebl. Natf. Ver. Baden-Baden, **1879**, 193; Chem. Centrbl., **1880**, 249; Jsb. Chem., **1880**, 1181; Oester. Ztschr. Berg- u. Hüttenw., **28**, 416.  
 See 1872: 2.
- 1880: 2. DELLFS, H. The Behaviour of Sulphuretted Hydrogen with the Salts of the Heavy Metals.  
 Chem. News, **41**, 279; Jsb. Chem., **1880**, 1144.  
 Precipitation by sulphuretted hydrogen in the presence of organic acids.
- 1880: 3. DROWN, T. M., and SHIMER, P. W. The Determination of Silicon and Titanium in Pig Iron and Steel.  
 Trans. Am. Inst. Min. Eng., **8**, 514.  
 Separation from iron by heating the iron or steel in an atmosphere of chlorine.
- 1880: 4. DUNSTON, W. R. The Analysis of Steel.  
 Pharm. J. Trans. (3), **10**, 594; Jsb. Chem., **1880**, 1180.  
 Separation from iron by the acetate method, precipitation by bromine, and ignition to manganomanganic oxide.
- 1880: 5. HASWELL, A. E. Volhard's Titirung des Mangans mit übermangansaures Kali.  
 Dingl. pol. J., **235**, 387; Jsb. Chem., **1880**, 1181; Chem. Centrbl., **1880**, 249; Chem. Ztg., **4**, 224; J. Iron Steel Inst., **1882**, 743.  
 Confirmation of Volhard's procedure. (1879: 14.)
- 1880: 6. JEWETT, J. Influence of Acetic Acid on the Separation of Iron as a Basic Acetate from Manganese, Zinc, Cobalt, and Nickel.  
 Chem. News, **40**, 273; J. Chem. Soc. (Lond.), **38**, 289.  
 See title.
- 1880: 7. v. JÜPTNER, H. Volhard's Methode der Trennung und Bestimmung des Mangans.  
 Oester. Ztschr. Berg- u. Hüttenw., **28**, 168.  
 Favorable comment upon the Volhard method. (1879: 14.)

38 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1880: 8. JURISCH, K. Zur Prüfung des Weldon-schlammes.  
Chem. Ind., 1880, 193; Dingl. pol. J., 237, 312; Wagner's Jsb., 26, 324.  
Determination of peroxide in "Weldon Mud" and of total acid consumed on solution.
- 1880: 9. DE KONINCK, L. L. Bromlösung als Reagens.  
Ztschr. anal. Chem., 19, 468; Jsb. Chem., 1880, 1153.  
Merely refers to the use of bromine for precipitation.
- 1880: 10. LUCKOW, C. Ueber die Anwendung des elektrischen Stromes in der analytischen Chemie.  
Ztschr. anal. Chem., 19, 17; Chem. News, 41, 213; Jsb. Chem., 1880, 1140.  
Electrolytic precipitation.
- 1880: 11. LUNGE, G. Ueber die Zusammensetzung und Analyse des nach Weldon's Verfahren regenerirten Mangansuperoxydes.  
Dingl. pol. J., 235, 300; 236, 231 and 236; Chem. News, 41, 141 and 181; Jsb. Chem., 1880, 1183; J. Chem. Soc. (Lond.), 38, 528.  
Discussion as to the efficiency of the ferrous sulphate-permanganate method for the determination of manganese in "Weldon Mud."  
See 1880: 14 and 1881: 12.
- 1880: 12. PARRY, J., and TUCKER, A. E. The Application of the Spectroscope to the Analysis of Iron and Steel.  
J. Iron Steel Inst., 1880, a, 163.  
Detection of manganese.
- 1880: 13. PATTINSON, J. (Discussion.)  
Chem. News, 41, 179; Jsb. Chem., 1880, 1183.  
Precipitation is incomplete by means of chloride of lime except in the presence of ferric chloride. See 1880: 16.
- 1880: 14. POST, J. Ueber die Zusammensetzung und Analyse des nach Weldon's Verfahren regenerirten Mangansuperoxydes.  
Verh. Ver. Beförd. Gewerbfleiss., 58, 464; Dingl. pol. J., 236, 225 and 235; Wagner's Jsb., 26, 317.  
Criticism of method used by Lunge, 1880: 11. See also 1881: 12.
- 1880: 15. RÖSSLER, C. Ueber eine neue maassanalytische Bestimmungsmethode des Mangans und des Kobalts.  
Ann. Chem. (Liebig), 200, 323; Jsb. Chem., 1880, 1182; Chem. Centrbl., 1880, 250; Ztschr. anal. Chem., 19, 75; Chem. News, 41, 184; Chem. Ztg., 4, 86; J. Chem. Soc. (Lond.), 38, 347; Dingl. pol. J., 235, 391.  
Determination with the aid of silver and the Volhard silver titration.  
See 1879: 12.

- 1880: 16. WELDON. Volumetric Estimation of Manganese.  
 Chem. News, 41, 207; Jsb. Chem., 1880, 1183.  
 Precipitation by means of chloride of lime found to be complete.  
 See 1880: 13.
- 1880: 17. WRIGHT, C. R. A., and MENKE, A. E. Note on Manganese Dioxide.  
 J. Chem. Soc. (Lond.), 37, 22; Chem. News, 40, 261; Jsb. Chem., 1880, 316; Chem. Centrbl., 1880, 66; Chem. Ztg., 4, 86; Ber., 13, 427.  
 Composition of manganese peroxide prepared in different ways.
- 1880: 18. WRIGHT, C. R. A., and MENKE, A. E. Volumetric Determination of Manganese.  
 J. Chem. Soc. (Lond.), 37, 42.  
 Comment on Pattinson's method. See 1879: 9.
- 1880: 19. VELEY, V. H. On Some Higher Oxides of Manganese and their Hydrates.  
 Chem. News, 41, 291; 44, 241 and 301; J. Chem. Soc. (Lond.), 37, 581.  
 A study of the various oxides of manganese.
- 1880: 20. ZIMMERMANN, C. Zur Scheidung der Schwermetalle der Schwefelammoniumgruppe.  
 Ann. Chem. (Liebig), 199, 3 and 9; 200, 226; Chem. Centrbl. 1880, 40.  
 Separation from zinc with the use of ammonium sulphocyanate.
- 1881: 1. BEILSTEIN, F., and JAWEIN, L. Bestimmung und Trennung einiger Metalle. I. Directe Trennung des Mangans von Eisen.  
 \* Ztschr. rusk. chim. obsc., 13, 9; Chem. Centrbl., 1881, 251; J. Chem. Soc. (Lond.), 42, 97; Wagner's Jsb., 27, 358.  
 Separation from iron by precipitation with iodine from cyanide solution, and also by potassium chlorate in nitric acid solution.
- 1881: 2. CLASSEN, A. Electrolytische Bestimmungen und Trennungen.  
 Ber., 14, 2772; Dingl. pol. J., 242, 440; Jsb. Chem., 1881, 1151; Bull. soc. chim. (2), 37, 525; J. Chem. Soc. (Lond.), 42, 896; Wagner's Jsb., 28, 448; Ztschr. anal. Chem., 22, 417; School Mines Quart., 3, 302.  
 Separation from iron, alumina, and phosphoric acid by electrolysis in the presence of oxalates.

40 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1881: 3. CLASSEN, A., and v. REIS, M. Electrolytische Bestimmungen und Trennungen.  
Ber., 14, 1626 and 1630; Dingl. pol. J., 242, 441; Jsb. Chem., 1881, 1152; J. Chem. Soc. (Lond.), 40, 1081; Ztschr. anal. Chem., 21, 255; Bull. soc. chim. (2), 37, 184; Wagner's Jsb., 27, 356; Am. Chem. J., 4, 58.  
Electrolytic separation from iron, and determination by electrolysis.
- 1881: 4. DELVAUX, G. Séparation de l'oxyde de nickel et l'oxyde de cobalt.  
C. R., 92, 723; Jsb. Chem., 1881, 1188; Ztschr. anal. Chem., 21, 111.  
Separation from cobalt by sulphuretted hydrogen in acetic acid solution, and from nickel by oxidation on standing in the air.
- 1881: 5. DESHAYES, V. Revue métallurgique.  
Bull. soc. chim. (2), 36, 121.  
Comments on Ford's and colorimetric methods of determination in steels. See 1881:8.
- 1881: 6. DONATH, E. Ueber eine volumetrische Bestimmung von Chrom und Mangan neben Eisenoxyd und Thonerde.  
Ber., 14, 982; Chem. News, 43, 253; Jsb. Chem., 1881, 1184; Chem. Centrbl., 1881, 469; Ztschr. anal. Chem., 22, 245; Chem. Ztg., 5, 304; J. Chem. Soc. (Lond.), 40, 760; Bull. soc. chim. (2), 37, 92; Wagner's Jsb., 27, 355; Dingl. pol. J., 242, 391.  
Determination by addition of a neutral solution of manganese to standard solution of permanganate until latter is colorless.
- 1881: 7. EMMERTON, F. A. Chemical Methods for Analysing Rail Steel.  
Trans. Am. Inst. Min. Eng., 10, 203; Jsb. Chem., 1882, 1289; J. Iron Steel Inst., 1881, b, 653; Eng. Min. J., 32, 319; Dingl. pol. J., 246, 239.  
Determination by the Volhard method. (1879: 14.)
- 1881: 8. FORD, S. A. Method for the Estimation of Manganese in Spiegels, Irons, and Steels.  
Trans. Am. Inst. Min. Eng., 9, 397; Eng. Min. J., 32, 6.  
Precipitation by means of potassium chlorate, re-solution in acid and final precipitation as manganese ammonium phosphate.
- 1881: 9. FORGUIGNON. Recherches sur la fonte malleable et sur le recuit des aciers.  
Ann. chim. phys. (5), 23, 447.  
Determination in steel by the Leclerc method. See 1872: 7.
- 1881: 10. ILES, M. W. Decomposition of Slags and Silicates.  
Chem. News, 43, 78; J. Chem. Soc. (Lond.), 40, 645.  
Volumetric method of determination through the formation of manganate by fusion with alkali hydroxide. (Unimportant.)

- 1881: 11. KENT, W. Manganese Determination in Steel.  
 Trans. Am. Inst. Min. Eng., 10, 101; J. Iron Steel Inst., 1881, b, 655; School Mines Quart., 3, 51.  
 General discussion of methods. Results of twelve chemists upon the same sample.
- 1881: 12. LUNGE, G. Zur Orientirung über die Frage des "Weldonschlammes."  
 Dingl. pol. J., 242, 371.  
 Reply to Post, 1880: 14.
- 1881: 13. LUNGE, G. Bericht an die Generalversammlung des Vereins deutschen Sodafabrikanten.  
 Chem. Ind., 4, 373; Dingl. pol. J., 243, 493; J. Chem. Soc. (Lond.), 42, 895; J. Soc. Chem. Ind., 1, 93.  
 Comments on Fresenius-Will (1843:3), Bunsen (1853:1), and iron methods for the determination of the peroxide.
- 1881: 14. v. REIS, M. A. Ueber die Benutzung einiger oxalsäuren Salze in der Analyse.  
 Ber., 14, 1178; Jsb. Chem., 1881, 1155.  
 Detection in the presence of phosphoric acid by the aid of oxalates.
- 1881: 15. SÄRNSTRÖM, C. G. Ueber Manganbestimmung durch Titriren mit Chamäleonlösung.  
 \* Jern.-Kont. Ann., 1881, Heft 7; Berg- u. hüttenm. Ztg., 40, 425; Iron, 19, 104; Jsb. Chem., 1881, 1188; Ztschr. anal. Chem., 22, 84; Chem.-Ztg., 5, 895; Chem. News, 47, 177; Wagner's Jsb., 27, 358; J. Iron Steel Inst., 1883, a, 417; Scientif. Am. Suppl., 1882, 5167.  
 Precipitation of iron and manganese by sodium bicarbonate, and titration with potassium permanganate in the presence of the precipitate.
- 1881: 16. TERREIL, A. Liqueur volumétrique pour le dosage des composés suroxygénés ou agissant comme corps oxydants.  
 Bull. soc. chim. (2), 35, 551; Chem. Centrbl., 1881, 569; Jsb. Chem., 1881, 1155.  
 Determination of peroxide with the aid of ferrous salts and permanganate.
- 1881: 17. TROILIUS, M. Chemical Methods for Analysing Rail Steel.  
 Trans. Am. Inst. Min. Eng., 10, 173; Eng. Min. J., 32, 300; J. Iron Steel Inst., 1881, b, 654; School Mines Quart., 3, 52.  
 Separation from iron by the acetate method, precipitation by bromine in ammoniacal solution, and ignition to manganomanganic oxide.

- 1881: 18. WILLIAMS, F. A. A Volumetric Estimation of Manganese in Pig Iron and Steel.  
 Trans. Am. Inst. Min. Eng., 10, 100; Jsb. Chem., 1882, 1288; Dingl. pol. J., 246, 241; J. Iron Steel Inst., 1881, b, 656; Iron, 18, 540; Wagner's Jsb., 28, 15.  
 Precipitation by means of potassium chlorate, solution in oxalic acid, and titration for the excess of the latter.
- 1882: 1. DE BOISBAUDRAN, L. Séparation du gallium.  
 C. R., 94, 1625; Jsb. Chem., 1882, 1296; Chem. News, 46, 3.  
 Nine methods for the separation from gallium.
- 1882: 2. CABOT, J. W. Chemical Methods for Analysing Rail Steel.  
 Trans. Am. Inst. Min. Eng., 10, 191.  
 Separation from iron by the acetate method, and precipitation by bromine.
- 1882: 3. DARTON, N. H. On the Estimation of and Separation of Manganese.  
 Scientif. Am. Supplem. 1882, 5168; Chem. Ind., 5, 201; Wagner's Jsb., 28, 448; Rep. anal. Chem., 2, 216; J. Soc. Chem. Ind., 1, 468.  
 Determination of peroxide in pyrolusite by solution with potassium oxalate, absorption of carbon dioxide by barium hydroxide, and titration for the excess of the latter.
- 1882: 4. DEWEY, F. P. Chemical Methods for Analysing Rail Steel.  
 Trans. Am. Inst. Min. Eng., 10, 194.  
 Determination by Kent's method. See 1881: 11.
- 1882: 5. DIEHL, W. Zur maassanalytische Bestimmung der Hyperoxyde.  
 Dingl. pol. J., 246, 196; Chem. Ind., 6, 157; Ztschr. anal. Chem. (1887), 26, 296; Jsb. Chem., 1882, 1290; 1883, 1567; Chem. Centrbl., 1883, 6; J. Chem. Soc. (Lond.), 44, 242; Ber., 16, 2319; Wagner's Jsb., 29, 439; Rep. anal. Chem., 3, 231; J. Soc. Chem. Ind., 3, 115; Chem.-techn. Rep., 22, 236.  
 Determination of peroxide by digestion with hydrochloric acid and potassium iodide, and direct titration with thiosulphate.
- 1882: 6. DUNN, J. D. Contributions to the History of Oxides of Manganese.  
 Chem. News, 45, 137; Jsb. Chem., 1882, 302.  
 A study of the oxides of manganese and their relation to the Guyard method. See 1863: 2.
- 1882: 7. GUYARD, A. Dosage du zinc à l'aide d'un nouveau réactif et séparation de ce métal d'avec les alcalis, la chaux, la magnésie, le manganèse, le cuivre, le nickel et le cobalt.  
 Monit. scientif. (3), 12, 778; Jsb. Chem., 1882, 1293.  
 Separation from zinc by ammonium sulphocarbonate.

- 1882: 8. HASWELL, A. E. Maassanalytische Bestimmung und Trennung der Metalle.  
Rep. anal. Chem., 2, 243; J. Iron. Steel Inst., 1882, 743.  
Determination by Volhard method. No details.
- 1882: 9. JEWETT, J. Influence of Acetic Acid on the Separation of Iron as a Basic Acetate from Manganese, Zinc, Cobalt, and Nickel.  
Am. Chem. J., 1, 251; Ztschr. anal. Chem., 21, 262.  
See title.
- 1882: 10. KEISER, E. H. The Electrolytic Separation of Manganese in Pig Iron and Steel.  
Eng. Min. J., 33, 131.  
See title.
- 1882: 11. LEDEBUR, A. Eine colorimetrische Manganbestimmung. Berg- u. hüttenm. Ztg., 41, 417; Jsb. Chem., 1882, 1288; Chem. Centrbl., 1882, 733; Ztschr. anal. Chem., 22, 607; Ber., 15, 2926; Wagner's Jsb., 29, 15; Stahl u. Eisen, 2, 626; Rep. anal. Chem., 2, 346; J. Chem. Soc. (Lond.), 44, 242; J. Soc. Chem. Ind., 2, 249; Techn.-chem. Jahrb., 5, 11; Dingl. pol. J., 248, 215; Chem.-techn. Rep., 21, b, 211.  
Oxidation by lead peroxide to permanganic acid and comparison with solutions of potassium permanganate.
- 1882: 12. LEFORT, J., and THIEBAULT, P. De l'influence de la gomme arabique dans certaines réactions chimiques.  
J. de pharm. (5), 6, 169; Pharm. J. Trans. (3), 13, 301; Jsb. Chem., 1882, 1259.  
Influence of gum arabic on the precipitation as sulphide.
- 1882: 13. LÖWE, J. Ueber den qualitativen Nachweis und quantitativen Bestimmung des Arsens—sowie einiger in geringer Menge in gediegenen Kupfer des Handels vorkommenden Metalle.  
Ztschr. anal. Chem., 21, 516.  
Separation in the analysis of commercial copper.
- 1882: 14. MILLS, E. J., and BECKET, J. H. Researches on Chemical Equivalence.  
Phil. Mag. (5), 13, 170.  
Separation from nickel.
- 1882: 15. TAMM, A. Die üblichsten Eisenanalysen. (*Title from Chem. Centrbl.*)  
\* Jern.-Kont. Ann., 1882, 123; Chem. Centrbl., 1882, 766; Jsb. Chem., 1882, 1288; Berg- u. hüttenm. Ztg., 41, 448.  
Comparison of methods of determination.



44 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1882: 16. TROILIUS, M. Bestämning af mangan i jern.  
 Jern.-Kont. Ann., 1882, 526; Berg- u. hüttenm. Ztg., 42, 255; Jsb. Chem., 1883, 1568 and 1674; Ber., 16, 1690; Wagner's Jsb., 29, 19; Rep. anal. Chem., 3, 189; J. Soc. Chem. Ind., 2, 428; Dingl. pol. J., 250, 417.  
 Precipitation by means of potassium chlorate, solution and separation of iron, re-precipitation by bromine, and weighing as proto-sesquioxide.
- 1882: 17. WAGNER, A. Ueber das Verhalten von Braunstein und Chlorkalk beim Glühen mit Chromoxyd und kohlensaurem Natron unter Ausschluss der Luft.  
 Ztschr. anal. Chem., 21, 493; Chem. News, 45, 80.  
 Determination of peroxide from the amount of chromate formed during the heating.
- 1883: 1. GOETZ. Die Bestimmung des Mangans in Eisen.  
 Dingl. pol. J., 248, 215.  
 Colorimetric determination by oxidation to permanganic acid by means of lead peroxide.
- 1883: 2. GUYARD, A. Recherche qualitative du manganèse dans le zinc de commerce, les cendrés de zinc et les calamines,—et recherches du bismuth dans le plomb commercial, au moyen de l'électrolyse.  
 C. R., 97, 673; Bull. soc. chim. (2), 40, 420; Jsb. Chem., 1883, 1514; Ber., 16, 2691; Chem. News, 48, 193; J. Chem. Soc. (Lond.) 46, 368 and 640; Chem. Ztg., 7, 1611; Rep. anal. Chem., 3, 379; Berg- u. hüttenm. Ztg., 42, 587.  
 Permanganic acid formed by electrolysis.
- 1883: 3. HARVEY, J. W. C. New Process for the Rapid Volumetric Estimation of Binoxide of Manganese.  
 Chem. News, 47, 2; Jsb. Chem., 1883, 1566; Chem. Centrbl., 1883, 199; J. Chem. Soc. (Lond.), 44, 513; Ztschr. anal. Chem., 23, 60; Ber., 16, 262; Chem. Ztg., 7, 141; Chem. Ind., 6, 82; Chem.-techn. Rep., 22, 236; Wagner's Jsb., 29, 437; Dingl. pol. J., 248, 303.  
 Determination of peroxide by solution in an excess of stannous chloride, addition of ferric chloride, and titration for the ferrous chloride formed.
- 1883: 4. HAMPE, W. Zwei neue maassanalytische Manganbestimmungsmethoden.  
 Chem. Ztg., 7, 1103; Jsb. Chem., 1883, 1565; Ber., 16, 2531; Stahl. u. Eisen, 3, 638; Wagner's Jsb., 30, 141; Berg- u. hüttenm. Ztg., 42, 536; Ztschr. anal. Chem. (1885), 24, 422; Techn.-chem. Jahrb., 6, 27.

- Precipitation by means of potassium chlorate, solution by ferrous-ammonium sulphate, and titration for the excess of the latter. Evaporation of nitric-acid solution, heating of residue with phosphoric acid, and titration of the phosphate formed with a solution of ferrous sulphate.
- 1883: 5. HEMPEL, C. W. Zur maassanalytischen Bestimmung der Hyperoxyde.  
Dingl. pol. J., **247**, 144.  
Criticism of Diehl's article. See 1882: 5.
- 1883: 6. v. JÜPTNER, H. Das übermangansaure Kali als Titrirflüssigkeit.  
Oester. Ztschr. Berg- u. Hüttenw., **31**, 502.  
Comments on Volhard method. (1879: 14.)
- 1883: 7. KERL, B. (Title unknown.)  
Dingl. pol. J., **250**, 416.  
Confirmation of Särnström method. See 1881: 15.
- 1883: 8. KNOP, W. Zur Analyse der Silicate.  
Ber. königl. Sach. Ges. Wiss. (math.-phys. Classe), **1882**, 35; Ztschr. anal. Chem., **22**, 558.  
Determination in silicates. Brief reference only.
- 1883: 9. MACKINTOSH, B. The Volumetric Determination of Manganese.  
Trans. Am. Inst. Min. Eng., **12**, 79; Chem. News, **48**, 176; Am. Chem. J., **5**, 290; Iron, **22**, 464; Jsb. Chem., **1883**, 1569; J. Iron Steel Inst., **1883**, b, 761; J. Chem. Soc. (Lond.), **46**, 220; Ber., **16**, 2939; Berg- u. hüttenm. Ztg., **43**, 302.  
Precipitation by potassium chlorate. Williams method. See 1881: 18.
- 1883: 10. MEINEKE, C. Titrirung des Mangans durch übermangansaures Kali.  
Rep. anal. Chem., **3**, 337; Jsb. Chem., **1883**, 1567; Ztschr. anal. Chem. (1885), **24**, 430; Ber., **16**, 3074; Wagner's Jsb., **29**, 437; Berg- u. hüttenm. Ztg., **43**, 23; Chem. Ztg., **7**, 1609.  
Separation from iron by zinc oxide, addition of the solution to an excess of permanganate, and titration for the excess with antimonious chloride.
- 1883: 11. MEINEKE, C. See 1883: 10.
- 1883: 12. ORLOWSKI, A. Ersetzung des Schwefelwasserstoffs bei dem systematischen Gang der qualitativen chemischen Analyse durch unterschwefligsaures Ammon.  
Ztschr. anal. Chem., **22**, 364.  
Detection of manganese.

- 1883: 13. RAIMOND, E. Nouvelle méthode volumétrique de dosage du manganèse dans les aciers, fontes, ferro-manganèses, etc.  
 Rev. univers. des mines, 13, 460; \* Armengaud. Publ. Ind., 1883, 189; Jsb. Chem., 1883, 1673; Chem. Centrbl., 1884, 156; Chem. News, 48, 23; Chem. Ztg., 8, 344; Wagner's Jsb., 29, 18; J. Iron Steel Inst., 1883, b, 783; Chem.-techn. Rep., 23, a, 236; Rep. anal. Chem., 4, 137; Berg- u. hüttenm. Ztg., 43, 166; J. Chem. Soc. (Lond.), 48, 840; Dingl. pol. J., 250, 416.  
 Precipitation by means of potassium chlorate, and use of ferrous sulphate.
- 1883: 14. SÄRNSTRÖM, C. G. Ueber volumetrische Manganbestimmung im Eisen.  
 Berg- u. hüttenm. Ztg., 42, 436; Wagner's Jsb., 29, 19; Dingl. pol. J., 250, 436.  
 Comments on Schoeffel and Donath method of determination. See 1883: 17.
- 1883: 15. SÄRNSTRÖM, C. G. Tillägg till uppsat sen om manganprof medelst titrering.  
 Jern.-Kont. Ann., 1883, 400; Stahl u. Eisen, 4, 127; Wagner's Jsb., 30, 23.  
 See 1881: 15.
- 1883: 16. SCHMITT. Einführung einheitlicher Untersuchungsmethoden bei Manganbestimmungen in Eisen.  
 Stahl u. Eisen, 3, 487; Wagner's Jsb., 29, 18; Oester. Ztschr. Berg- u. Hüttenw., 32, 164.  
 Request for the appointment of a commission to propose uniform methods for the determination of manganese.
- 1883: 17. SCHOEFFEL, R., and DONATH, E. Ueber eine neue Methode der volumetrischen Bestimmung des Mangans, insbesondere in Eisen und Stahl.  
 Oester. Ztschr. Berg- u. Hüttenw., 31, 229; Jsb. Chem., 1883, 1567; Chem. Centrbl., 1883, 332; Dingl. pol. J., 248, 421; Chem. Ztg., 7, 587; Ztschr. anal. Chem. (1885), 24, 427; Ber., 16, 1690; Wagner's Jsb., 29, 15; Stahl u. Eisen, 3, 374; J. Iron Steel Inst., 1883, a, 381; Rep. anal. Chem., 3, 207; Berg- u. hüttenm. Ztg., 42, 231; Pharm. Runds, 1883, 352; Chem.-techn. Rep., 22, b, 235.  
 Volumetric determination by the addition of the manganese solution to alkaline permanganate solution.
- 1883: 18. SCHUCHT. Zur Elektrolyse.  
 Ztschr. anal. Chem., 22, 493; Jsb. Chem., 1883, 1512; Dingl. pol. J., 254, 298.  
 Electrolytic precipitation.

- 1883: 19. STONE, G. C. The Determination of Manganese in Spiegel.  
 Trans. Am. Inst. Min. Eng., 11, 323; Eng. Min. J., 35, 318; Iron, 22, 378; J. Iron Steel Inst., 1883, a, 366; Dingl. pol. J., 250, 416; Techn.-chem. Jahrb., 6, 27.  
 Precipitation by means of potassium chlorate, solution in oxalic acid, and titration with permanganate. Doubt as to the composition of the precipitate produced by the chlorate.
- 1883: 20. STONE, G. C. The Volumetric Determination of Manganese.  
 Chem. News, 48, 273; Jsb. Chem., 1883, 1569; J. Chem. Soc. (Lond.), 46, 499; Wagner's Jsb., 29, 19.  
 Reply to Mackintosh. 1883: 9.
- 1883: 21. TROILIUS, M. The Determination of Manganese in Spiegel, Ferro-manganese, Steel, etc.  
 Trans. Am. Inst. Min. Eng., 12, 73; J. Iron Steel Inst., 1883, b, 761; Iron, 22, 397; Jern.-Kont. Ann., 1883, 466; Berg- u. hüttenm. Ztg., 43, 284; Jsb. Chem., 1884, 1599; Chem. Centrbl., 1884, 716; Ber., 17, 386, Ref.; J. Chem. Soc. (Lond.), 48, 597; Stahl. u. Eisen, 4, 126; Wagner's Jsb., 30, 18; J. Soc. Chem. Ind., 3, 523; 4, 137.  
 Use of potassium bichromate in connection with the Williams method of determination. See 1881: 18.
- 1883: 22. WOLFF, N. Ueber die Anwendung eines mit Bromdämpfen geschwängerten Luftstromes zur Fällung des Mangans.  
 Ztschr. anal. Chem., 22, 520; Jsb. Chem., 1883, 1566; Chem. Centrbl., 1884, 156; J. Chem. Soc. (Lond.), 46, 640; Ber., 16, 3075; Chem. News, 49, 201; Wagner's Jsb., 29, 438; Rep. anal. Chem., 3, 364; J. Am. Chem. Soc., 5, 244.  
 Precipitation by bromine in ammoniacal solution.
- 1883: 23. ZULKOWSKY, K. Zur Bestimmung des Mangans in Eisenerzen. (*Title from Dingl. pol. J.*)  
 \* Ber. oester. chem. Ges., 1883, 3; Jsb. Chem., 1883, 1569; J. Chem. Soc., 46, 116; Dingl. pol. J., 248, 259; Wagner's Jsb., 28, 1;  
 \* Chemiker u. Droguist, 1883, 62; Rep. anal. Chem., 3, 124; Chem.-techn. Rep., 22, b, 236.  
 Precipitation as sulphide, ignition, solution of the residue in sulphurous and nitric acids, and titration with permanganate.
- 1884: 1. ANGER, C. Prüfung der Mangantitrierung mit Kaliumpermanganat in alkalischer Lösung.  
 Stahl. u. Eisen, 4, 156; Wagner's Jsb., 30, 397; Dingl. pol. J., 254, 139.  
 Titration with permanganate in the presence of sodium carbonate in excess.

- 1884: 2. ATKINSON, A. J. Volumetric Estimation of Manganese.  
Chem. News, 49, 25; Jsb. Chem., 1884, 1599.  
Determination in spiegeleisen by difference, after determination of the iron volumetrically. See Holdich, 1884: 8.
- 1884: 3. BLOXAM, C. L. Estimation of Manganese in Cast Iron and Spiegeleisen.  
Chem. News, 50, 112; Jsb. Chem., 1884, 1599; Chem. Centrbl., 1884, 849; Ber., 17, 508, Ref.; Chem. Ztg., 8, 1436; J. Iron Steel Inst., 1884, b, 584; J. Chem. Soc., 48, 84; Wagner's Jsb., 31, 18; J. Am. Chem. Soc., 6, 242; Berg- u. hüttenm. Ztg., 43, 520; Iron, 24, 271; Chem. Ind., 7, 362; Chem.-techn. Rep., 23, b, 186; 24, 249.  
Separation from iron by double acetate precipitation with the addition of phosphates, and final precipitation of manganese as phosphate.
- 1884: 4. CLASSEN, A. Entgegnung. (Wieland, 1884: 17.)  
Ber., 17, 2351; Jsb. Chem., 1884, 1540; Ztschr. anal. Chem., 24, 247.  
Electrolytic determination. See also 1885: 4.
- 1884: 5. CLASSEN, A. Quantitative Analyse durch Elektrolyse.  
Ber., 17, 2472 and 2484; Jsb. Chem., 1884, 1543; Ztschr. anal. Chem., 24, 255.  
Separation from copper and chromium by electrolysis.
- 1884: 6. GMELIN, O. Chemische Notizen für der Giesserei-Techniker.  
Oester. Ztschr. Berg- u. Hüttenw., 1884, No. 49; Berg- u. hüttenm. Ztg., 44, 23, Ref.  
A modification of the Volhard method of determination.
- 1884: 7. HANOWSKY. Ueber eine neue Anwendung des Wasserstoffsperoxyds in der chemischen Analyse. (*Title from Chem. Ztg.*)  
\* Ber. oester. Ges. z. Förd. Chem. Ind., 1884, 8; Jsb. Chem., 1884, 1562; Rep. anal. Chem., 1884, 220; Chem. Ztg., 8, 789.  
Precipitation by hydrogen peroxide and ignition to manganomanganic oxide.
- 1884: 8. HOLDICH. Volumetric Estimation of Manganese.  
Chem. News, 49, 9 and 57; Jsb. Chem., 1884, 1598.  
Determination in spiegeleisen by difference, after volumetric determination of the iron.
- 1884: 9. HOLT HOF, C. Ueber Fällung des Mangans mit Brom.  
Ztschr. anal. Chem., 23, 491; Jsb. Chem., 1884, 1598; Chem. Centrbl., 1885, 67; Ber., 18, 34, Ref.; Wagner's Jsb., 30, 397; Berg- u. hüttenm. Ztg., 44, 55; J. Soc. Chem. Ind., 4, 367.  
Precipitation by bromine in ammoniacal solution. Comments on Beilstein and Jawein chlorate method. See 1879: 1.

- 1884: 10. ILES, M. W. Manganese in Slags Formed by Argentiferous Lead Smelting.  
 School Mines Quart., 1884, 223; Chem. News, 50, 194; Berg- u. hüttenm. Ztg., 44, 16.  
 Comments on Haswell's method of determination. See 1880: 5.
- 1884: 11. LEDEBUR, A. Ueber Manganbestimmung im Eisenbetriebe.  
 Chem. Ztg., 8, 910, 927, and 963; Iron, 24, 558; Jsb. Chem., 1884, 1597; J. Chem. Soc. (Lond.), 44, 242; J. Iron Steel Inst., 1884, a, 269; Berg- u. hüttenm. Ztg., 43, 452; J. Soc. Chem. Ind., 3, 522.  
 Comments on the Pattinson (1879: 9), Hampe (1883: 4), and Volhard (1879: 14) methods.
- 1884: 12. MACKINTOSH, J. B. The Influence of Organic Matter and Iron on the Volumetric Determination of Manganese.  
 Trans. Am. Inst. Min. Eng., 13, 39; Iron, 24, 224; Jsb. Chem., 1884, 1599; Chem. News, 50, 75; J. Chem. Soc. (Lond.), 48, 85; Ber., 18, 126; Chem. Ztg., 8, 1144; Berg- u. hüttenm. Ztg., 43, 302; Bull. soc. chim. (2), 41, 354; Eng. Min. J., 37, 440.  
 Influence of organic matter on the Williams method of determination (1881: 18).
- 1884: 13. MACKINTOSH, J. B. Manganese Methods.  
 School Mines Quart., 6, 35.  
 Comparison of methods.
- 1884: 14. MAUMENÉ, E. J. Sur l'existence du manganèse dans les animaux et les plantes et sur son rôle dans la vie animale.  
 Bull. soc. chim. (2), 41, 451; (2), 42, 305; C. R., 98, 1416; Jsb. Chem., 1884, 1436.  
 Detection in plants, wines, and cereals by oxidation to permanganic acids. Various procedures briefly mentioned.
- 1884: 15. MEINEKE, C. Bestimmung des Mangans durch Permanganat. (*Title from Rep. anal. Chem.*)  
 \* Chem. Verst. Mitt., 1884, 63; Rep. anal. Chem., 5, 1; Jsb. Chem. 1884, 1596; Chem. Ztg., 9, 432; Ztschr. anal. Chem., 24, 423; Chem. Ind., 8, 86; Ber., 18, 125, Ref.; J. Am. Chem. Soc., 7, 91; Dingl. pol. J., 257, 202.  
 Comments on Guyard (1863: 2), Volhard (1879: 14), Morawski and Stingl (1878: 4), and Ledebur (1884: 11) methods of determination.
- 1884: 16. STONE, G. C. The Determination of Manganese in Spiegel.  
 Trans. Am. Inst. Min. Eng., 12, 295 and 514; School Mines Quart., 6, 24; J. Iron Steel Inst., 1884, a, 335; Eng. Min. J., 36, 228; 37, 138; Berg- u. hüttenm. Ztg., 42, 442.  
 Shows variation in results obtained by different chemists when working upon the same sample.

- 1884: 17. WIELAND, J. Ueber elektrolytische Bestimmungen.  
Ber., 17, 1611 and 2931; Jsb. Chem., 1884, 1542; Chem. News, 50, 211.  
Electrolytic determination. See Classen, 1884: 4.
- 1884: 18. WOLFF, N. Eine maassanalytische Bestimmung des Mangans.  
Stahl u. Eisen, 4, 702; J. Iron Steel Inst., 1885, a, 301; Wagner's Jsb., 31, 12; Berg- u. hüttenm. Ztg., 44, 20; Dingl. pol. J., 257, 199; Chem.-techn. Rep., 23, b, 186.  
Separation from iron by means of zinc oxide, and titration with permanganate in the presence of the iron precipitate.
- 1885: 1. BLOXAM, C. L. On the Detection of Iron, Aluminium, Chromium, Manganese, Cobalt, Nickel, Calcium, and Magnesiums (as Phosphates) in the Precipitate Produced by Ammonia.  
Chem. News, 52, 109; Chem. Centrbl., 1885, 942; J. Chem. Soc., 48, 1264; Chem. Ind., 8, 324.  
Detection by means of phosphates.
- 1885: 2. CHARPENTIER, P. Sur une nouvelle méthode d'analyse volumétrique, applicable aux essais des bioxydes de manganèse.  
C. R., 101, 316; Chem. Centrbl., 1885, 715; Jsb. Chem., 1885, 1937; Chem. News, 52, 87; J. Iron Steel Inst., 1886, a, 401; Ztschr. anal. Chem., 28, 733; J. Chem. Soc. (Lond.), 48, 1162; Wagner's Jsb., 32, 345; Rep. anal. Chem., 5, 352; Dingl. pol. J., 259, 103; Chem.-techn. Rep., 24, b, 248; 25, a, 207; Chem. Ind., 9, 59.  
Determination of peroxide by passage of chlorine evolved on solution in hydrochloric acid into ferrous sulphate solution, and titration for ferric iron with potassium hydroxide in presence of potassium sulphocyanide.
- 1885: 3. CHEEVER, B. W. Estimation of Manganese, Carbon, and Phosphorus in Iron and Steel.  
Trans. Am. Inst. Min. Eng., 14, 372; J. Iron Steel Inst., 1885, 736.  
Comments on the Williams method. (1881: 18)
- 1885: 4. CLASSEN, A. Bemerkungen zu der Antwort des Herrn Wieland.  
Ber., 18, 168.  
Determination by electrolysis. See 1884: 4 and 1884: 17.
- 1885: 5. CLASSEN, A. Quantitative Analyse durch Elektrolyse.  
Ber., 18, 1793; Jsb. Chem., 1885, 1883; Bull. soc. chim. (2), 45, 893; Dingl. pol. J., 259, 93; Ztschr. anal. Chem., 25, 110.  
Electrolytic separation from iron.
- 1885: 6. DEANE, L. M. Ferricyanide of Manganese.  
Chem. News, 51, 164 and 248; Jsb. Chem., 1885, 1937.  
Solubility of manganese ferricyanide. Note on an error in Fresenius' Qualitative Analysis. See 1885: 8.

- 1885: 7. DIEHL, W. Zur Bestimmung des Mangans.  
Chem. Ind., **8**, 206; Chem. Centrbl., **1885**, 713; Jsb. Chem., **1885**, 1934; J. Chem. Soc. (Lond.), **50**, 101; Wagner's Jsb., **31**, 89; Rep. anal. Chem., **5**, 300; Dingl. pol. J., **258**, 95; Chem. Ztg., **8**, 1502; Chem.-techn. Rep., **24**, b, 248.  
Precipitation by bromine and ammonia, solution in hydrochloric acid and estimation of the iron by the amount of iodine liberated from potassium iodide.
- 1885: 8. DRAPER, C. N. Solubility of Manganese Ferricyanide in Hydrochloric Acid.  
Chem. News, **51**, 226; Jsb. Chem., **1885**, 1937.  
See 1885: 6.
- 1885: 9. HAMPE, W. Ein einfaches Verfahren zur Trennung des Zinks von allen Metallen seiner Gruppe.  
Chem. Ztg., **9**, 543; Chem. Centrbl., **1885**, 603; Jsb. Chem., **1885**, 1938; Ztschr. anal. Chem., **24**, 588.  
Separation from zinc by precipitation with hydrogen sulphide in presence of formates.
- 1885: 10. HAMPE, W. Die maassanalytische Bestimmung des Mangans in Legirungen, Mineralien u. s. w. mittelst Kaliumchlorats.  
Chem. Ztg., **9**, 1083 and 1515; Berg- u. hüttenm. Ztg., **44**, 328; Monit. scientif., **27**, 1046; Chem. Centrbl., **1885**, 714; Jsb. Chem., **1885**, 1936; Ber., **18**, 580, Ref.; J. Iron Steel Inst., **1885**, b, 652; Wagner's Jsb., **31**, 311; Rep. anal. Chem., **5**, 299; Techn.-chem. Jahrb., **8**, 17 and 83; J. Soc. Chem. Ind., **4**, 690; Analyst, **10**, 191.  
Precipitation with potassium chlorate, solution of the precipitate, addition of ferrous sulphate, and titration with permanganate.  
See 1883: 4.
- 1885: 11. V. JÜPTNER, H. Eine neue Manganbestimmungsmethode auf gewichtsanalytischem Wege.  
Chem. Ztg., **9**, 692; Jsb. Chem., **1885**, 1935; Ztschr. anal. Chem., **25**, 217; J. Iron Steel Inst., **1885**, a, 247; Wagner's Jsb., **31**, 14; J. Soc. Chem. Ind., **4**, 510; Dingl. pol. J., **257**, 201; Analyst, **10**, 149; Chem.-techn. Rep., **24**, 249.  
Precipitation as manganous sulphide, after removal of the iron with barium carbonate, solution of the precipitate in acetic acid, evaporation and ignition to mangano-manganic oxide.
- 1885: 12. KALMANN, W., and SMOLKA, A. Ueber eine neue Methode zur Bestimmung des Mangans in Spiegeleisen, Ferromangan und den wichtigsten Erzen.  
Wien. Acad. Ber. (2 Abt.), **91**, 49; Monatsh., **6**, 65; Chem. Centrbl., **1885**, 235; Jsb. Chem., **1885**, 1936; Ztschr. anal. Chem., **24**, 590;



- Chem. News, 51, 230; J. Chem. Soc. (Lond.), 48, 690; Ber., 18, 198, Ref.; Bull. soc. chim. (2), 45, 356; Wagner's Jsb., 31, 17; Monit. scientif., 27, 1205; Oester. Ztschr. Berg- u. Hüttenw., 34, 130; J. Soc. Chem. Ind., 4, 419; Dingl. pol. J., 257, 204; Arch. Pharm., 223, 314; Iron, 25, 516; J. Iron Steel Inst., 1885, 248.  
Fusion with sodium carbonate and borax, solution of the fused mass, addition of an excess of ferrous sulphate, and titration for this excess with permanganate.
- 1885: 13. LUNGE, G. Ueber die Analyse von übermangansauren Kali und Braunstein durch Wasserstoffsuperoxyd.  
Ber., 18, 1872; J. Chem. Soc. (Lond.), 48, 1162; Chem. Ind., 8, 255; J. Soc. Chem. Ind., 4, 613; Chem.-techn. Centr. Anz., 1885, 775; Chem.-techn. Rep., 24, b, 248.  
Addition of the permanganate to an excess of hydrogen peroxide, in the presence of sulphuric acid, and measurement of the evolved oxygen.
- 1885: 14. MATHESIUS, W. Eine neue gewichtsanalytische Manganbestimmung.  
Chem. Ztg., 8, 1777; Ber., 1885, 34, Ref.; Ztschr. anal. Chem., 25, 116; Chem. News, 52, 224; 53, 74; Wagner's Jsb., 31, 18; Monit. scientif., 27, 982.  
Separation from iron by means of zinc oxide and precipitation by the Wolff method. See 1883: 22.
- 1885: 15. MEINEKE, C. Zur Maassanalyse des Mangans.  
Chem. Ztg., 9, 1478 and 1787; Dingl. pol. J., 257, 202; Rep. anal. Chem., 5, 389; Berg- u. hüttenm. Ztg., 45, 35.  
Determination by weighing as sulphate, by titration with permanganate and antimony chloride, and by the chlorate method. See 1883: 10.
- 1885: 16. OSMOND. Méthode colorimétrique de dosage du manganèse.  
Bull. soc. chim. (2), 43, 66; Chem. Centrbl., 1885, 234; Jsb. Chem., 1885, 1935; J. Iron Steel Inst., 1885, a, 275; J. Chem. Soc. (Lond.), 48, 690; Ztschr. anal. Chem., 25, 552; Ber., 18, 344, Ref.; Chem. Ind., 8, 119; Wagner's Jsb., 31, 15; Dingl. pol. J., 257, 201; Arch. Pharm., 223, 285; Chem.-techn. Rep., 24, 249.  
Oxidation by means of lead peroxide in the presence of metaphosphates and nitric acid.
- 1885: 17. REINHARDT, C. Ueber N. Wolff's gewichtsanalytische Manganbestimmung.  
Stahl und Eisen, 5, 81; Ztschr. anal. Chem., 25, 114; Wagner's Jsb., 31, 14; Dingl. pol. J., 257, 201.  
Separation from calcium in the presence of ammonium acetate. See 1883: 22.

- 1885: 18. REINHARDT, C. Ueber Manganbestimmung.  
 Stahl und Eisen, 5, 782; Wagner's Jsb., 32, 9; Berg- u. hüttenm. Ztg., 45, 47; Chem. Ztg., 8, 15, Ref.; Chem.-techn. Rep., 24, b, 247.  
 Discussion of Wolff's gravimetric and volumetric methods. See 1883: 22; 1884: 18, and 1885: 20.
- 1885: 19. SCHLAGDENHAUFFEN. Ueber die maassanalytische Bestimmung des Mangans. (*Title from Chem. Centrbl.*)  
 \* J. de pharm. (5), 10, 337; Chem. News, 50, 249; Chem. Centrbl., 1885, 146; Jsb. Chem., 1885, 1936; Chem. Ztg., 8, 1767; J. Chem. Soc. (Lond.), 48, 442; J. Iron Steel Inst., 1886, 1020.  
 Comments on the Leclerc method and historical discussion of the Lessen, Guyard, Morawski and Stingl and Rössler methods.
- 1885: 20. WOLFF, N. Die maassanalytische Bestimmung des Mangans.  
 Stahl. u. Eisen, 5, 529; Jsb. Chem., 1885, 1935; J. Chem. Soc. (Lond.), 48, 1264; Wagner's Jsb., 31, 12; Dingl. pol. J., 259, 199; J. Iron Steel Inst., 1885, 301.  
 Titration with permanganate in the presence of ferric oxide.
- 1886: 1. ATKINSON, R. W. Estimation of Manganese.  
 J. Soc. Chem. Ind., 5, 365 and 467; Dingl. pol. J., 262, 136; Monit. scientif., 28, 1043; Jsb. Chem., 1886, 1934; J. Chem. Soc. (Lond.), 52, 399; Wagner's Jsb., 32, 4; J. Anal. Chem., 1, 72.  
 Gravimetric determination in ores by use of ammonium acetate and bromine; also criticisms of Pattinson's Method. See 1879: 9, and 1886: 20.
- 1886: 2. BARLOW, J. J. A New Method of Precipitating and Estimating Manganese, also Iron indirectly, by means of Hydrogen Peroxide.  
 Chem. News, 53, 41; J. Iron Steel Inst., 1886, a, 392; Jsb. Chem., 1886, 1935; J. Chem. Soc. (Lond.), 50, 393; Ber., 19, 219, Ref.; Wagner's Jsb., 32, 4; Chem. Ztg., 10, 32, Ref.; Berg- u. hüttenm. Ztg., 45, 350; Dingl. pol. J., 261, 260; Techn.-chem. Jahrb., 8, 17; Chem.-techn. Rep., 25, a, 206.  
 Separation from zinc, cobalt, nickel, and alkaline-earths, also the simultaneous determination of iron and manganese. The mixed precipitates are ignited, weighed, treated with hydrochloric acid, and the chlorine generated absorbed in potassium iodide.
- 1886: 3. BEHRENS, T. H. On the Micro-chemical Analysis of Minerals.  
 Chem. News, 54, 289.  
 Detection by micro-chemical tests.

- 1886: 4. BEIN, S. Ueber die quantitative Abscheidung und Bestimmung des Zinks.  
Rep. anal. Chem., 1886, 275; Jsb. Chem., 1886, 1939.  
Separation from iron by the succinate method, and from zinc by treating the ignited oxides with acetic acid.
- 1886: 5. BLUM, L. Ueber die directe Trennung des Mangans von Eisen.  
Ztschr. anal. Chem., 25, 519; Chem. Centrbl., 1887, 97; Jsb. Chem., 1886, 1934; Chem. News, 55, 236; Chem. Ztg., 11, 251; Ber., 19, 850, Ref.; J. Chem. Soc. (Lond.), 52, 183; Chem. Ind., 9, 383; Wagner's Jsb., 32, 344; Rep. anal. Chem., 6, 662; Analyst, 11, 234; J. Am. Chem. Soc., 9, 10; Dingl. pol. J., 262, 335.  
Separation from iron by precipitation as ferrocyanide from ammoniacal tartrate solution.
- 1886: 6. CARNOT, A. Séparation successive du cuivre, du cadmium, du zinc et du nickel ou du cobalt (fer et manganèse).  
Bull. soc. chim. (2), 46, 812; C. R., 102, 621 and 678; Eng. Min. J., 41, 340; Jsb. Chem., 1886, 1948; Chem. News, 53, 196; Ztschr. anal. Chem. (1889), 28, 344; Chem. Ztg., 11, 4, Ref.; Ber., 19, 364, Ref.; J. Chem. Soc. (Lond.), 50, 650; J. Iron Steel Inst., 1887, a, 470.  
Separation from nickel and iron by means of hydrogen sulphide in acetic acid solution.
- 1886: 7. CHRISTENSEN, O. T. Beiträge zur Chemie des Mangans und des Fluors.  
J. prakt. Chem., 34, 41; 35, 161; Chem. News, 54, 96; 55, 153.  
Detection by the formation of permanganic acid on the electrolysis of the manganese salt in hydrofluoric acid solution.
- 1886: 8. CHEEVER, B. W. Colorimetric Estimation of Manganese in Steel.  
Trans. Am. Inst. Min. Eng., 15, 102; J. Iron Steel Inst., 1885, b, 736; J. Anal. Chem., 1, 88.  
Criticisms of the method of determination by means of lead peroxide and nitric acid.
- 1886: 9. CLASSEN, A. See 1884: 4.
- 1886: 10. CLASSEN, A. See 1884: 5.
- 1886: 11. CLASSEN, A., and LUDWIG, R. Quantitative Analyse durch Elektrolyse.  
Ber., 19, 323; Jsb. Chem., 1886, 1894.  
Separation from mercury by electrolysis.

- 1886: 12. DEANE, L. M. On the Separation of Silica in the Estimation of Manganese in Pig Iron, and On the Estimation of Phosphorus in Pig Iron and Steel.  
Chem. News, 54, 174; Jsb. Chem., 1886, 1932; Ber., 19, 851, Ref.; J. Chem. Soc. (Lond.), 52, 183; Chem.-techn. Centr. Anz., 1887, 187; Chem.-techn. Rep., 26, a, 295.  
Separation from iron by the basic acetate method, and final separation from silica after igniting and weighing the manganese oxide.
- 1886: 13. HUNT, A. E. The Estimation of Manganese in Iron and Steel by the Color Method.  
Trans. Am. Inst. Min. Eng., 15, 104; J. Iron Steel Inst., 1886, b, 1020; J. Anal. Chem., 1, 89.  
Oxidation with lead peroxide in the presence of nitric acid.
- 1886: 14. LANGBEIN, E. Zur Nickelanalyse.  
Rep. anal. Chem., 1886, 423; Jsb. Chem., 1886, 1937; Dingl. pol. J., 261, 495.  
Separation from nickel by electrolysis.
- 1886: 14a. LÖSEKANN, G., and MEYER, T. Eine neue Methode der Zinkbestimmung.  
Chem. Ztg., 10, 729.  
Separation from zinc by means of phosphate impracticable.
- 1886: 15. MEINEKE, C. Eine Methode schneller Bestimmung des Mangans in Eisensorten mittels Permanganat.  
Rep. anal. Chem., 6, 252; Jsb. Chem., 1886, 1933; Ber., 19, 464, Ref.; Chem. Ind., 9, 194; Stahl u. Eisen, 6, 444; Wagner's Jsb., 32, 5; Berg- u. hüttenm. Ztg., 46, 43; J. Soc. Chem. Ind., 5, 508; Techn.-chem. Jahrb., 9, 18; Chem.-techn. Rep., 25, a, 205.  
Use of permanganate method (Meineke) with antimonious chloride.  
See 1883: 10.
- 1886: 16. MÜLLER, C. G. Ueber eine schnelle und scharfe Methode zur gewichtsanalytischen Bestimmung des Mangans im Spiegeleisen und Ferromangan.  
Stahl u. Eisen, 6, 98; Wagner's Jsb., 32, 5; Berg- u. hüttenm. Ztg., 45, 349; Techn.-chem. Jahrb., 8, 17; J. Iron Steel Inst., 1886, 392.  
Separation from iron by the basic acetate method, precipitation by bromine, and subsequently as manganous carbonate; or, separation by the acetate method, and re-precipitation with hydrogen peroxide and determination as mangano-manganic oxide.
- 1886: 17. MÜLLER, C. G. Ueber die neue Meinekesche Manganbestimmung.  
Stahl u. Eisen, 6, 590; Chem. Ztg., 11, 216, Rep.; Wagner's Jsb., 32, 5; Rep. anal. Chem., 6, 595; Berg- u. hüttenm. Ztg., 45, 452; J. Iron Steel Inst., 1886, 1022; Chem.-techn. Rep., 25, a, 206.  
Comments on the Meineke method. (1883: 10.)

- 1886: 18. MOORE, T. Quantitative Chemical Analysis by Electrolysis.  
Chem. News, 53, 209; Jsb. Chem., 1886, 1895; J. Chem. Soc. (Lond.), 50, 921; Eng. Min. J., 41, 371.  
Electrolytic deposition and estimation as oxide.
- 1886: 19. MOORE, T. On the Estimation of Nickel in Mattes, Ores, Slags, etc.  
Chem. News, 54, 300; Jsb. Chem., 1886, 1938; Ztschr. anal. Chem., 26, 732.  
Separation from nickel by electrolysis.
- 1886: 20. PATTINSON, J. The Volumetric Test for Manganese.  
J. Soc. Chem. Ind., 5, 422; Monit. scientif., 28, 1048; Jsb. Chem., 1886, 1934.  
Reply to the criticisms of Atkinson. See 1886: 1.
- 1886: 21. PERILLOU. Dosage rapide du carbon, du phosphore, etc.  
Bull. soc. ind. mineral. (2), 13, 108; Berg- u. hüttenm. Ztg., 45, 6, and 32; Jsb. Chem., 1886, 1933; Ber., 1886, 181, Ref.; Wagner's Jsb., 32, 11.  
Volumetric method; oxidation by lead peroxide, and titration with ferrous sulphate in nitric acid solution.
- 1886: 22. REINHARDT, C. Gewichtsanalytische Manganbestimmung.  
Chem. Ztg., 10, 323, 357, and 372; Berg- u. hüttenm. Ztg., 45, 163; J. Soc. Chem. Ind., 5, 391.  
Separation from iron by the basic acetate method, and precipitation by (1) a current of bromine-ammonia, or (2) bromine in hydrochloric acid, and a current of gaseous ammonia.
- 1886: 23. REINHARDT, C. Ueber Mangantitrationmethoden nach N. Wolff, E. Belani, Hampe und Meineke.  
Stahl u. Eisen, 6, 150; Wagner's Jsb., 32, 9; Berg- u. hüttenm. Ztg., 45, 192; J. Iron Steel Inst., 1886, 393.  
See 1884: 18; 1883: 4; 1883: 10; 1887: 17.
- 1886: 24. SCHÖPFEL, R., and DONATH, E. Ueber die volumetrische Bestimmung des Mangans.  
Monatsh. Chem., 7, 639; Wein. Acad. Ber. (2 Abth.), 94, 844; Stahl u. Eisen, 7, 30; Dingl. pol. J., 264, 34; Berg- u. hüttenm. Ztg., 1887, 60; Oester. Ztschr. Berg- u. Hüttenw., 35, 70; Chem. Centrbl., 1887, 152 and 285; Jsb. Chem., 1887, 2429; J. Chem. Soc. (Lond.), 52, 399; Ztg. angew. Chem., 1887, a, 159; Chem. Ztg., 11, 111, Rep.; Ber., 20, 115, Ref.; Bull. soc. chim. (2), 49, 48; Chem. Ind., 10, 230 and 279; Wagner's Jsb., 33, 273; J. Iron Steel Inst., 1887, a, 468; Techn.-chem. Jahrb., 9, 18 and 98; Chem.-techn. Rep., 26, a, 206.  
Volumetric method; addition of an excess of permanganate and titration with arsenious acid.

- 1886: 25. SETTERWALL, A. Om bestämmande i jern och stål m. m. af dels mangan förmedelst titring.  
 Jern.-Kont. Ann., 1886, 427; \* Z. O. S. Berg. u. H. V., 25, 410;  
 Techn.-chem. Jahrb., 9, 19.  
 Determination by oxidation with lead peroxide in nitric acid solution, and titration with arsenious oxide.
- 1886: 26. SPRENGER. Verfahren zur Analyse von Eisen und Stahl.  
 Berg- u. hüttenm. Ztg., 45, 462.  
 Separation from iron by the basic acetate method, from nickel and cobalt by hydrogen sulphide, and precipitation by bromine.
- 1886: 27. WOLFF, N. Ueber Manganbestimmungen.  
 Stahl u. Eisen, 6, 105; Wagner's Jsb., 32, 11.  
 Precipitation by bromine. Also volumetric determination by titration in presence of the precipitated iron. See 1883: 22 and 1884: 18.
- 1886: 28. ZIMMERMANN, R. Zur N. Wolff'schen Mangantitrirung.  
 Stahl u. Eisen, 6, 362; Wagner's Jsb., 32, 11.  
 See 1884: 18 and 1886: 27.
- 1887: 1. BABBITT, H. C. Manganese in Iron and Steel.  
 Am. Chem. J., 9, 58; Chem. Centrbl., 1887, 1185; Jsb. Chem., 1887, 2515; J. Iron Steel Inst., 1887, b, 369; J. Chem. Soc. (Lond.), 52, 619; Wagner's Jsb., 34, 200.  
 Oxidation to permanganic acid by means of red lead, and titration with standard reducing agents.
- 1887: 2. BAYLEY, T. On the Separation of Zinc from Nickel and Manganese, and the Estimation of Nickel.  
 J. Soc. Chem. Ind., 6, 499; Chem. Centrbl., 1887, 1183; Chem. Ztg., 11, 203, Rep.; Ber. 21, 39, Ref.; J. Chem. Soc. (Lond.), 54, 388.  
 Separation from zinc. Precipitation with sodium hydrogen phosphate and ammonia, addition of just enough hydrochloric acid to effect re-solution and precipitation of the zinc with hydrogen sulphide.
- 1887: 3. BLAIR, A. A. The Methods Employed in the Analysis of Iron Ores.  
 Chem. News, 56, 197; Jsb. Chem., 1887, 2428.  
 Determination as phosphate.

- 1887: 4. BRAND, A. Ueber eine Abänderung der titrimetrischen Manganbestimmung durch Kaliumpermanganat.  
 Stahl u. Eisen, **9**, 399; Chem. Centrbl., **1887**, 876; Jsb. Chem., **1887**, 2429; Wagner's Jsb., **33**, 271; J. Iron Steel Inst., **1887**, b, 368; Berg- u. hüttenm. Ztg., **47**, 20; Techn.-chem. Jahrb., **10**, 16.  
 Volumetric determination by means of permanganate. Oxidation of the iron and destruction of organic matter with barium peroxide.
- 1887: 5. CHEEVER, B. W. Conversion of Manganese to Permanganic Acid.  
 J. Anal. Chem., **1**, 176.  
 A study of the action of lead peroxide in nitric acid solution.
- 1887: 6. CARNOT, A. Sur diverses réactions des vanadates et leur emploi dans l'analyse chimique.  
 C. R., **104**, 1803; Chem. News, **56**, 16.  
 Precipitation as vanadate in ammoniacal solution.
- 1887: 7. DONATH, E., and ZELLER, R. Einige Anwendungen des Wasserstoffsperoxydes.  
 Rep. anal. Chem., **7**, 36; Jsb. Chem., **1887**, 2428; Ber., **20**, 118, Ref.; J. Anal. Chem., **1**, 321.  
 Separation from zinc, nickel, and cobalt by means of hydrogen peroxide.
- 1887: 8. HAUSHOFER. (Title unknown.)  
 \* Jahrb. f. Min., **1**, 13; J. Chem. Soc. (Lond.), **52**, 300.  
 Detection by a microscopic study of the crystals formed on cooling a hot, concentrated sulphuric acid solution of the substance.
- 1887: 9. JOLLES, A. Ueber Kaliumpermanganat und seiner Bedeutung in der analytischen Chemie.  
 Schlesische Ges. väterl. Cultur. Breslau, **65**, 150; Rep. anal. Chem., **7**, 491; Ztschr. anal. Chem., **28**, 238; Wagner's Jsb., **33**, 272; J. Chem. Soc., (Lond.) (1889), **56**, 798; Chem. Ztg., **11**, 819.  
 A study of the Volhard Method. (1879: 14).
- 1887: 10. KLOBB, T. Permanganates ammonio-cobaltiques.  
 Ann. chim. phys. (6), **12**, 26.  
 Separation from cobalt by precipitation as sulphide after the formation of cobaltic cyanide by the addition of a solution of hydrocyanic acid.
- 1887: 11. v. KNORRE, G. Ueber eine neue Methode zur Trennung von Eisen und Mangan.  
 Stahl u. Eisen, **7**, 178; Chem. Ind., **1887**, 141; Dingl. pol. J., **265**, 420; Techn.-chem. Jahrb., **9**, 18; **10**, 15.  
 Use of nitroso- $\beta$ -naphthol to separate manganese from iron or copper.

- 1887: 12. v. KNORRE, G. Ueber die Verwendbarkeit des Nitroso- $\beta$ -naphthols in der quantitativen Analyse.  
Ber., 20, 283; Ztschr. anal. Chem., 28, 235; Chem. News, 59, 232;  
J. Iron Steel Inst., 1887, a, 470.  
Separation from iron and copper.
- 1887: 13. LAX, E. Beiträge zur Maassanalyse des Mangans. (*Titel  
from Berg- u. hüttenm. Ztg.*)  
\* Inaugur. Dissert., Berlin; Berg- u. hüttenm. Ztg., 46, 243; Chem.  
Centrbl., 1887, 970; Chem. Ztg., 11, 514; Oester. Ztschr. Berg- u.  
Hüttenw., 35, 427; Ber., 20, 740, Ref.; Techn.-chem. Jahrb.,  
10, 88.  
General discussion of the Schöffel and Donath, Kessler, Hampe,  
Meineke and Pattinson methods. See 1883: 17; 1872: 5;  
1883: 4; 1883: 10 and 1879: 9.
- 1887: 14. MEINEKE, C. Bestimmung des Mangans durch Fällung  
mittels Quecksilberoxyd und Brom.  
Rep. anal. Chem., 7, 54 and 67; Analyst, 12, 48 and 72; Chem.  
Centrbl., 1887, 554; Jsb. Chem., 1887, 2429; J. Iron Steel Inst.,  
1887, a, 469; Ztschr. angew. Chem., 1887, 14; Chem. Ztg., 11,  
51, Rep.; Ber., 20, 151, Ref.; J. Chem. Soc. (Lond.), 52, 1139;  
Stahl u. Eisen, 7, 287; Wagner's Jsb., 33, 273; Berg- u. hüttenm.  
Ztg., 46, 187; Techn.-chem. Jahrb., 9, 19 and 97.  
Volumetric determination. Precipitation with mercuric oxide  
and bromine water, solution of the precipitated peroxide in an  
excess of oxalic acid, and titration for this excess with perman-  
ganate.
- 1887: 15. MEINEKE, C. Zur Maassanalyse des Mangans.  
Chem. Ztg., 11, 137; Chem. Centrbl., 1887, 230; J. Chem. Soc.  
(Lond.), 52, 531; Berg- u. hüttenm. Ztg., 46, 135; J. Soc. Chem.  
Ind., 6, 456; Techn.-chem. Jahrb., 10, 16.  
On the cause of the incomplete precipitation obtained by the  
chlorate method. See also 1885: 10 and 1885: 15.
- 1887: 16. MORGAN, J. J. Rapid Methods for the Determination of  
Silicon, Sulphur, and Manganese in Iron and Steel.  
\* Ind. Rev.; Chem. News, 56, 82; Chem. Centrbl., 1887, 1268; Jsb.  
Chem., 1887, 2427; Ztschr. chem. Ind., 1887, b, 246; Chem. Ztg.,  
11, 219, Rep.; J. Chem. Soc. (Lond.), 52, 1140; Wagner's Jsb.,  
33, 271; J. Anal. Chem., 1, 418; Iron, 30, 312; Techn.-chem.  
Jahrb., 10, 16.  
Colorimetric method by oxidation with lead peroxide in nitric acid  
solution. See also Peters, 1876: 5.



60 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1887: 17. REINHARDT, C. Eine weitere Verbesserung der Belanischen Mangantitration.  
 Stahl u. Eisen, 7, 709; Wagner's Jsb., 33, 586; J. Iron Steel Inst., 1887, b, 367; Techn.-chem. Jahrb., 10, 16; Berg- u. hüttenm. Ztg., 46, 451; Chem.-techn. Rep., 26, b, 317.  
 Separation from iron by zinc oxide, precipitation by bromine in the presence of zinc oxide, solution in ferrous sulphate, and titration with potassium permanganate.
- 1887: 18. See 1888: 21.
- 1887: 19. L'ASSEMBLÉE REP. FAB. RAILS, ETC. Contributions à l'analyse chimique de fer, de l'aciers et de la fonte.  
 \* Technik (Moscow); Monit. scientif. (4), 1, 241; Jsb. Chem., 1887, 2427.  
 Determination by the Deshayes method. See 1878: 2.
- 1888: 1. CAMPBELL, A. C. Separation of Ferric Iron from Cobalt, Nickel, and Manganese.  
 J. Anal. Chem., 2, 291; Ztschr. anal. Chem., 30, 616; Chem. Ztg., 12, 250, Rep.; J. Chem. Soc. (Lond.), (1892) 62, 103.  
 Separation from iron by precipitation with lead carbonate.
- 1888: 2. CARNOT, A. Sur l'emploi de l'eau oxygénée pour le dosage des métaux de la famille du fer.  
 C. R., 107, 997 and 1150; Bull. soc. chim. (3), 1, 279; Chem. News, 59, 15; Jsb. Chem., 1888, 2552; 1889, 2395; Chem. Centrbl., 1889, 143; Chem. Ztg., 13, 7 and 16, Rep.; Eng. Min. J., 47, 141; J. Soc. Chem. Ind., 8, 216; Ztschr. anal. Chem., 29, 336; Ztschr. angew. Chem., 1888, 71; Ber., 22, 111, Ref.; J. Chem. Soc. (Lond.), 56, 443; J. Iron Steel Inst., 1889, a, 394.  
 Precipitation by means of hydrogen peroxide, solution in oxalic acid, and titration with potassium permanganate.
- 1888: 3. FRIEDMANN, A. Zur Bestimmung des Mangans in Eisen.  
 Stahl u. Eisen, 8, 315; Jsb. Chem., 1888, 2553; Ztschr. angew. Chem., 1888, 415; Wagner's Jsb., 34, 196; Techn.-chem. Jahrb., 11, 19; J. Iron and Steel Inst., 1888, b, 328.  
 Decomposition by means of chlorine and final precipitation and determination as sulphide (Rose method, 1860: 5).
- 1888: 4. GHILIAN, A. Description et controle de la méthode volumétrique de dosage de manganèse.  
 Rev. univ. des mines (3), 1888, 270; Berg- u. hüttenm. Ztg., 1888, 454; Chem. News, 59, 121; Jsb. Chem., 1889, 2399; Wagner's Jsb., 34, 200.  
 Separation from iron by means of ammonium carbonate, ammonium succinate, or sodium acetate, and titration with permanganate in the presence of an excess of zinc oxide.

- 1888: 5. DE LA HARPE, C., and RÉVERDIN, F. Petites notices analytiques.  
 Bull. soc. chim. (3), 1, 164; Chem. Centrbl., 1889, a, 391; Ber., 22, 355, Ref.; Wagner's Jsb., 35, 570; J. Anal. Chem., 3, 321; J. Soc. Chem. Ind., 8, 307.  
 Apparatus for the determination of peroxide by the Bunsen method. (1853: 1.)
- 1888: 6. ILES, M. W. Lead Slags.  
 Chem. News, 57, 18; Ztschr. angew. Chem., 1888, 197.  
 Determination in lead slags by the Volhard method. (1879: 14.)
- 1888: 7. JULIAN, F. A Method for the Determination of Manganese in Steel.  
 J. Anal. Chem., 2, 249; Trans. Am. Inst. Min. Eng., 16, 355; Chem. Centrbl., 1888, 1400; Ztschr. anal. Chem., 32, 370; Ztschr. angew. Chem., 1888, 521; Chem. News, 58, 209; Chem. Ztg., 12, 251, Rep.; Wagner's Jsb., 34, 193; Rev. univ. des mines, 42, 301; Eng. Min. J., 46, 413; J. Iron and Steel Inst., 1888, a, 376; 1889, a, 394; Berg- u. hüttenm. Ztg., 47, 348; Oester. Ztschr. Berg- u. Hüttenw., 37, 156; Techn.-chem. Jahrb., 11, 79.  
 Precipitation with chlorate, solution without filtration with the aid of ferrous sulphate or oxalic acid, and titration with permanganate.
- 1888: 8. KLEIN, J. Ueber einige neue Reactionen.  
 Chem. Ztg., 12, 1321; Berg- u. hüttenm. Ztg., 47, 425; Arch. Pharm., 227, 77.  
 Test for manganese by means of hydrogen peroxide in alkaline solution.
- 1888: 9. DE KONINCK, L. L., and LECRENIER, A. Bestimmung des verfügbaren Sauerstoffs in den Hyperoxyden mittels gasförmigen Salzsäure.  
 Ztschr. angew. Chem., 1888, 353; Wagner's Jsb., 34, 515; Eng. Min. J., 47, 460; Berg- u. hüttenm. Ztg., 1888, 295; Chem.-techn. Rep., 27, a, 235.  
 Volumetric determination of peroxide depending on the evolution of chlorine gas, reaction of the latter with ferrous sulphate, and of the product with potassium iodide in excess.
- 1888: 10. MEINEKE, C. Studien über die Analyse von Rohstoffen und Production der Eisenindustrie.  
 Ztschr. angew. Chem., 1888, 3, 219 and 252; Chem. Centrbl., 1888, 422 and 865; Jsb. Chem., 1888, 2550; Ztschr. anal. Chem., 36, 700; Chem. Ztg., 12, 29; Ber., 21, 311, Ref.; Wagner's Jsb., 34, 198; Berg- u. hüttenm. Ztg., 47, 81; J. Chem. Soc. (Lond.), 54, 1132; 56, 309; J. Iron Steel Inst., 1888, b, 326.  
 Criticism of the various methods of separation from iron. Precipitation as sulphide, as carbonate, and as phosphate; separation from iron by means of nitroso- $\beta$ -naphthol, barium carbonate, mercuric and zinc oxides, and by the acetate and sulphate methods.

- 1888: 11. MOORE, T. Methods for the Separation of Iron, Nickel, Cobalt, Manganese, Zinc, and Aluminium.  
Chem. News, 57, 125; Chem. Centrbl., 1888, 644; Jsb. Chem., 1888, 2553; J. Chem. Soc. (Lond.), 54, 631; Ber., 21, 544, Ref.; J. Anal. Chem., 2, 309.  
Separation from iron, nickel, and cobalt, by solution of the mixed carbonate precipitate with potassium cyanide, and precipitation of the manganese from this solution as sulphide, or as hydrated peroxide by means of hydrogen peroxide.
- 1888: 12. OETTEL, F. Ueber die Analyse des Neusilbers.  
Ztschr. anal. Chem., 27, 16; Jsb. Chem., 1888, 2554.  
Separation from iron and cobalt by electrolysis; precipitation by bromine, and determination as mangano-manganic oxide.
- 1888: 13. REINHARDT, C. Zur Bestimmung des Mangans in siliciumreichen aber manganarmen Roheisensorten.  
Ztschr. angew. Chem., 1888, 108; Chem. Centrbl., 1888, 500; Jsb. Chem., 1888, 2553; Ztschr. anal. Chem., 32, 368; Chem. News, 58, 171; Chem. Ztg., 12, 66, Rep.; Chem. Ind., 11, 186; J. Iron Steel Inst., 1888, a, 377; b, 330; J. Chem. Soc. (Lond.), 54, 1132; Wagner's Jsb., 34, 197; Berg- u. hüttenm. Ztg., 47, 221; J. Soc. Chem. Ind., 7, 234; Analyst, 13, 74.  
Precipitation by bromine water in presence of sodium acetate and zinc oxide, re-solution in an excess of an oxalate solution, and titration for this excess with permanganate. Comments on chlorate method.
- 1888: 14. v. REIS, M. A. Vorschläge zur Einführung von einheitlichen analytischen Methoden für Eisenhüttenlaboratorien.  
Stahl. u. Eisen, 8, 97; Techn.-chem. Jahrb., 10, 16.  
Separation from iron by the acetate method, and determination by precipitation by bromine and ignition to mangano-manganic oxide.
- 1888: 15. SCHNEIDER, L. Eine neue Bestimmungsmethode des Mangans.  
Wien. Akad. Ber. (2 b), 97, 256; Monatsh. Chem., 9, 242; Dingl. pol. J., 269, 224; Chem. Ind., 11, 444; J. Soc. Chem. Ind., 7, 525 and 693; Chem. Centrbl., 1888, 949; Jsb. Chem., 1888, 2552; J. Chem. Soc. (Lond.), 54, 873; Ztschr. angew. Chem. 1888, 417; Chem. Ztg., 12, 129, Rep.; Ber., 21, 451, Ref.; Wagner's Jsb., 34, 193; Berg- u. hüttenm. Ztg., 47, 269; Arch. Pharm., 226, 658; J. Anal. Chem., 2, 322; Techn.-chem., Jahrb. 11, 19; Chem.-techn. Rep., 27, a, 234.  
Determination by oxidation with bismuth tetroxide and titration with hydrogen peroxide.

- 1888: 16. SCHÜRMANN. Ueber die Verwandtschaft der Schwermetalle zum Schwefel.  
Ann. Chem. (Liebig), **249**, 329.  
Filtration of sulphides aided by a concentrated solution of sodium acetate.
- 1888: 17. STEIN, G. Zur Manganbestimmung in Nahrungs- und Genussmitteln.  
Chem. Ztg., **12**, 446; Chem. Centrbl., **1888**, 645; J. Chem. Soc. (Lond.), **56**, 188; Chem.-techn. Rep., **27**, a, 257.  
Determination in the ashes of food-stuffs by treatment with sodium nitrate, sulphuric acid, and lead peroxide, and titration for the permanganate formed with a standard ferrous salt solution. See 1888: 20.
- 1888: 18. THORPE, T. E., and HAMBLY, F. J. Note on Chatard's Method for the Estimation of Small Quantities of Manganese.  
J. Chem. Soc. (Lond.), **53**, 182; Jsb. Chem., **1888**, 2552; Ztschr. anal. Chem., **32**, 367; Chem. Ztg., **12**, 92, Rep.; Ber., **21**, 374, Ref.; J. Iron Steel Inst., **1888**, b, 329; J. Anal. Chem., **2**, 197; Techn.-chem. Jahrb., **10**, 16; Chem. News, **57**, 48.  
Oxidation with lead peroxide, and titration with ammonium oxalate. See 1871: 2.
- 1888: 19. THORPE, T. E., and HAMBLY, F. J. On Manganese Trioxide.  
J. Chem. Soc. (Lond.), **53**, 179; Chem. Ztg., **12**, 155.  
Description of Chatard's volumetric method. See 1871: 2 and 1888: 18.
- 1888: 20. WEISSMANN, G. Kurze Methode der Manganbestimmung im Roheisen, Stahl, etc.  
Chem. Ztg., **12**, 205; Chem. Centrbl., **1888**, 423; Ber., **1888**, 311, Ref.; Ztschr. anal. Chem., **32**, 366; Chem. Ind., **11**, 212; Wagner's Jsb., **34**, 198; J. Chem. Soc. (Lond.), **54**, 992; J. Iron and Steel Inst., **1888**, a, 377; **1893**, b, 531; Berg- u. hüttenm. Ztg., **47**, 113; J. Soc. Chem. Ind., **7**, 235; Dingl. pol. J., **267**, 528; Techn.-chem. Jahrb., **10**, 17; Chem.-techn. Rep., **27**, a, 234.  
Modification of the Chatard method. Oxidation to permanganic acid by lead peroxide and titration with ferrous ammonium sulphate. See 1871: 2 and 1888: 17.
- 1888: 21. —. Analytical Chemistry as Applied to the Manufacture of Iron and Steel.  
Iron, **30**, 360 and 504; Stahl und Eisen, **8**, 607; Wagner's Jsb., **35**, 173.  
Separation from iron by the acetate method, precipitation by bromine, and determination as manganomanganic oxide, as manganous sulphate, or by difference after determination of the iron.

64 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1889: 1. ALT, H. Zur Fällung von Mangan als Hyperoxyd.  
 Chem. Ztg., 13, 1339; Chem. Centrbl. 1889, b, 859; Jsb. Chem., 1889, 2399; J. Chem. Soc. (Lond.), 58, 419; Stahl u. Eisen, 9, 961; Berg- u. hüttenm. Ztg. 48, 429; J. Anal. Chem., 3, 425; Techn.-chem. Jahrb., 12, 13.  
 Adhesion of precipitate to glass said to be prevented by boiling the solution to expel air.
- 1889: 2. BLUM, L. Eine Fehlerquelle bei der Trennung geringer Manganmengen von viel Kalk durch Schwefelammonium.  
 Ztschr. anal. Chem., 28, 454; Chem. Centrbl., 1889, b, 513; J. Chem. Soc. (Lond.), 56, 1087; Ber., 22, 706, Ref.; Chem. Ind., 13, 89; Stahl u. Eisen, 9, 960; School Mines Quart., 11, 69; J. Iron Steel Inst., 1890, a, 372; J. Soc. Chem. Ind., 8, 922; Analyst, 14, 192.  
 Separation from calcium by means of ammonium sulphide.
- 1889: 3. BRAND, A. Ueber die Anwendung von pyrophosphorsauren Doppelsalzen zur Bestimmung und Trennung von Metallen durch Electrolyse.  
 Ztschr. anal. Chem., 28, 586, 599, and 604; Chem. Centrbl., 1890, a, 140; Chem. Ind., 13, 90; J. Chem. Soc. (Lond.), 58, 294.  
 Electrolytic determination, and separation from nickel, cobalt, copper, cadmium, zinc, mercury, and iron.
- 1889: 4. FINKENER. Zur Bestimmung des wirksamen Sauerstoffs. Mitthl. Vers. Berlin, 1889, 158; Jsb. Chem., 1890, 2444; Dingl. pol. J., 276, 479; Ztschr. angew. Chem., 1890, 271.  
 Comments on Bunsen, ferrous sulphate, and oxalic acid (volumetric) methods, for the determination of peroxide.
- 1889: 5. FRIEDBURG, L. H. Notes on Quantitative Analysis. Chem. News, 62, 23; Jsb. Chem., 1890, 2379.  
 Determination in silicates.
- 1889: 5a. GOOCH, F. A. and WHITFIELD, J. E. Analyses of Waters of the Yellowstone National Park.  
 Bull. U. S. Geol. Surv., No. 47, 27.  
 Determination in mineral waters.
- 1889: 6. KLEIN, J. Ueber die Empfindlichkeit des Mangannachweises mittels Wasserstoffsperoxyd.  
 Arch. Pharm. (3), 27, 77; Chem. Centrbl., 1889, a, 391; Jsb. Chem., 1889, 2398; Chem. Ztg., 13, 83, Rep.; Ber., 22, 171, Ref.; J. Chem. Soc., 56, 653; Berg- u. hüttenm. Ztg., 48, 164; Chem.-techn. Rep., 28, a, 240.  
 Detection, in presence of cobalt, by means of hydrogen peroxide.

- 1889: 7. KOHN, C. J., and WOODGATE, J. The Application of Electrolysis to Quantitative Analysis.  
 J. Soc. Chem. Ind., **8**, 256; Chem. Centrbl., **1889**, b, 54; Jsb. Chem., **1889**, 2304.  
 Electrolytic separation from iron.
- 1889: 8. DE KONINCK, L. L. Zur Prüfung der Reagentien.  
 Ztschr. angew. Chem., **1889**, 4; Jsb. Chem., **1889**, 2299; Rev. univers. des mines, **1889**, 308; Berg- u. hüttenm. Ztg., **48**, 183; Chem. News, **59**, 230.  
 Detection of manganese in lead peroxide by decomposition with hot, concentrated sulphuric acid, and the addition of more lead peroxide to form permanganic acid.
- 1889: 9. MAYER, F. Zur qualitative Analyse des Schwefelammoniumniederschlags.  
 Ber., **22**, 2627; Jsb. Chem., **1889**, 2391.  
 Separation from iron and aluminum by the acetate method.
- 1889: 10. M'KELLAR, W. G. A Convenient Solution for Use in Titrating Weldon Muds for Manganese Peroxide.  
 J. Soc. Chem. Ind., **8**, 968; Jsb. Chem., **1889**, 2399; J. Chem. Soc. (Lond.), **58**, 548.  
 Determination of peroxides by use of standard solutions of bichromate and ferrous sulphate.
- 1889: 11. McCULLOCH, N. The Volumetric Estimation of Cobalt in Presence of Nickel, Manganese, and other Metals.  
 Chem. News, **59**, 51; Chem.-techn. Rep., **29**, 240; Chem. Ztg., **13**, 38, Rep.  
 Separation from cobalt by the use of sodium acetate and potassium cyanide.
- 1889: 12. McCULLOCH, N. The Use of Peroxide of Hydrogen for the Determination of the Metals of the Iron Group.  
 Chem. News, **59**, 35; Jsb. Chem., **1889**, 2395; Chem. Ztg., **13**, 26, Rep.  
 Criticism of Carnot's article on the action of hydrogen peroxide on the salts of manganese.
- 1889: 13. MOLDENHAUER, F. Kupfervitriol als Indikator beim Titriren von Zink und Manganese.  
 Chem. Ztg., **13**, 1220; Chem. Centrbl., **1889**, 811; Jsb. Chem., **1889**, 2407; Ztschr. anal. Chem., **30**, 340; Ber., **22**, 711, Ref.; J. Soc. Chem. Ind., **9**, 108; J. Anal. Chem., **3**, 429.  
 Volumetric determination in presence of zinc, by the use of ferrocyanide.

- 1889: 14. NEUMANN, G. Quantitative Bestimmung von Zink neben Mangan.  
Ztschr. anal. Chem., **28**, 57; Jsb. Chem., **1889**, 2408; J. Chem. Soc. (Lond.), **56**, 549; J. Soc. Chem. Ind., **8**, 62; J. Anal. Chem., **4**, 69; Chem. Ztg., **23**, 38, Rep.  
Separation of zinc as sulphide from a formic acid solution.
- 1889: 15. RADAU, C. Zur Kenntniss vanadinsaurer Salze.  
Ann. Chem. (Liebig), **251**, 154.  
Separation from vanadium by fusion with sodium carbonate, solution of the fused mass in water, precipitation of hydrated manganese peroxide with alcohol, re-solution in hydrochloric acid, and re-precipitation with hydrogen peroxide and ammonia.
- 1889: 16. REITMAIR, O. Kalkbestimmung bei Gegenwart von Phosphorsäure, Eisen, Thonerde und Mangan.  
Ztschr. angew. Chem., **1889**, 358; Ztschr. anal. Chem., **31**, 314.  
Separation from calcium by means of oxalates.
- 1889: 17. SCHNEIDER, L. Eine neue Bestimmungsmethode des Mangans.  
Oester. Ztschr. Berg- u. Hüttenw., **36**, 608; Chem. Centrbl., **1889**, a, 64; Berg- u. hüttenm. Ztg., **48**, 153; Chem.-techn. Centr. Anz., **1889**, 64; Pharm. Centr., **30**, 189; Chem.-techn. Rep. **28**, a, 240.  
Oxidation by bismuth tetroxide and titration with hydrogen peroxide
- 1889: 18. SMITH, E. F. and FRÄNKEL, L. K. Electrolytic Separations.  
Chem. News, **60**, 102 and 262; Jsb. Chem., **1889**, 2305; Chem. Ztg., **13**, 257, Rep.; J. Anal. Chem., **3**, 386.  
Electrolytic determination in the presence of potassium sulphocyanate.
- 1889: 19. WELLS, J. S. C. and VULTÉ, H. T. A Scheme for the Separation of Al, Cr, Fe, Co, Ni, Mn, Zn, Ba, Ca, Sr, and Mg, in the Presence of Phosphoric, Arsenic, Oxalic, Boric, Silicic, Hydrofluoric, Acetic, and Tartaric Acids, and Organic Matter.  
School Mines Quart., **10**, 3; Analyst, **14**, 1888; Ztschr. angew. Chem., **1889**, 681.  
Qualitative separation from zinc as sulphide, and detection in the mixed sulphides by fusion with sodium carbonate.
- 1890: 1. BAUMANN, A. Die Analyse des Braunsteins mittels Wasserstoffsperoxyd.  
Ztschr. angew. Chem., **1890**, 72; Jsb. Chem., **1890**, 2442; Chem. News, **63**, 72; Monit. scientif., **35**, 596.  
Comments on the Lunge method and also on the Fresenius-Will method. Determination of peroxide by volumetric and gasometric methods. See 1885: 13; 1890: 9; 1890: 10; and 1843: 3.

- 1890: 2. VAN BEMMELN, J. M. Ueber die Bestimmung des Wassers, des Humus, des Schwefels, des in colloidalen Silicaten gebundenen Kieselsäure, des Mangans, u. s. w. im Ackerboden.  
Landw. Vers. Stat., 37, 289; Jsb. Chem., 1890, 2557; J. Chem. Soc. (Lond.), 58, 833.  
Determination in soils. Carnot method. See 1888: 2.
- 1890: 3. BOYD, R. C. The Determination of Manganese and Zinc as Pyrophosphates.  
School Mines Quart., 11, 355; Jsb. Chem., 1890, 2442; J. Soc. Chem. Ind., 9, 973.  
See title.
- 1890: 4. CARNOT, A. (Discussion.)  
Bull. soc. chim. (3), 3, 594; Chem. Ztg., 14, 637; Oester. Ztschr. Berg- u. Hüttenw., 38, 450.  
Precipitation by means of hydrogen peroxide.
- 1890: 5. FRESENIUS, R. and HINTZ, E. Ueber die Analyse von Chromeisen.  
Ztschr. anal. Chem., 29, 28; Jsb. Chem., 1890, 2440.  
Determination in chromite.
- 1890: 6. HELLMAN, C. G. Determination of Manganese in Iron.  
Eng. Min. J., 50, 593.  
Recommends method of Särnström. See 1881: 15.
- 1890: 7. JENSCH, E. Zur Bestimmung des Zinks in manganhaltigem Flugstaube.  
Chem. Ztg., 13, 465, 726; J. Chem. Soc. (Lond.), 58, 294.  
Separation from zinc by means of hydrogen peroxide.
- 1890: 8. DE KONINCK, L. L. Études sur les procédés d'analyse des matières premières et des produits de la sidérurgie.  
Rev. univers. des mines, 9, 243; Jsb. Chem., 1890, 2436; Chem. News, 62, 19; J. Anal. Chem., 4, 335.  
Separation from iron by means of nitroso- $\beta$  naphthol.
- 1890: 9. LUNGE, G. Ueber die Werthbestimmung des Chorkalks, Braunsteins und Chamäleons auf gasvolumetrischem Wege (mittels des Nitrometers).  
Ztschr. angew. Chem., 1890, 10; J. Soc. Chem. Ind., 9, 21; Jsb. Chem., 1890, 2389; Chem. Ind., 13, 88; Ztschr. anal. Chem., 30, 221; Wagner's Jsb., 36, 560; J. Chem. Soc. (Lond.), 58, 1470.  
Determination of peroxide by means of hydrogen peroxide.
- 1890: 10. LUNGE, G. Zur gasvolumetrischen Analyse durch Wasserstoffsperoxyd.  
Ztschr. angew. Chem., 1890, 136; Jsb. Chem., 1890, 2444.  
Reply to Baumann's criticisms. See 1890: 1.



68 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1890: 11. LUNGE, G. Das Gasvolumeter, ein Apparat zur volligen Ersparung aller Reductionrechnungen bri Ablesungen von Gasvolumen.  
 Ztschr. angew. Chem., 1890, 139; Ber., 23, 440; Ztschr. anal. Chem., 29, 589.  
 A modification of the nitrometer. (See 1890: 9.)
- 1890: 12. MCKENNA, A. G. The Precipitation of Manganese as Ammonium Manganous Phosphate.  
 Tech. Quart., 3, 333; Chem. News, 63, 184; J. Anal. Chem., 5, 140; Iron, 37, 469; Jsb. Chem., 1891, 2479; J. Chem. Soc. (Lond.) 61, 1138; J. Iron Steel Inst., 1891, b, 326; School Mines Quart., 12, 262; Berg- u. hüttenm. Ztg., 50, 186; Eng. Min. J., 51, 635; J. Soc. Chem. Ind., 10, 387; Chem.-techn. Rep., 31, c, 268.  
 A study of Gibbs method (1867: 3). Comments on Blair method. (1887: 3.)
- 1890: 13. MYHLERTZ, F. G. Method for the Rapid Determination of Manganese in Slags, Ores, etc.  
 J. Anal. Chem., 4, 267; Chem. Centrbl., 1890, b, 607; Ztschr. anal. Chem., 32, 368; Chem. Ztg., 14, 251, Rep.; Wagner's Jsb., 36, 337; J. Chem. Soc. (Lond.), 60, 366; School Mines Quart., 12, 61; Berg- u. hüttenm. Ztg., 49, 400; Oester. Ztschr. Berg- u. Hüttenw., 39, 13; J. Iron Steel Inst., 1891, a, 444; Techn.-chem. Jahrb., 13, 75.  
 Fusion with carbonate and nitrate, reduction of manganate with alcohol, solution of precipitate in ferrous sulphate solution, and titration of excess of latter.
- 1890: 14. RIBAN, J. Sur le dosage et la séparation du zinc en présence du fer et du manganèse.  
 C. R., 110, 1106; Bull. soc. chim. (3), 4, 116; Jsb. Chem., 1890, 2449; Chem. Centrbl., 1890, b, 120.  
 Separation from zinc by precipitation with sulphuretted hydrogen in feebly acid solution.
- 1890: 15. SELLIK, B. Technische Analyse des Wolframits.  
 Chem. Ztg., 13, 1474; Ztschr. anal. Chem., 29, 105.  
 Determination in wolframite.
- 1890: 16. VORTMANN, G. Eine neue Methode zur maassanalytische Bestimmung des Mangans.  
 Ber., 23, 2801; Jsb. Chem., 1890, 2441; Chem. Centrbl., 1890, b, 676; Ztschr. angew. Chem., 1890, 715; Chem. Ztg., 14, 289, Rep.; J. Chem. Soc. (Lond.), 58, 1470; Chem. News, 62, 251; Bull. soc. chim. (3), 4, 854; Chem. Ind., 14, 214; Wagner's Jsb., 36, 336; J. Iron Steel Inst., 1891, a, 440; School Mines Quart., 12, 61; Oester. Ztschr. Berg- u. Hüttenw., 39, 14; J. Soc. Chem. Ind., 9, 1067; J. Anal. Chem., 4, 57; Chem.-techn. Rep., 30, b, 179.

Precipitation, after the addition of ferric salt, by means of sodium hydroxide and a standard iodine solution; filtration, and determination of the iodine in a measured volume of the filtrate.

- 1890: 17. WARREN, H. N. A Brief Summary of Practical Manipulation.

Chem. News, 61, 63; Ztschr. anal. Chem., 30, 35; Jsb. Chem., 1890, 2372.

Use of powdered glass to promote settling of the basic ferric-acetate precipitate.

- 1890: 18. ZIEGLER, A. Ueber die analytische Bestimmung der wesentlichen Bestandtheile des metallischen Wolframs, Ferro-Wolframs und Wolframstahles; sowie des Ferrochroms und Chromstahles, unter theilweiser Zugrundelegung neuer Aufschlussverfahren.

Dingl. pol. J., 274, 517; 275, 91; Monit. scientif. (4), 4, 486; Jsb. Chem., 1890, 2455; Ztschr. anal. Chem., 30, 47.

Determination in tungsten alloys.

- 1891: 1. BEHRENS, H. Beiträge zur mikrochemischen Analyse.

Ztschr. anal. Chem., 30, 140.

Detection by microchemical tests with oxalic acid, salt of phosphorus, and potassium chlorate.

- 1891: 2. BLUM, L. Zur Bestimmung des Mangans im Eisen und Stahl.

Ztschr. anal. Chem., 30, 210; Jsb. Chem., 1891, 2482; Chem. Centrbl., 1891, a, 810; J. Chem. Soc. (Lond.), 61, 963; Chem. Ind., 14, 498; Berg- u. hüttenm. Ztg., 50, 211; School Mines Quart., 12, 335; Chem. News, 63, 204.

Comments on the Volhard method and the Rürup modification of the same (1891: 26).

- 1891: 3. BLUM, L. Ueber eine neue Methode zur volumetrischen Bestimmung des Mangans.

Ztschr. anal. Chem., 30, 284; Jsb. Chem., 1891, 2480; J. Chem. Soc. (Lond.), 61, 1293; J. Iron Steel Inst., 1891, b, 330; Chem. Ztg., 15, 207, Rep.; Ber., 24, 841, Ref.; Techn.-chem. Jahrb., 14, 34; School Mines Quart., 12, 335; Berg- u. hüttenm. Ztg., 50, 276; 51, 41; Eng. Min. J., 53, 88; J. Soc. Chem. Ind., 10, 798; Analyst, 16, 140; Chem.-techn. Rep., 31, c, 267.

Titration with potassium ferrocyanide in the presence of ammonium tartrate, ferric salts, ammonium chloride, and free ammonia.

- 1891: 4. BROWN, D. H. Hints for Beginners in Iron Analysis.  
 J. Anal. Chem., **5**, 368 and 374.  
 Comments on the Volhard (1879: 14) and Williams (1881: 18) methods of determination.
- 1891: 5. CHEMIKER COMMISSION DER VEREIN DEUTSCHER EISENHÜTTENLEUTE. Manganbestimmung: Bericht über die bisherigen Arbeiten der vom Verein deutscher Eisenhüttenleute eingesetzten Commission zur Einführung einheitlicher Untersuchungsmethoden.  
 Stahl u. Eisen, **11**, 373; Chem. Centrbl., **1891**, a, 1003; J. Iron Steel Inst., **1891**, a, 437.  
 Discussion of permanganate and chlorate methods. (Wolff, Hampe, Meineke, Reinhardt, Schoeffel and Donath, Ukena.)
- 1891: 6. DONATH, E. Zur analytischen Anwendung von Baryum- und Wasserstoffsperoxyd.  
 Chem. Ztg., **15**, 1085; Jsb. Chem., **1891**, 2393; Chem. Ind., **15**, 189.  
 Precipitation by means of hydrogen peroxide. Question of priority.  
 See 1891: 11.
- 1891: 7. DONATH, E. Ueber eine "neue" Mangan und Zinktrennung von P. Jannasch und MacGregory.  
 Ber., **24**, 3600; Jsb. Chem., **1891**, 2484; J. Chem. Soc. (Lond.), **62**, 384; Bull. soc. chim. (3), **8**, 524.  
 Question of priority. See 1891: 11.
- 1891: 8. HAMPE, W. Zur volumetrischen Bestimmung des Mangans.  
 Chem. Ztg., **15**, 281.  
 Criticism of Moore's statements (1891: 18) regarding the conversion of manganese to phosphate and titration with a ferrous salt.
- 1891: 9. HAMPE, W. Ueber Bestimmung des Mangans nach der Chloratmethode.  
 Chem. Ztg., **15**, 1579; Jsb. Chem., **1891**, 2481; Chem. Centrbl., **1892**, a, 182; J. Chem. Soc. (Lond.), **62**, 1132.  
 Criticises report of the Chemiker-Commission, 1891: 5.
- 1891: 10. JANNASCH, P. and FRANZEK, C. J. Ueber eine neue quantitative Trennung von Mangan und Nickel, Mangan und Kobalt, und von Mangan, Nickel und Kobalt.  
 Ber., **24**, 3204; Jsb. Chem., **1891**, 2484; Chem. Centrbl., **1892**, a, 182; J. Iron Steel Inst., **1892**, a, 493; Chem. News., **64**, 294; Chem. Ztg., **15**, 306, Rep.; Bull. soc. chim. (3), **8**, 277; J. Chem. Soc. (Lond.), **62**, 240; Chem. Ind., **15**, 213; School Mines Quart., **13**, 177; J. Soc. Chem. Ind., **10**, 1037; Analyst, **17**, 58; Chem.-techn. Rep., **31**, b. 297.  
 Separations as in title by means of hydrogen peroxide in cyanide solution.

- 1891: 11. JANNASCH, P., and MACGREGORY, J. F. Ueber eine neue quantitative Trennung von Mangan und Zink.  
 J. prakt. chem. (2), 43, 402; Chem. Centrbl., 1891, a, 1002;  
 J. Chem. Soc. (Lond.), 61, 963; Chem. News, 63, 255; 64, 182;  
 Ztschr. anal. chem., 31, 69; Chem. Ztg., 15, 142, Rep.; Ber. 24,  
 675, Ref.; School Mines Quart., 12, 337; 13, 75; Eng. Min. J., 52,  
 386; J. Soc. Chem. Ind., 10, 659; J. Anal. Chem., 5, 659.  
 Separation by means of hydrogen peroxide.
- 1891: 12. JANNASCH, P., and NIEDERHOFHEIM. Ueber quantitative Metall-scheidungen in alkalischer Lösung durch Wasserstoff-superoxyd.  
 Ber., 24, 3945; Jsb. Chem., 1891, 2484; Chem. News, 65, 159;  
 Ztschr. angew. Chem., 1892, 83; Chem. Ztg., 16, 13, Rep.; Chem.  
 Ind., 15, 213; Iron, 39, 337.  
 Separation from zinc by the use of hydrogen peroxide in cyanide solution.
- 1891: 13. LUCKOW, C. Verfahren zur leichten electrolytischen Ausfällung verschiedenen Metalle aus sauren Lösungen.  
 Chem. Ztg., 15, 740; Jsb. Chem., 1891, 2402.  
 Electrolytic precipitation upon mercury with formation of an amalgam.
- 1891: 14. LUCKOW, C. Ueber maassanalytische Bestimmungs- und analytische Trennungsmethoden mit Ferro- und Ferricyankalium.  
 Chem. Ztg., 15, 1491; Chem. Centrbl., 1892, a, 180.  
 Volumetric determination by means of potassium ferrocyanide.
- 1891: 15. LE ROY, G. A. Sur un nouveau mode de séparation du fer d'avec le cobalt et le nickel.  
 C. R., 112, 722; Ber., 24, 406, Ref.  
 Electrolytic precipitation.
- 1891: 16. MOLDENHAUER, F. Abänderung der Manganprobe nach Volhard.  
 Chem. Ztg., 15, 13; Jsb. Chem., 1891, 2481; Chem. Centrbl., 1891,  
 a, 283; Stahl u. Eisen, 11, 151; Berg. u. hüttenm. Ztg., 50, 75;  
 Chem.-techn. Rep., 31, c, 268.  
 Modification consists of adding ammonium sulphate, and titrating in the presence of the iron precipitate.
- 1891: 17. MOLDENHAUER, F. Ueber Fehlerquellen beim Titriren des Zinks mit Ferrocyankalium und deren Vermeidung.  
 Chem. Ztg., 15, 223; Ztschr. anal. chem., 30, 340.  
 Volumetric determination by means of potassium ferrocyanide.

- 1891: 18. MOORE, T. Volumetric Estimation of Manganese.  
 Chem. News, **63**, 66; Eng. Min. J., **51**, 234; Jsb. Chem., **1891**, 2479;  
 Chem. Centrbl., **1891**, a, 554; J. Chem. Soc. (Lond.), **61**, 962; Ztschr.  
 angew. Chem., **1891**, 523; Chem. Ztg., **15**, 33, Rep.; Ber., **24**,  
 407, Ref.; Bull. soc. chim. (3), **6**, 621; Chem. Ind., **14**, 498;  
 Wagner's Jsb., **37**, 209; Berg- u. hüttenm. Ztg., **50**, 185; J. Anal.  
 chem., **5**, 237; Chem.-techn. Rep., **31**, a, 267.  
 Volumetric determination by forming manganic metaphosphate,  
 and titrating directly for this compound, with a reducing  
 agent.
- 1891: 19. NORRIS, G. L. Determination of Manganese in Manganiferous Slags and Ores.  
 J. Anal. Chem., **5**, 430; Chem. News, **64**, 242; Jsb. Chem., **1891**,  
 2482; Chem. Centrbl., **1892**, a, 181; Chem. Ztg., **15**, 271, Rep.;  
 Bull. soc. chim. (3), **8**, 539; Ztschr. angew. Chem., **1891**, 650;  
 J. Iron Steel Inst., **1891**, b, 330; J. Chem. Soc. (Lond.), **62**, 385;  
 Wagner's Jsb., **37**, 209; Berg- u. hüttenm. Ztg., **51**, 41; Iron, **38**,  
 449; Chem.-techn. Rep., **31**, b, 297; Deutsche chem. Ztg., **1891**,  
 409.  
 Solution in nitric and hydrofluoric acids, precipitation by potassium  
 chlorate, re-solution of precipitate in oxalic acid or ferrous  
 sulphate solution, and titration for the excess of the reducing  
 agent.
- 1891: 20. NAMIAS, R. Methode zur schnellen Ausführung von Schlacken-Analysen.  
 Stahl u. Eisen, **11**, 579; Jsb. Chem., **1891**, 2461; Chem. Centrbl.,  
**1891**, b, 493.  
 Use of Volhard method of determination (1879: 14).
- 1891: 21. PATTINSON, J. and H. S. On the Determination of Manganese in its Ores and Alloys.  
 J. Soc. Chem. Ind., **10**, 333; Jsb. Chem., **1891**, 2483; Chem. Centrbl.,  
**1891**, a, 1091; J. Chem. Soc. (Lond.), **62**, 536; Ztschr. angew.  
 Chem., **1891**, 380; Chem. Ind., **14**, 498; Wagner's Jsb., **37**, 140;  
 School Mines Quart., **12**, 335.  
 Gravimetric and volumetric methods. A study of the ignition of  
 manganese carbonate and of the hydrated peroxide, with reference  
 to gravimetric determinations. Comments on volumetric methods  
 in use at present and a modified form of the Pattinson method.  
 See 1879: 9.
- 1891: 22. REGELSBERGER, F. Zur Werthbestimmung des Aluminiums und seiner Legirungen.  
 Ztschr. angew. Chem., **1891**, 476.  
 Determination in commercial aluminum.

- 1891: 23. v. REIS, M. A. Ueber Bestimmung von Mangan nach der Chloratmethode.  
Chem. Ztg., **15**, 1791; Chem. Centrbl., **1892**, a, 412; Stahl u. Eisen, **1891**, 375; Ztschr. angew. Chem., **1891**, 377; J. Iron Steel Inst., **1892**, a, 490.  
Criticism of Hampe's method of determination by means of potassium chlorate (1883: 4).
- 1891: 24. ROSSI, A. J. On Some Methods of Analysis of Iron, Steel, and Cast Iron as Practised in Large Industrial Works.  
Iron Age, **47**, 528; J. Iron Steel Inst., **1891**, a, 443; **1892**, a, 491; Stahl u. Eisen, **11**, 927; Wagner's Jsb., **37**, 147.  
Colorimetric determination with the use of sodium metaphosphate.
- 1891: 25. RUBRICIUS, H. Zur Bestimmung von Mangan in Eisen und Stahl.  
Chem. Ztg., **15**, 882; Jsb. Chem., **1891**, 2481; Chem. Centrbl., **1891**, b, 281; J. Chem. Soc. (Lond.), **62**, 1030; Wagner's Jsb., **37**, 146; Chem.-techn. Rep., **31**, b, 297; Berg- u. hüttenm. Ztg., **50**, 390; Analyst, **16**, 180.  
Modification of the Volhard method. Comments on Rürup procedure. See 1879: 14 and 1891: 26.
- 1891: 26. RÜRUP, L. Manganbestimmung in Eisen und Stahl.  
Chem. Ztg., **15**, 149 and 186; Jsb. Chem., **1891**, 2481; Chem. Centrbl., **1891**, a, 470; J. Chem. Soc. (Lond.), **62**, 916; Ztschr. anal. Chem., **30**, 242; Wagner's Jsb., **37**, 140; J. Iron Steel Inst., **1891**, b, 326.  
Modification of Volhard procedure. Addition of sodium sulphate, and titration without filtration. See 1891: 25.
- 1891: 27. SMITH, E. F. The Electrolysis of Metallic Phosphates in Acid Solution.  
Am. Chem. J., **13**, 206; Jsb. Chem., **1891**, 2400.  
Electrolytic separation from cadmium.
- 1891: 28. UKENA. Modificierte 'Chloratmethode.  
Stahl u. Eisen, **11**, 381.  
Precipitation by means of potassium chlorate and solution in reducing agent.
- 1892: 1. ALLER. Quick Assay Methods.  
Iron, **40**, 382; Berg- u. hüttenm. Ztg., **52**, 106; Chem. Centrbl., **1893**, a, 858.  
Determination by Volhard procedure. See 1879: 14.
- 1892: 2. BASTIN, C. Dosage du manganèse dans les spiegels et les ferro-manganèses.  
Monit. scientif. (4), **6**, 639; Chem. Centrbl., **1892**, b, 632; Ztschr. angew. Chem., **1892**, 704; Wagner's Jsb., **38**, 118; J. Iron Steel Inst., **1893**, a, 403; Berg- u. hüttenm. Ztg., **52**, 59; J. Soc. Chem. Ind., **11**, 1037.  
Determination by Williams procedure. See 1881: 18.

74 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1892: 3. BLUM, L. Zur volumetrischen Bestimmung des Zinks.  
Ztschr. anal. Chem., **31**, 60; Berg- u. hüttenm. Ztg., **51**, 164.  
Separation from zinc by means of bromine in alkaline solution.
- 1892: 4. CAMPREDON. Dosage du manganèse dans les produits sidérurgiques.  
Rev. chim. indust., **3**, 298.  
Separation from iron by the acetate method, and volumetric determination by means of potassium permanganate.
- 1892: 5. CHEMIKER COMMISSION. Manganbestimmung: Erwid-  
erung der Chemiker Commission des Vereins deutscher Eisen-  
hüttenleute auf die Angriffe des Professors Hampe.  
Stahl u. Eisen, **12**, 290; Chem. Centrbl., **1892**, a, 604; J. Iron Steel  
Inst., **1892**, a, 489; Ztschr., angew. Chem., **1892**, 275; Wagner's  
Jsb., **38**, 120.  
Reply to Hampe, 1892: 9.
- 1892: 6. DENIGES. Natriumhypobromitlösung als Reagens auf  
Mangan. (*Title from Ztschr. anal. Chem.*)  
\* Deutsche-Amerikan. Apotheker Ztg., **11**, 75; Ztschr. anal. Chem.,  
**31**, 316.  
Detection by means of sodium hypobromite.
- 1892: 7. DONATH, E. Bemerkungen zur Vereinbarung einheit-  
licher Untersuchungsmethoden für Eisen und Stahl.  
Chem. Ztg., **16**, 141.  
Criticism of report of Chemiker-Commission. See 1891: 5 and  
1892: 5.
- 1892: 8. FREY. Zur mikrochemischen Gesteinsanalyse. (*Title  
from Pharm. Centr.*)  
Schweiz. Wochenschr. Pharm., **30**, 149; Pharm. Centr. (N. F.), **13**,  
266; Ztschr. anal. Chem., **32**, 204.  
Detection by means of microchemical tests.
- 1892: 9. HAMPE, W. Nochmals die Chloratmethode.  
Chem. Ztg., **16**, 13; Chem. Centrbl., **1892**, a, 457; Ztschr. anorg.  
Chem., **1**, 389.  
Criticism of the report of the Chemiker-Commission. See 1892: 5  
and 1892: 7.
- 1892: 10. MOORE, T. The Determination of Cobalt in Manganese  
Ores, and a quick Method for its Estimation.  
Chem. News, **65**, 75; **66**, 11; Ztschr. anorg. Chem. **1**, 392; Ber.,  
**25**, 444, Ref.  
Separation from cobalt with the aid of citric acid.

- 1892: 11. PRIWOZNIK. Mittheilungen über die im Laboratorium des K. K. General-Proberamtes in Wien in den Jahren 1890 und 1891 ausgeführten Analysen und anderweitigen Untersuchungen.  
 Berg- u. hüttenm. Jahrb., **40**, 475; Ztschr. angew. Chem., **1893**, 180; Wagner's Jsb., **38**, 216.  
 Separation from iron by the acetate method.
- 1892: 12. v. REIS, M. A. Zur Bestimmung von Mangan im Eisen.  
 Ztschr. anal. Chem., **31**, 604 and 672; Chem. Centrbl., **1892**, b, 940; **1893**, a, 133; J. Chem. Soc. (Lond.), **64**, b, 304; Ztschr. anorg. Chem., **3**, 337; Wagner's Jsb., **38**, 121; School Mines Quart., **14**, 159; Berg- u. hüttenm. Ztg., **52**, 107; J. Soc., Chem. Ind., **12**, 378; Dingl. pol. J., **289**, 214.  
 Oxidation of organic matter by the use of barium peroxide. Volumetric determination by the Volhard procedure. See 1887: 4 and 1879: 14.
- 1892: 13. v. REIS, M. A. Ueber Bestimmung des Mangans nach der Chloratmethode.  
 Chem. Ztg., **15**, 1791; Stahl u. Eisen, **12**, 28; J. Chem. Soc. (Lond.), **62**, 1132.  
 Comments on Hampe's article. See 1892: 9.
- 1892: 14. RIGGS, R. B. The Separation of Iron, Manganese, and Calcium by the Acetate and Bromine Methods.  
 Am. J. Sci. (3), **43**, 135; J. Anal. Chem., **6**, 94; Chem. Centrbl., **1892**, a, 1004; Ztschr. anorg. Chem., **3**, 235; J. Iron Steel Inst., **1893**, a, 403; Stahl u. Eisen, **13**, 119; J. Chem. Soc. (Lond.), **62**, 916; School Mines Quart., **13**, 286; J. Soc. Chem. Ind., **12**, 183.  
 Separation from iron and calcium as in title.
- 1892: 15. ROTHE, J. W. Trennung des Eisens von anderen Elementen nach einem neuen Verfahren.  
 Mitth. Kgl. Verst. zu Berlin, **10**, 132; Iron, **40**, 404; J. Iron Steel Inst., **1892**, b, 510.  
 Separation from iron by extraction with ether.
- 1892: 16. RUBRICIUS, H. Nachtrag zur modificierten Volhard'schen Manganprobe.  
 Chem. Ztg., **16**, 459; Oester. Ztschr. Berg- u. Hüttenw., **40**, 146; Chem. Centrbl., **1892**, a, 829; J. Iron Steel Inst., **1892**, b, 512; Ztschr. angew. Chem., **1892**, 274; Wagner's Jsb., **38**, 118; J. Chem. Soc. (Lond.), **62**, 1524; Dingl. pol. J., **285**, 286.  
 Experimental data to show accuracy of Volhard procedure (1879: 14).
- 1892: 17. RUBRICIUS, H. Manganbestimmung, mit specieller Berücksichtigung der verschiedenen Eisensorten.  
 Chem. Ztg., **16**, 209; Chem. Centrbl., **1892**, a, 507; Berg- u. hüttenm. Ztg., **51**, 163.  
 Determination in irons by the Volhard procedure (1879: 14).



- 1892: 18. RÜDORFF, F. Quantitative Analyse durch Elektrolyse.  
Ztschr. angew. Chem., 1892, 6; Chem. Centrbl., 1892, a, 331; J. Chem. Soc. (Lond.), 64, b, 94.  
Determination by electrolysis.
- 1892: 19. SCHNEIDER, L. Beiträge zur chemischen Untersuchung des Stahles.  
Oester. Ztschr. Berg- u. Hüttenw., 40, 46 and 235; Chem. Centrbl., 1892, a, 337; Ztschr. angew. Chem., 1892, 274 and 466; School Mines Quart., 14, 362; Stahl u. Eisen, 12, 471; Wagner's Jsb., 38, 119; Berg- u. hüttenm. Ztg., 51, 163; Ztschr. anorg. Chem., 1, 474; J. Iron Steel Inst., 1892, b, 512; J. Soc. Chem. Ind. 12, 293; 13, 546; Dingl. pol. J., 291, 238.  
Determination in steel by oxidation to permanganic acid by means of lead peroxide and titration with hydrogen peroxide. Determination in chrome steel.
- 1892: 20. VAN GRUNDY, C. P. Note on Textor's Rapid Method for the Determination of Manganese.  
Proc. Eng. Soc. Western Penna., 8, 158; J. Iron Steel Inst., 1892, b, 512.  
Oxidation to permanganic acid by means of lead peroxide, and titration with arsenious acid. (Description of Textor procedure is given in this article. No other description has been found.)
- 1892: 21. WARWICK, H. S. Die Elektrolyse von Metall-formiaten.  
Ztschr. anorg. Chem., 1, 298 and 299.  
Electrolytic determination and separation from zinc and cadmium.
- 1893: 1. CARNOT, A. (Discussion.)  
Bull. soc. chim. (3), 9, 214; Chem. Centrbl., 1893, b, 156; Chem. News, 68, 15 and 301.  
Comments on the paper by Gorgeu, 1893: 6.
- 1893: 2. CARNOT, A. Sur la précipitation du manganèse par l'eau oxygénée et l'ammoniaque, en vue de son dosage pondéral ou volumétrique.  
Bull. soc. chim. (3), 9, 613; Chem. Centrbl., 1893, b, 596; Ztschr. anorg. Chem., 5, 316.  
See title.
- 1893: 3. CARNOT, A. Sur l'essai des oxydes de manganèse par l'eau oxygénée.  
Bull. soc. chim. (3), 9, 646; C. R., 116, 1295; Chem. Centrbl., 1893, b, 191; J. Chem. Soc. (Lond.), 64, b, 497; J. Soc. Chem. Ind., 12, 897; Ztschr. anorg., Chem., 6, 81.  
Determination by a gasometric method similar to that of Lunge.  
See 1885: 13.

- 1893: 4. CARNOT, A. Sur le dosage du manganèse par les méthodes oxydimétriques.  
 C. R., 116, 1375; Chem. Centrbl., 1893, b, 292; Ztschr. anorg. Chem., 5, 100 and 249; J. Iron Steel Inst., 1893, a, 530, Chem. News, 68, 51; Chem. Ztg., 17, 164 and 179, Rep.; Ber., 26, 528 and 728, Ref.; School Mines Quart., 15, 55; J. Soc. Chem. Ind., 12, 787; Analyst, 18, 231.  
 Determination by measurement of the gas evolved when manganese dioxide is titrated with hydrogen peroxide. See 1885: 13, 1890: 1, and 1893: 3.
- 1893: 5. CLARK, J. The Use of Sodium Peroxide as an Analytical Agent.  
 J. Chem. Soc. (Lond.), 63, 1082; Ztschr. anal. Chem., 34, 593.  
 Separation from zinc, nickel, and cobalt by means of sodium peroxide.
- 1893: 6. GORGEU, A. Observation sur le dosage du manganèse par le permanganate de potasse, et sur les permanganates de manganèse de M. Antony Guyard.  
 Bull. soc. chim. (3), 9, 214 and 490; Chem. Centrbl., 1893, b, 155; J. Iron Steel Inst., 1894, a, 613; J. Chem. Soc. (Lond.), 65, b, 33.  
 Comments on the procedures of Guyard and Donath. See also 1893: 1, 1863: 2, and 1881: 6.
- 1893: 7. HEMPEL, W. Ueber die Anwendung des Natriumsuperoxyds zur Analyse.  
 Ztschr. anorg. Chem., 3, 193.  
 Detection by means of sodium peroxide.
- 1893: 8. JEAN, F. (Discussion.)  
 Bull. soc. chim. (3), 9, 99; Chem. Centrbl., 1893, a, 665.  
 See 1893: 9.
- 1893: 9. JEAN, F. Dosage du manganèse dans ses minerais et ses alliages.  
 Bull. soc. chim. (3), 9, 248; J. Chem. Soc. (Lond.), 64, b, 498; School Mines Quart., 14, 362; Ztschr. anorg. Chem., 4, 479.  
 Precipitation by means of sodium carbonate, solution in nitric acid, precipitation by potassium chlorate, and determination as phosphate, sulphide, or oxide; also volumetrically by methods of Pattinson, Guyard, Gay-Lussac, and Campredon. Separation from iron by the acetate method. See also 1893: 8.
- 1893: 10. JULIAN, F. Laboratory Notes.  
 J. Am. Chem. Soc., 15, 113; Chem. Centrbl., 1893, b, 393.  
 Precipitation by means of potassium chlorate, and titration with hydrogen peroxide.

78 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1893: 11. KOSMAN, B. Zur Trennung von Eisen und Aluminium, Mangan, Zink und Calcium.  
 Stahl u. Eisen, 13, 431; Chem. Centrbl., 1893, b, 155; J. Chem. Soc. (Lond.), 64, b, 600; Ztschr. anorg. Chem., 4, 397.  
 Separation from iron by the acetate method and precipitation by Wolff bromine procedure. Comments on Riggs method. See 1892: 14, and 1883: 22.
- 1893: 12. LOW, A. H. Technical Estimation of Manganese in Ores.  
 J. Anal. Chem., 6, 663; Chem. Centrbl., 1893, a, 665; Chem. News, 67, 162; J. Iron Steel Inst., 1893, a, 418; Ztschr. anorg. Chem., 4, 320; Stahl u. Eisen, 13, 608; Monit. scientif., 43, 207; J. Chem. Soc. (Lond.), 64, b, 438; School Mines Quart., 14, 256; Eng. Min. J., 55, 124.  
 Determination in ores by precipitation by means of bromine, solution in oxalic acid, and titration with permanganate.
- 1893: 13. PARRY, J., and MORGAN, J. J. The Analysis of Iron and Steel.  
 Chem. News, 67, 295; Ind. and Iron, 1893, 379; Stahl u. Eisen, 13, 898; School Mines Quart., 15, 64.  
 Separation from iron by the acetate method, and precipitation by bromine; also colorimetric method and study of Williams method (1881: 18).
- 1893: 14. RÜDORFF, F. Quantitative Analyse durch Elektrolyse.  
 Ztschr. angew. Chem., 1893, 452.  
 Electrolytic determination, and separation from copper.
- 1894: 1. CHRISTOMANOS, A. C. Ueber einen neuen Kohlensäurebestimmungs-Apparat.  
 Ber., 27, 2748; J. Soc. Chem. Ind., 13, 1221.  
 Modified apparatus for use with the Bunsen method for the determination of the peroxide (1853: 1).
- 1894: 2. CLASSEN, A. Quantitative Analyse durch Elektrolyse.  
 Ber., 27, 2075; J. Chem. Soc. (Lond.), 66, b, 480; Ztschr. anorg. Chem., 16, 260; Ztschr. Elektrochem., 1, 290.  
 Determination by electrolysis.
- 1894: 3. FLEITMANN, T. Ueber die quantitative Bestimmung der gewöhnlichsten Beimischungen des im Handel vorkommenden Reinnickels. oder Walznickels.  
 Ztschr. anal. Chem., 33, 337.  
 Determination in commercial nickel.

- 1894: 4. JONES, H. C. Sur l'essai des oxydes du manganèse par l'eau oxygenée.  
C.R., 117, 781; Chem. Centrbl., 1894, a, 229; Ber., 27, 33, Ref.; J. Chem. Soc. (Lond.), 66, b, 121.  
Comments on Carnot's articles (1893: 1-4).
- 1894: 5. JONES, J. Rapid Method for the Determination of Manganese in Manganese Bronze.  
J. Am. Chem. Soc., 15, 414; Chem. Centrbl., 1894, a, 108; Ztschr. anal. Chem., 37, 338; Eng. Min. J., 57, 347; Chem.-techn. Rep., 34, a, 297; Monit. scientif., 36, 521; School Mines Quart., 15, 151; Berg- u. hüttenm. Ztg., 53, 189.  
Determination by the Hampe chlorate method (1883: 4).
- 1894: 6. KASSNER, O. Ueber Natriumsuperoxyd und seine Anwendung in der Analyse.  
Arch. Pharm., 232, 226; Ztschr. anal. Chem., 34, 595; J. Chem. Soc. (Lond.), 66, b, 429.  
Separation from chromium by means of sodium peroxide.
- 1894: 7. KIPPENBERGER, C. Ein einfacher Apparat für gasanalytische Zwecke.  
Ztschr. angew. Chem., 1894, 714; Ztschr. anal. Chem., 35, 185.  
Apparatus for gasometric determination of peroxide by measurement of oxygen evolved during reaction with hydrogen peroxide.
- 1894: 8. LUNGE, G. Volumètre à gaz universel.  
Bull. soc. chim. (3), 11, 636.  
Gasometric determination of peroxide.
- 1894: 9. NASS, G. Ueber die quantitative Bestimmung von Mangan, Magnesium, Zink, Kobalt und Nickel, mittels der Oxalatmethode nach Prof. A. Classen.  
Ztschr. angew. Chem., 1894, 501; Chem. Centrbl., 1894, b, 601; Ztschr. anorg. Chem., 7, 364; Chem. Ztg., 18, 227, Rep.; Ber., 28, 22, Ref.; J. Chem. Soc. (Lond.), 66, b, 482; J. Soc. Chem. Ind., 14, 69.  
General study of Classen's method. See 1877: 3 and 7.
- 1894: 10. NEUMANN, G. Quantitative Analyse von Schwermetallen durch Titriren mit Natriumsulfid.  
Monatsh. Chem. 15, 495; J. Chem. Soc. (Lond.), 68, b, 64; Chem. News, 72, 212; Ztschr. anal. Chem., 34, 454.  
Addition of alkaline sulphide in excess, filtration, addition of sulphuric acid in excess, and titration with alkali.
- 1894: 11. POLECK, T. Ueber Natriumsuperoxyd.  
Ber., 27, 1052.  
Separation from chromium by means of sodium peroxide. See 1894: 6.

- 1894: 12. RÜDORFF, F. Quantitative Analyse durch Elektrolyse.  
Ztschr. angew. Chem., 1894, 388; J. Chem. Soc. (Lond.), 66, b, 399.  
Separation from mercury.
- 1894: 13. SANITER, E. H. A Review of Some of the Methods in  
General Use for the Estimation of Manganese in Minerals and  
Metals.  
J. Soc. Chem. Ind., 13, 112; Ber., 28, 75, Ref.; J. Iron Steel Inst.,  
1894, a, 613; J. Chem. Soc. (Lond.), 66, b, 333; School Mines  
Quart., 15, 275; Eng. Min. J., 57, 155.  
Tests of methods involving precipitation as peroxide by bromine,  
and as sulphide and phosphate; also Volhard's and Pattinson's  
methods.
- 1894: 14. SEELIGER, R. Quantitative Trennung von Ferriphos-  
phat, Manganophosphat, Calcium- und Magnesiumphosphat.  
\* Dissertation, Erlangen; Pharm. Centr. (2), 14, 685; Chem.  
Centrbl., 1894, a, 107; J. Chem. Soc. (Lond.), 66, b, 255.  
Determination by permanganate, and by Rössler silver method  
(1879: 13). Separation from iron by fusion with silica and  
alkaline carbonates and nitrates.
- 1894: 15. SMITH, E. F., and HEYL, P. Ueber die Verwendung von  
Quecksilberoxyd bei der Analyse.  
Ztschr. anorg. Chem., 7, 85, 88, and 89; Ber. 27, 758, Ref.; Ztschr.  
anal. Chem., 34, 74 and 75.  
Separation from iron by means of mercuric oxide.
- 1894: 16. THOMÄLEN, H. Ueber die von Rüdorff empfohlenen  
Methode der quantitativen Analyse durch Elektrolyse.  
Chem. Ztg., 18, 1353; Chem. Centrbl., 1894, b, 667.  
Electrolytic determination. See 1892: 18.
- 1894: 17. ULLMANN, C. Apparat zur Braunsteinbestimmung nach  
der Bunsen'schen Methode.  
Chem. Ztg., 18, 478; Chem. Centrbl., 1894, a, 878; Ztschr. anal.  
Chem., 37, 387; Ber., 27, 524 Ref.; J. Chem. Soc. (Lond.), 68, b,  
88; J. Soc. Chem. Ind. 13, 979.  
See title and 1888: 5; also 1894: 1.
- 1895: 1. ALVAREZ, P., and JEAN, J. Recherche du zinc, du chrome,  
du manganèse et du fer.  
Répert. de pharm. 1895, 440; Chem. Centrbl., 1896, b, 513; Pharm.  
Centrh., 37, 472; J. Chem. Soc. (Lond.), 72, b, 600.  
Detection by oxidation to permanganic acid by means of lead per-  
oxide in nitric acid solution.

- 1895: 2. AUCHY, G. The Volumetric Estimation of Manganese.  
*J. Am. Chem. Soc.*, **17**, 943; *Chem. Centrbl.*, **1896**, a, 460; *J. Chem. Soc. (Lond.)*, **70**, b, 339; *School Mines Quart.*, **17**, 313; *J. Soc. Chem. Ind.*, **15**, 220.  
 Criticism and comments on the Williams (1881: 18) and the Volhard (1879: 14) methods.
- 1895: 3. BODLÄNDER, G. Das Gasgravimeter für chemische Analyse auf gasometrischen Wege.  
*Ztschr. angew. Chem.* **1895**, 55.  
 Determination of peroxide in pyrolusite (or after precipitation by potassium chlorate from iron), by means of hydrogen peroxide.
- 1895: 4. CARNOT, A. (Title unknown).  
 \* *Echo Mines*, **1895**; *Berg- u. hüttenm. Ztg.*, **1895**, 173; *Wagner's Jsb.*, **41**, 199; \* *Génie civil*, **26**, 140; *J. Iron Steel Inst.*, **1895**, a, 507.  
 Precipitation with hydrogen peroxide, solution of the precipitate in an excess of oxalic acid, and titration for this excess.
- 1895: 5. ENGELS, C. Vorläufige Mittheilung.  
*Ztschr. anorg. Chem.*, **9**, 78; *J. Chem. Soc. (Lond.)*, **68**, b, 419; *Chem. Centrbl.*, **1895**, b, 183; *Ber.*, **28**, 628, Ref.  
 Electrolytic precipitation with the aid of hydrogen peroxide.
- 1895: 6. ENGELS, C. Quantitative Bestimmung von Mangan und Zink durch Elektrolyse.  
*Ber.*, **28**, 3182; *Ztschr. Elektrotech. u. Elektrochem.*, **2**, 413; *Chem. Centrbl.*, **1896**, a, 327; *Bull. soc. chim. (3)*, **16**, 744; *Ztschr. anorg. Chem.*, **12**, 400; *Chem. Ztg.*, **20**, 44, Rep.; *Ztschr. angew. Chem.*, **1896**, 76; *J. Chem. Soc. (Lond.)*, **70**, b, 276; *J. Soc. Chem. Ind.*, **15**, 219; *Wagner's Jsb.*, **42**, 335; *Ann. chim. anal. appl.*, **1**, 119.  
 Deposition as peroxide from a solution containing much sodium acetate and chrome alum, or a hydroxylamine salt.
- 1895: 7. FORESTIER, H. Essai des aciers, fers et fontes par l'analyse chimique.  
*Bull. soc. chim. (3)*, **13**, 587.  
 Separation from iron by the acetate method or with zinc oxide.  
 Determination by precipitation by means of chlorate or hydrogen peroxide, and ignition to mangano-manganic oxide; or titration with ferrous sulphate or oxalic acid solution; or colorimetric determination by oxidation to permanganic acid by lead peroxide or bismuth tetroxide.
- 1895: 8. GRÖGER, M. Zur elektrolytischen Bestimmung des Mangans.  
*Ztschr. angew. Chem.*, **1895**, 253; *Chem. Centrbl.*, **1895**, a, 1190; *School Mines Quart.*, **16**, 376; *Ztschr. anorg. Chem.*, **11**, 69; **12**, 400; *Ber.*, **28**, 567, Ref.; *Berg- u. hüttenm. Ztg.*, **54**, 211; *Chem.-techn. Rep.*, **34**, 274; *J. Chem. Soc. (Lond.)*, **68**, b, 419.  
 Criticism of Rudorff electrolytic method. Precipitation by electrolysis and determination as peroxide. See also 1892: 18.

82 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1895: 9. JANNASCH, P., and v. CLOEDT, E. Ueber quantitative Metalltrennungen in alkalischen Lösung durch Wasserstoff-superoxyd. XI. Die Trennung des Wismuths, Bleis und Mangans von Quecksilber.  
Ber., 28, 994; Chem. News, 72, 65; Chem. Centrbl., 1895, b, 64; Bull. soc. chim. (3), 14, 1354; J. Chem. Soc. (Lond.), 68, b, 332; Ann. chim. anal. appl., 1, 75.  
Separation from mercury by means of hydrogen peroxide.
- 1895: 10. JANNASCH, P., and v. CLOEDT, E. Ueber quantitative Metalltrennungen in alkalischen Lösung durch Wasserstoff-superoxyd. XIII. Die Trennung des Chroms von Mangan, Eisen und Aluminium.  
Ztschr. anorg. Chem., 10, 398; Chem. Centrbl., 1896, a, 220; J. Chem. Soc. (Lond.), 70, b, 222.  
Separation from chromium by means of hydrogen peroxide.
- 1895: 11. JANNASCH, P., and v. CLOEDT, E. Ueber die Trennung des Mangans von Zink in ammoniakalischer Lösung durch Wasserstoffsuperoxyd unter Anwendung von Druck.  
Ztschr. anorg. Chem., 10, 405; Chem. Centrbl., 1896, a, 221; J. Chem. Soc. (Lond.), 70, b, 220; Chem.-techn. Rep., 34, a, 275.  
See title.
- 1895: 12. JANNASCH, P., and KAMMERER, H. Ueber quantitative Metalltrennungen in alkalischen Lösung durch Wasserstoff-superoxyd. XII. Die Trennung des Mangans von Silber und des Wismuth von Kobalt.  
Ber., 28, 1407; Chem. Centrbl., 1895, b, 254; Chem. News, 72, 91; J. Chem. Soc. (Lond.), 68, b, 423; J. Soc. Chem. Ind., 14, 1889; Bull. soc. chim. (3), 14, 1273.  
Separation from silver by means of hydrogen peroxide.
- 1895: 13. JANNASCH, P., and KAMMERER, H. Ueber quantitative Metalltrennungen in alkalischen Lösung durch Wasserstoff-superoxyd. XIV. Trennung des Arsens von Eisen und Mangan.  
Ztschr. anorg. Chem., 10, 408; Chem. Centrbl., 1896, a, 221; J. Chem. Soc. (Lond.), 70, b, 221.  
Separation from arsenic by means of hydrogen peroxide.
- 1895: 14. JANNASCH, P., and RÖTTGEN, A. Ueber quantitative Metalltrennungen in alkalischen Lösung durch Wasserstoff-superoxyd. X. Trennung des Wismuths und des Bleies von Cadmium, sowie diejenige des Mangans von Kupfer und Cadmium.

- Ztschr. anorg. Chem., **8**, 307, 310, and 312; Chem. Centrbl., **1895**, a, 1042; Ber., **28**, 435, Ref.; J. Chem. Soc. (Lond.), **68**, b, 332.  
Separation from copper and cadmium by means of hydrogen peroxide.
- 1895: 15. V. JÜPTNER, H. Einige Ursachen der mangelnden Uebereinstimmung bei Manganbestimmungen in Ferromangan.  
Oester. Ztschr. Berg- u. Hüttenw., **43**, 166; J. Iron Steel Inst., **1895**, a, 140; Stahl u. Eisen, **15**, 416; Berg- u. hüttenm. Ztg., **54**, 235.  
Variation in the results obtained in the determination in ferromanganese caused in part by variation in atomic weights chosen.
- 1895: 16. NEUMANN, B. Welche electrolytischen Methoden sind in der analytischen Praxis mit Vorteil verwendbar?  
Ztschr. Electrochem., **1895**, 231 and 252; Ztschr. anorg. Chem., **12**, 399.  
General discussion of methods of determination, especially electrolytic methods.
- 1895: 17. REDDROP, J., and RAMAGE, H. The Volumetric Determination of Manganese.  
Proc. Chem. Soc. (Lond.), **1895**, 33; J. Chem. Soc. (Lond.), **67**, 268; Ber., **28**, 652; **29**, 698, Ref.; Chem. Centrbl., **1895**, a, 1042; Wagner's Jsb., **42**, 182; J. Soc. Chem. Ind., **14**, 305; Chem. News, **71**, 122; Bull. soc. chim. (3), **14**, 1183; School Mines Quart., **17**, 313; J. Iron Steel Inst., **1895**, a, 508.  
Comments on Schneider's method. Oxidation with sodium bis-muthate and titration with hydrogen peroxide. See 1889: 17.
- 1895: 18. THOMAS, W. S. Methods for the Determination of Manganese.  
Bull. Missouri Min. Club, **1895**, 35; J. Am. Chem. Soc., **17**, 341; Chem. Centrbl., **1895**, a, 1083; J. Iron Steel Inst., **1895**, b, 595; Chem. Ztg., **19**, 155, Rep.; Bull. soc. chim. (3), **14**, 921; J. Chem. Soc. (Lond.), **68**, b, 420; School Mines Quart., **16**, 376; Stahl u. Eisen, **15**, 1059; Berg- u. hüttenm. Ztg., **54**, 326.  
Criticism of the Low method. Recommends the use of the Volhard method. See 1893: 12.
- 1895: 19. ULZER, F., and BRÜLL, J. Ueber die Manganbestimmung im Roheisen.  
Mitth. technol. Gen. Mus. (Wien), **1895**, 312; J. Iron Steel Inst., **1896**, b, 442; **1897**, b, 497; Chem. Ztg., **20**, 36, Rep.; Ztschr. angew. Chem., **1896**, 78; Wagner's Jsb., **42**, 103; Stahl u. Eisen, **16**, 633; Berg- u. hüttenm. Ztg., **55**, 301; J. Soc. Chem. Ind., **15**, 296; Analyst, **21**, 139; Chem. Centrbl., **1897**, a, 769; J. Chem. Soc. (Lond.), **72**, 350; Ann. chim. anal. appl., **1**, 135.  
Separation from iron by zinc oxide, precipitation by means of hydrogen peroxide, solution in oxalic acid, and titration for



- the excess of the latter. Discussion of Hampe, Weissmann, and Vortmann articles. See 1883: 4, 1888: 20, and 1890: 16.
- 1896: 1. AUCHY, G. Sources of Error in Volhard's and Similar Methods of Determining Manganese in Steel.  
 J. Am. Chem. Soc., **18**, 498; Chem. Centrbl., **1896**, b, 208; Chem. News, **74**, 214, 248, and 262; J. Chem. Soc. (Lond.), **70**, b, 627; School Mines Quart., **18**, 43; Eng. Min. J., **61**, 111; J. Soc. Chem. Ind., **15**, 677; Analyst, **21**, 335.  
 Sources of error in volumetric and colorimetric determinations. See 1879: 14, and 1896: 15.
- 1896: 2. BURGASS, R. Anwendung des Nitroso- $\beta$ -naphthols in der anorganischen Analyse.  
 Ztschr. angew. Chem., **1896**, 601; J. Chem. Soc. (Lond.), **72**, b, 163.  
 Separation from iron, copper, and cobalt by means of nitroso- $\beta$ -naphthol.
- 1896: 3. BÜTTGENBACH, F. Estimation de la valeur du manganèse dans les minerais de fer.  
 Rev. univers. de mines, **32**, 317; Berg- u. hüttenm. Ztg., **55**, 368; Oester. Ztschr. Berg- u. Hüttenw., **1896**, 65; Wagner's Jsb., **42**, 182; J. Chem. Soc. (Lond.), **74**, b, 52.  
 Determination by assay tests on manganese ores.
- 1896: 4. DEWEY, F. P. The Actual Accuracy of Chemical Analysis.  
 Trans. Am. Inst. Min. Eng., **26**, 370; J. Am. Chem. Soc., **18**, 808.  
 Determination, and a comparison of the results obtained by various chemists.
- 1896: 5. DUDLEY, C. B. Some Present Possibilities in the Analysis of Iron and Steel.  
 J. Am. Chem. Soc., **19**, 104.  
 Volumetric determination by precipitation with chlorate and titration with oxalic acid or ferrous sulphate solution in comparison with gravimetric determination as phosphate.
- 1896: 6. ENGELS. Beiträge zur Elektroanalyse der Metalle der Schwefelammoniumgruppe.  
 Chem. Rundschau, **1896**, 5 and 22; Chem. Centrbl., **1897**, a, 258; Ztschr. anorg. Chem., **14**, 439; J. Chem. Soc. (Lond.), **74**, b, 192.  
 Separation from iron and nickel by electrolysis.
- 1896: 7. GIORGIS, G. Sul dosamento del manganese e del cromo nei prodotti siderurgici.  
 Gazz. chim. ital., **26**, b, 528; Chem. Centrbl., **1897**, a, 436; Bull. soc. chim. (3), **18**, 953; J. Iron Steel Inst., **1897**, b, 498; J. Chem. Soc. (Lond.), **72**, b, 350.  
 Determination by addition of the solution to an excess of potassium permanganate and titration for the excess with a solution of chromium sulphate.

- 1896: 7a. HANDY, J. O. Aluminium Analysis.  
 J. Am. Chem. Soc., **18**, 766; Ann. chim. anal. appl., **2**, 90.  
 Determination in aluminium-manganese alloys by the Williams method.
- 1896: 8. JANNASCH, P. Ueber Trennungen des Mangans von Kupfer und Zink (Wasserstoffsperoxyd Methode), sowie des Kupfers von Zink und Nickel (Schwefelwasserstoff und Rhodanmethode) nebst ergänzenden Bemerkungen.  
 Ztschr. anorg. Chem., **12**, 134; Chem. Centrbl., **1896**, b, 208; J. Chem. Soc. (Lond.), **70**, b, 546; Ber., **29**, 696, Ref.; Analyst, **22**, 80.
- 1896: 9. JANNASCH, P., and LEHNERT, H. Ueber quantitative Metalltrennungen in alkalischer Lösung durch Wasserstoffsperoxyd. XV. Trennungen in natronalkalischer Lösung.  
 Ztschr. anorg. Chem., **12**, 126; Chem., Centrbl. **1896**, b, 209; J. Chem. Soc. **70**, b, 547; Ber., **29**, 695, Ref.  
 Separation from cobalt and nickel by means of hydrogen peroxide in alkaline potassium cyanide solution.
- 1896: 10. v. JÜPTNER, H. Einige Ursachen der mangelnden Uebereinstimmung bei Manganbestimmungen im Ferromangan.  
 Oester. Ztschr. Berg- u. Hüttenw., **44**, 15; Chem. Centrbl., **1896**, a, 513; Chem. Ztg., **20**, 52, Ref.; Analyst, **21**, 196.  
 Criticism of methods of standardizing permanganate solutions.
- 1896: 11. MIGNOT, A.  
 \* Rev. chim. anal. appl., **4**, 329 and 390; Chem. Ztg., **20**, 234 and 275, Rep.  
 Separation from iron with ammonium succinate, precipitation with chlorate, and re-precipitation with bromine or salt of phosphorus. Also colorimetric determination by oxidation by means of lead peroxide or bismuth tetroxide in nitric acid solution.
- 1896: 12. MIXER, C. T., and DUBOIS, H. W. Särnström's Method of Determining Manganese in Iron Ores.  
 J. Am. Chem. Soc., **18**, 385; Chem. Centrbl., **1896**, a, 1082; Chem. News, **75**, 51; J. Chem. Soc. (Lond.), **70**, b, 547; Bull. soc. chim. (3), **16**, 1416; J. Iron Steel Inst., **1896**, b, 448; School Mines Quart., **18**, 43; Ann. chim. anal. appl., **1**, 196.  
 Determination by the Swedish method as modified by Särnström. See 1881: 15.
- 1896: 13. MURKEWITSCH, M. Bestimmung des Mangans in Gusseisen, Stahl, Eisen und dergl. (*Title from Chem. Ztg.*)  
 \* Gornij. J., **1896**, 396; Chem. Ztg., **20**, 220, Rep.; Oester. Ztschr. Berg- u. Hüttenw., **46**, 53.  
 Determination by the Volhard method. See 1879: 14.

86 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1896: 13a. NEUMANN, B. Die elektrolytische Bleibestimmung u. ihre Beeinflussung durch die Gegenwart von Arsen, Selen, Mangan.  
Chem. Ztg., **20**, 383.  
Separation from lead by electrolysis.
- 1896: 14. RÜRUP, L. Vergleichende Manganbestimmungen in Stahl und Eisen.  
Chem. Ztg., **20**, 285 and 337; Chem. Centrbl., **1896**, a, 1144 and 1178; Ztschr. anorg. Chem., **15**, 383; Berg- u. hüttenm. Ztg., **55**, 216; Analyst, **21**, 218; J. Iron Steel Inst., **1896**, a, 535.  
Comparative determinations as manganous sulphate, as manganomanganic oxide, by removal of the iron with sodium sulphate and titration with permanganate, by the Ford, the Volhard, and the Hampe chlorate methods. See 1881: 8, 1879: 14, and 1883: 4.
- 1896: 15. STONE, G. C. Remarks on Mr. Auchy's Paper on the Volumetric Determination of Manganese.  
J. Am. Chem. Soc., **18**, 228; Chem. Centrbl., **1896**, a, 1028; Bull. soc. chim. (3), **16**, 1238; J. Iron Steel Inst., **1896**, b, 443; J. Chem. Soc. (Lond.), **70**, b, 547; School Mines Quart., **18**, 43.  
Recommends the Volhard method with slight modification. See 1896: 1.
- 1896: 16. TAGGART, W. T., and SMITH, E. F. The Separation of Manganese from Tungstic Acid.  
J. Am. Chem. Soc., **18**, 1053; Chem. Centrbl., **1897**, a, 309; Chem. News, **75**, 26; Chem. Ztg., **21**, 10, Rep.; Bull. soc. chim. (3), **18**, 626; J. Chem. Soc. (Lond.), **72**, b, 433; J. Soc. Chem. Ind. **16**, 164.  
Inadvisability of using ammonium sulphide or alkaline carbonates in effecting a separation from tungstic acid.
- 1896: 17. VIARD, G. Sur le dosage du manganèse en présence de l'acid phosphorique.  
Bull. soc. chim. (3), **15**, 973; Chem. Centrbl., **1896**, b, 600; J. Chem. Soc. (Lond.), **72**, b, 519; J. Soc. Chem. Ind., **15**, 677; Ann. chim. anal. appl., **1**, 332.  
Inapplicability of the Hannay, and the Beilstein and Jawein method of determination, in the presence of phosphoric acid. See 1877: 10 and 1879: 1.
- 1897: 1. AUCHY, G. A Method for the Complete Analysis of Iron Ores, with Notes on Särnström's Method of Determining Manganese.  
J. Am. Chem. Soc., **19**, 139; Chem. Centrbl., **1897**, a, 883; J. Iron Steel Inst., **1898**, a, 539; J. Chem. Soc. (Lond.), **72**, b, 603.  
Comments on Särnström's method. See 1881: 15.

- 1897: 2. VAN BEMMELEN, J. M. Beiträge zur Analyse der Ackerböden. (*Title from Ztschr. anal. Chem.*)  
\* Landw. Vers.-Stat., 37, 279; Ztschr. anal. Chem., 36, 799.  
Determination in soils by the Carnot method. See 1888: 2.
- 1897: 3. BREARLEY, H. The Estimation of Manganese in Spiegels. Chem. News, 75, 13; Chem. Centrbl. 1897, a, 335; Bull. soc. chim. (3), 18, 1300; J. Iron Steel Inst., 1897, b, 498; J. Chem. Soc. (Lond.), 72, b, 233.  
Application of Wright and Menke's modification of Guyard's method to the determination of manganese in the filtrate from the acetate separation. See 1880: 17 and 18.
- 1897: 4. BREARLEY, H. Separation with Alkaline Acetates. Chem. News, 76, 165; Chem. Centrbl., 1897, b, 911; J. Chem. Soc. (Lond.), 74, b, 96.  
Separation from iron by the acetate method.
- 1897: 5. CUSHMAN, A. R. A New and Rapid Method for the Qualitative Separation of Iron, Aluminium, Chromium, Manganese, Zinc, Nickel, and Cobalt.  
Am. Chem. J., 19, 606; Chem. Centrbl., 1897, b, 434; J. Chem. Soc. (Lond.), 72, b, 518; Ann. chim. anal. appl., 3, 20.  
Qualitative detection and separation. Use of bromine in connection with alkaline hydroxides.
- 1897: 6. DEVISSE, N. De la calcination des mineraux manganésifères carbonates.  
Rev. univ. des mines (3), 39, 1897; Chem. News, 76, 212; J. Chem. Soc. (Lond.), 74, b, 142.  
Volumetric determination by the Volhard method.
- 1897: 7. ENGELS, C. Quantitative Bestimmung von Mangan durch Elektrolyse.  
Ztschr. Elektrochem., 3, 286 and 305; Chem. Centrbl., 1897, a, 308 and 436; Ztschr. anorg. Chem., 14, 438; Chem. Ztg., 21, 40, Rep.; J. Chem. Soc. (Lond.), 74, b, 52; J. Soc. Chem. Ind., 16, 262; Dingl. pol. J., 304, 262.  
See title.
- 1897: 8. GRANGER, A. Sur les phosphures de chrome et de manganèse.  
C. R., 124, 190; Chem. News, 75, 95.  
Determination as sulphide in chromium and manganese phosphides.
- 1897: 8a. HILLEBRAND, W. F. Some Principles and Methods of Analysis Applied to Silicate Rocks.  
Bull. U. S. Geol. Surv. No. 148, 41; Chem. News, 78, 80.  
Separation from cobalt, nickel, and copper by solubility of sulphides in hydrochloric acid. Precipitation as carbonate and ignition to oxide. Comments on Jannasch and Cloedt's separation from zinc. See 1895: 11.

88 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1897: 9. JULIAN, F. Manganbestänningsmetod.  
Jern.-Kont. Ann., **52**, 118; Berg.- u. hüttenm. Ztg., **56**, 410; J. Iron Steel Inst., **1898**, b, 557; Chem. Ztg., **21**, 313, Rep.; J. Soc. Chem. Ind., **17**, 185; Ann. chim. anal. appl., **3**, 56.  
Precipitation by chlorate in the presence of nitric acid, solution of the precipitate in an excess of hydrogen peroxide, and titration for this excess with permanganate.
- 1897: 10. LONGI, A., and CAMILLA, S. Intorno alla determinazione del manganese nelle soluzioni manganose e permanganiche.  
Gazz. chim. ital., **27**, a, 97; Chem. Centrbl. **1897**, a, 619; Ztschr. anorg. Chem., **17**, 158; **18**, 403; Bull. soc. chim. (3), **18**, 952; J. Chem. Soc., **72**, b, 387.  
Modification of the Volhard method (1879: 14).
- 1897: 11. LEMAIRE, M. Dosage colorimétrique du manganèse.  
\* Bull. soc. pharm. Bordeaux, **1897**, 268; Chem. News, **76**, 219; Ann. chim. anal. appl., **2**, 409.  
Colorimetric method, determination in plants. Oxidation to permanganic acid in nitric acid solution by means of lead peroxide.
- 1897: 12. MILLER, E. H. Notes on the Ferrocyanides of Zinc and Manganese.  
J. Am. Chem. Soc., **18**, 1100; Chem. Centrbl., **1897**, a, 283; Chem. News, **75**, 186.  
Volumetric determination as ferrocyanide.
- 1897: 13. MILLER, E. H., and MATHEWS, J. A. On the Ferrocyanides of Zinc and Manganese.  
J. Am. Chem. Soc., **19**, 547; Chem. Centrbl., **1897**, b, 538.  
Volumetric determination as ferrocyanide.
- 1897: 14. PURGOTTI, A. Supra un nuovo metodo di determinazione di alcune sostanze per mezzo del solfato d'idrazina.  
Gazz. chim. ital., **26**, b, 568; Chem. Centrbl., **1897**, a, 488; Ztschr. anorg. Chem., **18**, 403; Pharm. Centr., **1897**, 551; Ann. chim. anal. appl., **2**, 414.  
Gasometric determination, with the aid of hydrazine-sulphate.
- 1897: 15. SCHNEIDER, L. Ein Beitrag zu den vergleichenden Manganbestimmungen in Stahl und Eisen von L. Rürup.  
Chem. Ztg., **21**, 41; Chem. Centrbl., **1897**, a, 436; J. Iron Steel Inst., **1898**, a, 534; J. Chem. Soc. (Lond.), **74**, b, 94; Analyst, **22**, 110.  
Comments on Rürup's comparative determinations. See 1896: 14.  
Reference to colorimetric methods by oxidation to permanganic acid.

- 1897: 16. STONE, G. C., and VAN INGEN, D. A. The Ferrocyanides of Zinc and Manganese.  
J. Am. Chem. Soc., **19**, 542; Chem. Centrbl., **1897**, b, 538.  
Volumetric determination as ferrocyanide.
- 1897: 17. WYNKOOP, G. Qualitative Separations with Sodium Nitrite in Absence of Phosphates.  
J. Am. Chem. Soc., **19**, 434; J. Chem. Soc. (Lond.), **74**, b, 54.  
Separation from iron by means of sodium nitrite.
- 1898: 1. AUSTIN, M. On the Estimation of Manganese Separated as the Carbonate.  
Am. J. Sci. (4), **5**, 382; Ztschr. anorg. Chem., **17**, 272; Chem. Centrbl., **1898**, b, 65; Chem. News, **77**, 243; **78**, 239; Ztschr. angew. Chem., **1898**, 581 and 1131; Chem. Ztg., **22**, 212, Rep.; Wagner's Jsb., **44**, 121; Chem.-techn. Rep., **37**, 610; J. Chem. Soc. (Lond.), **74**, b, 646; School Mines Quart., **20**, 303.  
Precipitation as carbonate, and determination as the oxide or the sulphate.
- 1898: 2. BIALOBSZCSKI, M. Die Anwendung saurer Lösungen von arseniger Säure in der Maassanalyse. (*Title from Ztschr. anal. Chem.*).  
\* Pharm. Ztschr. f. Russland, **35**, 785; Ztschr. anal. Chem., **37**, 445.  
Determination of manganese peroxide by the use of arsenious acid.
- 1898: 3. BREARLEY, H. Separations from Chromic Acid. II. The Separation of Manganese.  
Chem. News, **77**, 131; Chem. Centrbl., **1898**, a, 961; J. Chem. Soc., **74**, b, 409.  
Separation from chromic acid by the use of sodium carbonate in cold solution and by the use of sodium hydrogen phosphate.
- 1898: 4. CAMPREDON, L. Sur le dosage rapide des principaux éléments des produits sidérurgiques.  
Rev. chim. indust., **9**, 306.  
Comparison of the Schneider method with the Volhard method.  
See 1885: 15, and 1879: 14.
- 1898: 4a. DENIGES. Réactions de quelques métaux de groupe du fer en milieu glycérimé.  
\* Bull. soc. pharm. Bordeaux, **1898**, 97; Ann. chim. anal. appl., **3**, 230.  
Detection in the presence of cobalt and nickel by means of reactions occurring in alkaline solutions containing glycerine.

- 1898: 5. ENGEL, C. Analyse électrolytique, dosage des métaux précipitables par le sulphure ammonique.  
*L'Éclairage électrique*, 14, 106; *Chem. Centrbl.* 1898, b, 557; *Ztschr. Elektrochem.*, 5, 37; *School Mines Quart.*, 20, 302; *J. Soc. Chem. Ind.*, 17, 796.  
 Electrolytic separation from iron, cobalt, and nickel.
- 1898: 6. FORD, A. P., and BREGOWSKY, J. M. Use of Hydrofluoric Acid in the Determination of Manganese in Iron and Ores.  
*J. Am. Chem. Soc.*, 20, 504; *Chem. Centrbl.*, 1898, b, 508; *Chem. Ztg.*, 22, 198, Rep.; *Bull. soc. chim.* (3), 22, 9; *Chem.-techn. Rep.* 37, 610; *Wagner's Jsb.*, 44, 121; *J. Chem. Soc. (Lond.)*, 74, b, 540; *School Mines Quart.*, 20, 303; *J. Soc. Chem. Ind.*, 17, 796; *Analyst*, 23, 303.  
 Use of hydrofluoric acid to hold the silica in solution when precipitating manganese peroxide by the Williams method (1881: 18).
- 1898: 7. GOOCH, F. A., and AUSTIN, M. The Estimation of Manganese as the Sulphate and as the Oxide.  
*Am. J. Sci.* (4), 5, 209; *Ztschr. anorg. Chem.*, 17, 264; *Chem. Ztg.*, 22, 212, Rep.; *Chem. Centrbl.*, 1898, b, 1150; *J. Chem. Soc. (Lond.)*, 74, b, 646; *J. Iron Steel Inst.*, 1898, b, 558; *Chem. News*, 77, 255; *Bull. soc. chim.* (3), 20, 694; *Wagner's Jsb.*, 44, 121; *Eng. Min. J.*, 65, 585; *Chem.-techn. Rep.*, 37, 610.  
 Determination as sulphate and as oxide.
- 1898: 8. GOOCH, F. A., and AUSTIN, M. On the Determination of Manganese as the Pyrophosphate.  
*Am. J. Sci.* (4), 6, 233; *Ztschr. anorg. Chem.*, 18, 339; *Chem. Centrbl.*, 1899, a, 378; *Chem. News*, 78, 239 and 246; *Chem. Ztg.*, 22, 319, Rep.; *Bull. soc. chim.* (3), 22, 197; *Wagner's Jsb.*, 44, 122; *J. Chem. Soc. (Lond.)*, 76, 128; *School Mines Quart.*, 20, 303 and 400; *Analyst*, 24, 52.  
 Study of the proper conditions for precipitation as phosphate.
- 1898: 9. GOOCH, F. A., and AUSTIN, M. On the Condition of Oxidation of Manganese Precipitated by the Chlorate Process.  
*Am. J. Sci.* (4), 5, 260; *Ztschr. anorg. Chem.*, 17, 253; *Chem. Centrbl.*, 1898, a, 1203; *Ztschr. angew. Chem.*, 1898, 664; *Chem. News*, 77, 269 and 279; *Chem. Ztg.*, 22, 212, Rep.; *Wagner's Jsb.*, 44, 121; *J. Chem. Soc. (Lond.)*, 74, b, 645; *School Mines Quart.*, 20, 303; *J. Soc. Chem. Ind.*, 17, 796.  
 Precipitation with sodium chlorate and solution of the oxide in a sulphuric acid and potassium iodide solution, and titration for the liberated iodine with thiosulphate; or reduction of the oxide with arsenious acid and titration of the excess of that reagent.

- 1898: 10. DE GRAMONT, A. Analyse spectrale de quelques minéraux non conducteurs par les sels fondus et réactions des éléments.  
C. R., **126**, 1513; J. Chem. Soc. (Lond.), **74**, b, 636.  
Detection by spectrum analysis.
- 1898: 11. HILLEBRAND, W. F. See 1897: 8a.
- 1898: 12. JANNASCH, P., and ALFFERS, F. Ueber quantitative Metalltrennungen in ammoniakalischer und saurer Lösung durch Hydroxylamin und durch Hydrazin. (II) Die Trennung des Quecksilbers von Molybdän und Wolfram, sowie von den Metallen der Schwefelammoniumgruppe.  
Ber., **31**, 2383; J. Chem. Soc. (Lond.), **76**, b, 60.  
Separation from mercury.
- 1898: 13. KAEPPEL, F. Zur quantitative Bestimmung des Mangans und Trennung des Eisens von Mangan durch Elektrolyse.  
Ztschr. anorg. Chem., **16**, 268; Chem. Centrbl., **1898**, a, 962; Ztschr. angew. Chem., **1898**, 435; Chem. Ztg., **22**, 118, Rep.; Chem. News, **77**, 201; **79**, 195; Bull. soc. chim. (3), **22**, 811; Chem.-techn. Rep., **37**, 287 and 610; Oester. chem. Ztg., **1**, 13; Ztschr. Elektrochem., **1898**, 41; Wagner's Jsb., **44**, 287; J. Chem. Soc. (Lond.), **74**, b, 354; School Mines Quart., **19**, 430; **20**, 400; J. Soc. Chem. Ind., **17**, 605; Analyst, **23**, 221; Dingl. pol. J., **310**, 16.  
Deposition from faintly acid solution partly as metal and partly as peroxide.
- 1898: 14. LEHNKERING, P. Untersuchung von Eisenerzen. (*Title from Wagner's Jsb.*).  
\* Ztschr. öffentlich. Chem., **1898**, 459; Wagner's Jsb. **44**, 120; J. Soc. Chem. Ind., **17**, 951; J. Chem. Soc. (Lond.), **76**, 251.  
Recommends the Volhard-Wolff method for determination in ores. Comments on the Hampe method. See 1884: 18, and 1883: 4.
- 1898: 15. MURMANN, E. Bemerkungen zur Bestimmungen des Zinks und Mangans als Sulfid.  
Wien. Akad. Ber. (2b), **107**, 434; Monatsh. Chem., **19**, 404; Chem. Centrbl., **1898**, b, 1035; Analyst, **24**, 51; Ann. chim. anal. appl., **4**, 203; J. Soc. Chem. Ind., **17**, 1186; J. Chem. Soc. (Lond.), **76**, 126; Chem. News, **81**, 60.  
Addition of mercuric chloride, precipitation of mercuric sulphide and manganous sulphide together, and expulsion of the mercuric sulphide by the ignition of the precipitate, in presence of hydrogen, in a special form of crucible.
- 1898: 16. MURMANN, E. Bemerkungen zur Analyse von Schmiedeeisen.  
Oester. chem. Ztg., **1**, 383; Chem. Centrbl. **1898**, b, 1282; School Mines Quart., **20**, 303.  
Gravimetric determination as sulphide.



92 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1898: 17. NOTHOMB, M. Apparat zur Werthbestimmung des Braunsteins.  
Chem. Ztg., **22**, 80; Chem. Centrbl., **1898**, a, 631; Analyst, **23**, 111.  
Determination by loss of weight on treatment with oxalic acid.
- 1898: 18. PICHARD, P. Recherche et dosage rapide du manganèse dans les plantes et les terres végétates par une méthode colorimétrique.  
C. R., **126**, 550; Chem. Centrbl., **1898**, a, 753; Chem. News, **77**, 108; Chem.-techn. Rep., **37**, 286; J. Soc. Chem. Ind., **17**, 273; Ann. chim. anal. appl., **3**, 123.  
Oxidation in a nitric acid solution by means of lead peroxide.
- 1898: 19. PICHARD, P. Contribution à la recherche du manganèse dans les minéraux, les végétaux et les animaux.  
C. R., **126**, 1882; Chem. Centrbl., **1898**, b, 381; J. Soc. Chem. Ind., **17**, 807; School Mines Quart., **19**, 429; J. Chem. Soc. (Lond.), **76**, 40.  
Detection by colorimetric test. See also 1898: 18.
- 1898: 20. VITALI, D. Ueber den Nachweis des Mangans. (*Title from Chem. Centrbl.*).  
\* Boll. chim. Farm., **37**, 545; Chem. Centrbl., **1898**, b, 942; J. Chem. Soc. (Lond.), **76**, 251; Ann. chim. anal. appl., **3**, 408.  
Detection by the use of bromates in a sulphuric acid solution.
- 1898: 21. WOLMAN, L. Beitrag zur quantitativen Elektrolyse von Schwermetallen.  
Ztg. Elektrochem., **3**, 537; J. Chem. Soc. (Lond.), **74**, b, 50.  
Influence of an oxalate, pyrophosphate, or acetic acid on the results obtained by electrolytic deposition from nitric-acid solution.
- 1899: 1. BREARLEY, H. The Estimation of Manganese by means of Potassium Permanganate.  
Chem. News, **79**, 47 and 83.  
A query on Mr. Daw's article on the Volhard process (1899: 4).
- 1899: 2. BREARLEY, H. Iron Separations with Alkaline Salts.  
Chem. News, **79**, 193; J. Chem. Soc. (Lond.), **76**, 815.  
Separation from iron by the acetate method.
- 1899: 3. BREARLEY, H. A Bibliography of Steel Works Analysis.  
Chem. News, **80**, 233, 245, 257, 271.  
A compilation of references from the Chemical News, 1860-1899, Journal of the Chemical Society (London), 1885-1898, and the Journal of the Iron and Steel Institute, 1880-1899, bearing on manganese in its relations to iron and steel analysis.

- 1899: 4. DAW, F. W. The Estimation of Manganese by Means of Potassium Permanganate.  
Chem. News, **79**, 25, 58, and 104; Chem. Centrbl., **1899**, a, 504; Ztschr. angew. Chem. **1899**, 279; Chem. Ztg., **23**, 44, Rep.; Bull. soc. chim. (3), **22**, 443; J. Iron Steel Inst. **1899**, a, 465; Chem. -techn. Rep., **38**, 272; Wagner's Jsb., **45**, 130; School Mines Quart., **20**, 302; Analyst, **24**, 110; J. Chem. Soc. (Lond.), **76**, 334.  
Criticism of the Volhard method (1879: 14).
- 1899: 5. DUNNINGTON, F. P. Composition of Manganese Pyrophosphate.  
Chem. News, **79**, 275.  
A notice of an error in "Fresenius Quantitative Analysis" (1876, Vol. 1).
- 1899: 6. FERNBERGER, H. M., and SMITH, E. F. The Electrolysis of Metallic Phosphate Solutions.  
J. Am. Chem. Soc., **21**, 1001.  
Electrolytic separation from copper.
- 1899: 7. FRIEDHEIM, C., and BRÜHL, E. Kritische Studien ueber die Anwendung des Wasserstoffsperoxyds in der quantitativen Analyse.  
Ztschr. anal. Chem., **38**, 686; J. Soc. Chem. Ind., **19**, 170.  
Criticism of the work done by Jannasch regarding the use of hydrogen peroxide for the separation from copper, zinc, nickel, and chromium. See 1895: 10, 11, and 14, and 1896: 8 and 9.
- 1899: 8. HERTING, O. Beitrag zur Bestimmung des Kohlenstoffs, des Kupfers und Mangans im Eisen.  
Ztschr. angew. Chem. **1899**, 1193; Chem. Centrbl., **1900**, a, 226; Wagner's Jsb., **45**, 129.  
Preference given to the Gooch-Austin and the Volhard-Wolff methods. See 1898: 8 and 1884: 18.
- 1899: 9. HESS, W. H., and CAMPBELL, E. D. A New Method for the Direct Determination of Alumina in the Presence of Iron, Manganese, Calcium, and Magnesium.  
J. Am. Chem. Soc., **21**, 776; J. Chem. Soc. (Lond.), **78**, 50; Ann. chim. anal. appl., **5**, 230.  
Separation from aluminum by means of phenylhydrazine.
- 1899: 10. NAMIAS, R. Volumetric Estimation of Manganese. (*Title from J. Chem. Soc.*)  
\* Ann. Soc. chim. Melano, **1899**, 54; Chem. Centrbl., **1899**, a, 1224; J. Iron Steel Inst., **1900**, a, 433; J. Chem. Soc. (Lond.), **78**, 50.  
Use of the Volhard method (1879: 14).

94 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- 1899: 11. NATTERER, K. Chemische Untersuchungen im Rothen Meere.  
 Monatsh. Chem., **20**, 12.  
 Colorimetric determination in the water of the Red Sea.
- 1899: 12. POZZI-ESCOT, M.-E. Analyse microchimique.  
 Ann. chim. anal. appl., **4**, 398.  
 Detection by microchemical tests.
- 1899: 13. REICHARD, C. Ueber die maassanalytische Bestimmung des Mangans in den mangansauren Salzen durch alkalische Lösungen von arseniger Säure.  
 Chem. Ztg., **23**, 801; Chem. Centrbl., **1899**, b, 886; J. Soc. Chem. Ind., **18**, 1156; J. Chem. Soc. (Lond.), **76**, b, 813; Chem. News, **82**, 308.  
 See title.
- 1899: 14. REICHARD, C. Ueber die quantitative Bestimmung der Mangansäure in Gegenwart von Mangansalzen, bezw. die Analyse der beiden Manganverbindungen neben einander mittels arseniger Säure in alkalischer Lösung.  
 Chem. Ztg., **23**, 867; Chem. Centrbl., **1900**, a, 66; J. Chem. Soc. (Lond.), **78**, 109; Ann. chim. anal. appl., **5**, 394; Analyst., **25**, 23.  
 See title.
- 1899: 15. RIEDERER, E. J. Electrolytic Determination of Zinc in the Presence of Manganese.  
 J. Am. Chem. Soc., **21**, 789; J. Chem. Soc. (Lond.), **78**, 49; Ann. chim. anal. appl., **5**, 266; Analyst., **25**, 79.  
 Separation from zinc by electrolysis.
- 1899: 16. J. T. Manganese in Chrome Steels.  
 Chem. News, **79**, 157.  
 Note on the Ford-Williams method (1881: 18).
- 1900: 1. BÖTTGER, W. Ueber die Bestimmung des Mangans als Pyrophosphat.  
 Ber., **33**, 1019; Chem. Centrbl. **1900**, a, 1140; J. Soc. Chem. Ind., **19**, 564; Chem. News, **82**, 247; J. Chem. Soc. (Lond.), **78**, 443; Analyst., **25**, 304.  
 Full discussion of the conditions which give the best results in the determination as pyrophosphate.
- 1900: 2. DAKIN, H. D. Zur Bestimmung von Mangan und Kobalt als Phosphat.  
 Ztschr. anal. Chem., **39**, 784.  
 Precipitation in the presence of a moderate excess of ammonium chloride and determination by weighing as ammonium manganese phosphate or the pyrophosphate. Comments on the article by Gooch and Austin. See 1898: 8.

- 1900: 3. HILLEBRAND, W. F. Some Principles and Methods of Rock Analysis.

Bull. U. S. Geol. Surv., No. 176, 60.

Separation from nickel and cobalt by means of the solubility of their sulphides. Precipitation as carbonate. Comments on the Jannasch and Cloedt method of separation from zinc by means of hydrogen peroxide. See 1895: 11 and 1899: 7.

- 1900: 4. HIORNS, A. The Electrolytic Estimation of Manganese in Manganese Ores.

Chem. News, 81, 15; Chem. Centrbl., 1900, a, 489; J. Chem. Soc. (Lond.), 78, 444; Ann. chim. anal. appl., 5, 230; School Mines Quart., 22, 94.

Precipitation by electrolysis and ignition to mangano-manganic oxide.

- 1900: 5. IBBOTSON, F., and BREARLEY, H. The Estimation of Manganese and Chromium in Tungsten Alloys.

Chem. News, 82, 209; Chem. Centrbl., 1900, b, 1188; Chem. Ztg., 24, 347, Rep.

Volumetric determination by oxidation to permanganate by means of lead peroxide in nitric acid solution, and titration with a reducing agent. Hydrofluoric acid used to aid in the solution of the alloy. (See also Norris, 1891: 19, and Ford and Bregowsky, 1898: 6).

- 1900: 6. IBBOTSON, F., and BREARLEY, H. The Estimation of Molybdenum in Steel and Steel-making Alloys.

Chem. News, 81, 269; School Mines Quart., 22, 97.

Influence of molybdenum on the determination of manganese by means of bromine and by the Williams-Ford method (1881: 18).

- 1900: 7. JERVIS, H. Note on the Estimation of Manganese in Steel.

Chem. News, 81, 171; Chem. Centrbl., 1900, a, 1038; J. Chem. Soc. (Lond.), 78, 444; Stahl u. Eisen, 20, 747; School Mines Quart., 22, 94.

Determination in molybdenum powders and in tungsten steels by oxidation to permanganate by means of lead peroxide in nitric acid solution, and titration with oxalic acid or ferrous sulphate.

- 1900: 8. JOÛET, C. H. The Analysis of Slags and Cinders.

School Mines Quart., 22, 71.

Determination by the Volhard method (1879: 14). Also precipitation by means of chlorate, separation from iron by means of acetates, and precipitation as phosphate.

- 1900: 9. MCKENNA, A. G. The Analysis of Chrome and Tungsten Steels.  
Eng. Min. J., **70**, 124; Chem. Ztg., **24**, 243, Rep; Analyst, **25**, 301.  
Precipitation by means of potassium chlorate, solution of the precipitate in hydrochloric acid and potassium nitrite, separation from iron by means of acetates, re-precipitation by means of bromine, and ignition to mangano-manganic oxide.
- 1900: 10. MIGNOT, A. Dosage volumétrique du manganèse dans les fers, fontes et aciers.  
Ann. chim. anal. appl., **5**, 172; Chem. Centrbl., **1900**, b, 65; J. Soc. Chem. Ind., **19**, 854; J. Chem. Soc. (Lond.), **78**, 690; School Mines Quart., **22**, 94.  
Determination by oxidation to permanganic acid by means of bismuth tetroxide and titration with hydrogen peroxide.
- 1900: 11. PATTINSON, J., and H. S. Note on the Determination of Manganese as Sulphide.  
Chem. News, **81**, 193; J. Chem. Soc. (Lond.), **78**, 443; Chem. Centrbl., **1900**, a, 1244.  
Discussion of the incomplete precipitation as sulphide.
- 1900: 12. TRUCHOT, P. Analyse des cuivres et des mattes industrielles.  
Ann. chim. anal. appl., **5**, 442.  
Separation from cobalt and nickel, and determination by precipitation as manganese ammonium phosphate. Determination in commercial copper.

## SUBJECT INDEX.

### QUANTITATIVE DETERMINATION OF MANGANESE.

#### (A) BY GRAVIMETRIC METHODS.

##### I. By precipitation as

###### (a) carbonate.

1819: 1 Brandes  
1830: 2 Fuss  
1836: 2 Thomson  
1851: 1 Laming  
1853: 8 Morfit and Booth  
1867: 2 Forbes  
1867: 4 Tosh  
1869: 8 Prior  
1870: 8 Rowan  
1871: 5 Rowan  
1872: 3 Fresenius  
1872: 10 Tamm  
1886: 16 Müller  
1888: 10 Meineke  
1893: 9 Jean  
1897: 8a Hillebrand  
1898: 1 Austin  
1898: 3 Brearley  
1900: 3 Hillebrand

###### (b) di-oxide, hydrated, by means of

###### (1) bromine.

1862: 1 Abel  
1871: 3 Kammerer  
1874: 3 Piesse  
1874: 6 Willis  
1877: 18 Riley  
1879: 8 Mackintosh  
1879: 14 Volhard  
1880: 4 Dunston  
1880: 9 de Koninck  
1881: 11 Kent  
1881: 17 Troilius  
1882: 2 Cabot

1882: 4 Dewey  
1882: 16 Troilius  
1883: 22 Wolff  
1884: 9 Holthof  
1885: 17 Reinhardt  
1885: 18 Reinhardt  
1886: 1 Atkinson  
1886: 16 Müller  
1886: 22 Reinhardt  
1886: 26 Sprenger  
1886: 27 Wolff  
1887: 18 ———  
1888: 12 Oettel  
1888: 14 v. Reis  
1888: 21 ———  
1889: 1 Alt  
1890: 5 Fresenius and Hintz  
1893: 11 Kosmann  
1893: 13 Parry and Morgan  
1894: 13 Saniter  
1896: 11 Mignot  
1900: 6 Ibbotson and Brearley  
1900: 9 McKenna

###### (2) chlorine.

1865: 6 Warington  
1878: 6 Müller

###### (3) electrolysis.

1865: 4 Luckow  
1875: 1 Boussingault  
1877: 17 Riche  
1878: 8 Riche  
1880: 10 Luckow  
1881: 2 Classen  
1881: 3 Classen and v. Reis

(3) electrolysis—*Continued.*

- 1882: 10 Keiser  
 1883: 18 Schucht  
 1884: 4 Classen  
 1884: 17 Wieland  
 1885: 4 Classen  
 1886: 18 Moore  
 1889: 3 Brand  
 1889: 7 Kohn and Woodgate  
 1889: 18 Smith and Fränkel  
 1891: 13 Luckow  
 1892: 18 Rüdorff  
 1892: 21 Warwick  
 1893: 14 Rüdorff  
 1894: 2 Classen  
 1894: 16 Thomälen  
 1895: 5 Engels  
 1895: 6 Engels  
 1895: 16 Neumann  
 1896: 6 Engels  
 1897: 7 Engels  
 1898: 13 Kaepfel  
 1898: 21 Wolman  
 1900: 4 Hiorns

## (4) hydrogen peroxide.

- 1877: 19 Rosenthal  
 1884: 7 Hanowsky  
 1886: 16 Müller  
 1887: 7 Donath and Zeller  
 1888: 11 Moore  
 1889: 15 Radau  
 1890: 4 Carnot  
 1893: 2 Carnot  
 1894: 4 Jones  
 1899: 7 Friedheim and Brühl

## (5) hypochlorites.

- 1866: 4 Reichardt  
 1875: 1 Boussingault  
 1877: 11 Kern

## (6) lead peroxide in neutral solution.

- 1852: 2 Gibbs  
 1853: 9 Parkinson  
 1860: 7 Rose  
 1879: 14 Volhard

## (7) potassium chlorate.

- 1877: 10 Hannay  
 1879: 1 Beilstein and Jawein  
 1881: 1 Beilstein and Jawein

- 1881: 8 Ford  
 1882: 16 Troilius  
 1884: 9 Holthof  
 1887: 18 ———  
 1893: 9 Jean  
 1895: 7 Forestier  
 1896: 11 Mignot  
 1896: 17 Viard  
 1900: 8 Joüet  
 1900: 9 McKenna

## (c) manganese ammonium phosphate.

- 1867: 3 Gibbs  
 1870: 11 Talbott  
 1871: 6 Tamm  
 1872: 1 Allen  
 1872: 3 Fresenius  
 1873: 2 Gibbs  
 1877: 1 Bolton  
 1877: 14 Munroe  
 1881: 8 Ford  
 1884: 3 Bloxam  
 1887: 2 Bayley  
 1887: 3 Blair  
 1888: 10 Meineke  
 1890: 3 Boyd  
 1890: 12 McKenna  
 1893: 9 Jean  
 1894: 13 Saniter  
 1896: 5 Dudley  
 1896: 11 Mignot  
 1898: 8 Gooch and Austin  
 1899: 5 Dunnington  
 1900: 1 Böttger  
 1900: 2 Dakin  
 1900: 8 Joüet  
 1900: 12 Truchot

## (d) manganous hydroxide.

- 1856: 1 Gurlt  
 1875: 2 Kern  
 1876: 4 Kern

## (e) oxalate.

- 1870: 2 Gibbs  
 1870: 3 Leison  
 1872: 3 Fresenius  
 1877: 3 Classen  
 1877: 7 Classen

## (f) sulphide.

- 1821: 2 Pfaff

- (f) **sulphide**—*Continued.*
- 1857: 4 Terreil  
 1860: 2 Gorgeu  
 1860: 5 Rose  
 1860: 6 Rose  
 1861: 1 Fresenius  
 1863: 3 Lippert  
 1867: 2 Forbes  
 1867: 4 Tosh  
 1869: 1 Classen  
 1869: 4 How  
 1870: 11 Talbott  
 1872: 3 Fresenius  
 1876: 2 Fresenius  
 1876: 4 Kern  
 1877: 5 Classen  
 1879: 1 Beilstein and Jawein  
 1879: 2 Carnot  
 1879: 7 Ledebur  
 1880: 2 Delffs  
 1883: 23 Zulkowsky  
 1885: 11 v. Jüptner  
 1888: 3 Friedmann  
 1888: 10 Meineke  
 1888: 16 Schürmann  
 1890: 5 Fresenius and Hintz  
 1893: 9 Jean  
 1894: 13 Saniter  
 1897: 8 Granger  
 1898: 15 Murmann  
 1898: 16 Murmann  
 1900: 11 Pattinson
- (g) **vanadate.**  
 1887: 6 Carnot
- II. By ignition to
- (a) **mangano-manganic oxide.**  
 1836: 2 Thomson  
 1856: 1 Gurlt  
 1860: 2 Gorgeu  
 1865: 6 Warington  
 1866: 4 Reichardt  
 1867: 2 Forbes  
 1867: 4 Tosh  
 1870: 8 Rowan  
 1872: 3 Fresenius  
 1874: 3 Piesse  
 1874: 6 Willis  
 1875: 2 Kern  
 1876: 4 Kern
- 1877: 3 Classen  
 1877: 12 Kern  
 1878: 6 Müller  
 1879: 14 Volhard  
 1880: 4 Dunston  
 1881: 17 Troilius  
 1882: 2 Cabot  
 1882: 16 Troilius  
 1883: 22 Wolff  
 1884: 7 Hanowsky  
 1885: 11 v. Jüptner  
 1886: 16 Müller  
 1887: 7 Donath and Zeller  
 1887: 18 ———  
 1888: 12 Oettel  
 1888: 14 v. Reis  
 1888: 21 ———  
 1889: 3 Brand  
 1889: 7 Kohn and Woodgate  
 1891: 21 Pattinson  
 1893: 9 Jean  
 1893: 13 Parry and Morgan  
 1894: 2 Classen  
 1894: 13 Saniter  
 1895: 7 Forestier  
 1896: 14 Rürup  
 1897: 8a Hillebrand  
 1898: 1 Austin  
 1898: 7 Gooch and Austin  
 1900: 4 Hiorns  
 1900: 9 McKenna
- (b) **manganous oxide.**  
 1843: 2 Ebelmen  
 1875: 2 Kern
- (c) **pyrophosphate.** See "precipitation as manganese-ammonium phosphate."
- (d) **sulphate.**  
 1879: 14 Volhard  
 1885: 15 Meineke  
 1888: 21 ———  
 1898: 1 Austin  
 1898: 7 Gooch and Austin
- (e) **sulphide.**  
 1860: 5 Rose  
 1860: 6 Rose  
 1863: 3 Lippert  
 1876: 2 Fresenius  
 1879: 2 Carnot



## III. By the method of

## (a) Classen (oxalate).

- 1877: 3 Classen  
 1877: 7 Classen  
 1894: 9 Nass

## (b) Ford.

- 1881: 5 Deshayes  
 1881: 8 Ford  
 1896: 5 Dudley  
 1896: 14 Rürup

## (c) Gibbs (pyrophosphate).

- 1867: 3 Gibbs  
 1871: 6 Tamm  
 1872: 1 Allen  
 1877: 1 Bolton  
 1890: 12 McKenna

## (d) Rüdorff.

- 1892: 18 Rüdorff  
 1895: 8 Gröger

## (e) Wolff.

- 1883: 22 Wolff  
 1885: 14 Mathesius  
 1885: 17 Reinhardt  
 1885: 18 Reinhardt  
 1886: 27 Wolff  
 1891: 5 Chemiker - Commission  
 1893: 11 Kosman

## IV. By miscellaneous methods.

## (a) by difference.

- 1877: 18 Riley  
 1879: 7 Ledebur  
 1884: 2 Atkinson  
 1884: 8 Holdich  
 1885: 7 Diehl  
 1888: 21 ———

## (b) by dry assay.

- 1872: 11 Tamm  
 1896: 3 Büttgenbach

## (c) from oxygen absorbed by alkaline solutions.

- 1864: 4 Mittenzwey

## (B) BY VOLUMETRIC METHODS.

## I. By titration with potassium permanganate solution.

## (a) Direct titration.

- 1863: 2 Guyard

- 1864: 6 Winkler  
 1865: 3 Habich  
 1872: 3 Fresenius  
 1878: 4 Morawski and Stingl  
 1879: 14 Volhard  
 1880: 5 Haswell  
 1880: 7 v. Jüptner  
 1881: 6 Donath  
 1881: 7 Emmerton  
 1881: 15 Särnström  
 1883: 6 v. Jüptner  
 1883: 11 Meineke  
 1883: 14 Särnström  
 1883: 15 Särnström  
 1883: 17 Schöffel and Donath  
 1883: 23 Zuluskowsky  
 1884: 1 Anger  
 1884: 6 Gmelin  
 1884: 15 Meineke  
 1884: 18 Wolff  
 1885: 18 Reinhardt  
 1885: 20 Wolff  
 1886: 23 Reinhardt  
 1886: 27 Wolff  
 1886: 28 Zimmermann  
 1887: 4 Brand  
 1887: 9 Jolles  
 1888: 4 Ghilian  
 1891: 2 Blum  
 1891: 4 Brown  
 1891: 5 Chemiker - Commission  
 1891: 9 Hampe  
 1891: 16 Moldenhauer  
 1891: 25 Rubricius  
 1891: 26 Rürup  
 1892: 1 Aller  
 1892: 4 Campredon  
 1892: 7 Donath  
 1892: 12 v. Reis  
 1892: 16 Rubricius  
 1892: 17 Rubricius  
 1893: 1 Carnot  
 1893: 6 Gorgeu  
 1893: 9 Jean  
 1894: 13 Saniter  
 1894: 14 Seeliger  
 1895: 2 Auchy  
 1895: 18 Thomas

- (a) **Direct titration—Continued.**  
 1896: 1 Auchy  
 1896: 12 Mixer and Dubois  
 1896: 13 Murkewitsch  
 1896: 14 Rürup  
 1896: 15 Stone  
 1897: 1 Auchy  
 1897: 3 Brearley  
 1897: 6 Devisse  
 1897: 10 Longi and Camilla  
 1898: 4 Campredon  
 1898: 14 Lehnkering  
 1899: 1 Brearley  
 1899: 4 Daw  
 1899: 8 Herting  
 1899: 10 Namias  
 1900: 8 Jouët
- (b) **Indirect titration.**  
 1883: 10 Meineke  
 1883: 11 Meineke  
 1885: 15 Meineke  
 1886: 15 Meineke  
 1886: 17 Müller  
 1886: 24 Schöffel and Donath  
 1887: 13 Lax  
 1891: 5 Chemiker - Commission  
 1891: 9 Hampe  
 1896: 7 Giorgis  
 1899: 13 Reichard
- II. By precipitation as di-oxide, solution with the aid of a reducing agent, and titration for the excess of the latter.**  
**Precipitation by means of**
- (a) **bromine.**  
 1872: 5 Kessler  
 1872: 6 Kessler  
 1879: 6 Kessler  
 1879: 7 Ledebur  
 1887: 14 Meineke  
 1887: 17 Reinhardt  
 1888: 13 Reinhardt  
 1893: 12 Low
- (b) **chlorine.**  
 1861: 4 Möller
- (c) **hydrogen peroxide.**  
 1886: 2 Barlow  
 1888: 2 Carnot  
 1889: 12 McCulloch  
 1890: 2 van Bemmeln  
 1893: 2 Carnot  
 1894: 4 Jones  
 1895: 4 Carnot  
 1895: 7 Forestier  
 1895: 19 Ulzer and Brüll
- (d) **hypochlorite.**  
 1853: 4 Hempel  
 1854: 2 Streng  
 1855: 1 Mohr  
 1855: 2 Müller  
 1879: 9 Pattinson  
 1879: 10 Pattinson  
 1880: 13 Pattinson  
 1880: 16 Weldon  
 1880: 18 Wright and Menke  
 1884: 11 Ledebur  
 1886: 1 Atkinson  
 1887: 13 Lax  
 1893: 9 Jean
- (e) **potassium chlorate.**  
 1877: 10 Hannay  
 1881: 18 Williams  
 1883: 4 Hampe  
 1883: 9 Mackintosh  
 1883: 13 Raimond  
 1883: 19 Stone  
 1883: 20 Stone  
 1883: 21 Troilius  
 1884: 11 Ledebur  
 1884: 12 Mackintosh  
 1885: 3 Cheever  
 1885: 10 Hampe  
 1885: 15 Meineke  
 1887: 13 Lax  
 1887: 15 Meineke  
 1888: 7 Julian  
 1888: 13 Reinhardt  
 1891: 4 Brown  
 1891: 5 Chemiker - Commission  
 1891: 9 Hampe  
 1891: 19 Norris  
 1891: 23 v. Reis  
 1891: 28 Ukena  
 1892: 2 Bastin  
 1892: 5 Chemiker - Commission

**(e) potassium chlorate—Continued.**

- 1892: 9 Hampe  
 1892: 13 v. Reis  
 1893: 9 Jean  
 1893: 10 Julian  
 1893: 13 Parry and Morgan  
 1894: 5 Jones  
 1895: 2 Auchy  
 1895: 7 Forestier  
 1895: 19 Ulzer and Brüll  
 1896: 5 Dudley  
 1896: 14 Rürup  
 1897: 9 Julian  
 1898: 6 Ford and Bregowsky  
 1898: 14 Lehnkering  
 1899: 16 J. T.  
 1900: 6 Ibbotson and Brearley

**(f) reduction of manganate by alcohol.**

- 1890: 13 Myhlertz

**(g) sodium chlorate.**

- 1898: 9 Gooch and Austin  
 1899: 8 Herting

**Solution of the peroxide with the aid of****(a) antimonious chloride.**

- 1872: 5 Kessler  
 1872: 6 Kessler  
 1879: 6 Kessler  
 1879: 7 Ledebur

**(b) arsenious oxide.**

- 1898: 9 Gooch and Austin

**(c) ferrous salts or oxalic acid.**

- 1853: 4 Hempel  
 1877: 10 Hannay  
 1879: 9 Pattinson  
 1879: 10 Pattinson  
 1880: 13 Pattinson  
 1880: 16 Weldon  
 1880: 18 Wright and Menke  
 1881: 18 Williams  
 1883: 4 Hampe  
 1883: 9 Mackintosh  
 1883: 13 Raimond  
 1883: 19 Stone  
 1883: 20 Stone  
 1883: 21 Troilius  
 1884: 11 Ledebur

- 1884: 12 Mackintosh  
 1885: 3 Cheever  
 1885: 10 Hampe  
 1885: 15 Meineke  
 1886: 1 Atkinson  
 1887: 13 Lax  
 1887: 14 Meineke  
 1887: 15 Meineke  
 1887: 17 Reinhardt  
 1888: 2 Carnot  
 1888: 7 Julian  
 1888: 13 Reinhardt  
 1889: 12 McCulloch  
 1890: 2 van Bemmeln  
 1890: 13 Myhlertz  
 1891: 4 Brown  
 1891: 5 Chemiker - Commission  
 1891: 9 Hampe  
 1891: 19 Norris  
 1891: 23 v. Reis  
 1891: 28 Ukena  
 1892: 2 Bastin  
 1892: 5 Chemiker - Commission  
 1892: 9 Hampe  
 1892: 13 v. Reis  
 1893: 2 Carnot  
 1893: 9 Jean  
 1893: 12 Low  
 1893: 13 Parry and Morgan  
 1894: 4 Jones, H. C.  
 1894: 5 Jones, J.  
 1895: 2 Auchy  
 1895: 4 Carnot  
 1895: 7 Forestier  
 1895: 18 Thomas  
 1895: 19 Ulzer and Brüll  
 1896: 5 Dudley  
 1896: 14 Rürup  
 1898: 6 Ford and Bregowsky  
 1898: 14 Lehnkering  
 1899: 16 J. T.  
**(d) hydrochloric acid (Bunsen).**  
 1861: 4 Möller  
 1886: 2 Barlow  
**(e) hydrogen peroxide.**  
 1893: 10 Julian

- (e) **hydrogen peroxide**—*Continued.*  
1897: 9 Julian
- (f) **potassium iodide.**  
1898: 9 Gooch and Austin
- (g) **stannous chloride.**  
1854: 2 Streng  
1855: 1 Mohr  
1855: 2 Müller
- III. By titration of permanganic acid,  
after oxidation by means of**
- (a) **bismuth tetroxide.**  
1888: 15 Schneider  
1889: 17 Schneider  
1898: 4 Campredon  
1900: 10 Mignot
- (b) **lead peroxide.**  
1871: 2 Chatard  
1872: 7 Leclerc  
1877: 8 Deby  
1878: 2 Deshayes  
1878: 7 Prochaska  
1881: 9 Forguignon  
1885: 19 Schlagdenhauffen  
1886: 21 Perillou  
1886: 25 Setterwall  
1887: 1 Babbitt  
1887: 5 Cheever  
1887: 19 ———  
1888: 17 Stein  
1888: 18 Thorpe and Hambly  
1888: 19 Thorpe and Hambly  
1892: 19 Schneider  
1892: 20 Van Grundy  
1900: 5 Ibbotson and Brearley  
1900: 7 Jervis
- (c) **sodium bismuthate.**  
1895: 17 Reddrop and Ramage
- Titration of the permanganic acid  
by means of**
- (a) **ammonium oxalate.**  
1871: 2 Chatard  
1888: 18 Thorpe and Hambly  
1888: 19 Thorpe and Hambly
- (b) **arsenious oxide.**  
1877: 8 Deby  
1878: 2 Deshayes  
1886: 25 Setterwall  
1887: 19 ———  
1892: 20 Van Grundy  
1895: 17 Reddrop and Ramage
- (c) **ferrous salts.**  
1878: 7 Prochaska  
1886: 21 Perillou  
1888: 17 Stein  
1900: 7 Jervis
- (d) **hydrogen peroxide.**  
1888: 15 Schneider  
1889: 17 Schneider  
1892: 19 Schneider  
1895: 17 Reddrop and Ramage  
1898: 4 Campredon  
1900: 10 Mignot
- (e) **mercurous nitrate.**  
1872: 7 Leclerc  
1881: 9 Forguignon  
1885: 19 Schlagdenhauffen
- IV. By the method of**
- (a) **Chatard.**  
1871: 2 Chatard  
1888: 18 Thorpe and Hambly  
1888: 19 Thorpe and Hambly  
1888: 20 Weissmann
- (b) **Carnot.**  
1888: 2 Carnot  
1889: 12 McCulloch  
1890: 2 van Bemmeln  
1890: 4 Carnot  
1897: 2 van Bemmeln
- (c) **Deshayes.**  
1878: 2 Deshayes  
1887: 19 ———
- (d) **Donath.**  
1881: 6 Donath  
1893: 6 Gorgeu
- (e) **Guyard.**  
1863: 2 Guyard  
1865: 3 Habich  
1882: 6 Dunn  
1884: 15 Meineke  
1893: 1 Carnot  
1893: 6 Gorgeu  
1893: 9 Jean
- (f) **Hampe.**  
1883: 4 Hampe  
1884: 11 Ledebur  
1885: 10 Hampe

- (f) **Hampe**—*Continued.*  
 1886: 23 Reinhardt  
 1886: 24 Schöffel and Donath  
 1887: 13 Lax  
 1887: 15 Meineke  
 1888: 13 Reinhardt  
 1891: 5 Chemiker - Commission  
 1891: 23 v. Reis  
 1892: 5 Chemiker - Commission  
 1892: 9 Hampe  
 1892: 13 v. Reis  
 1894: 5 Jones, J.  
 1895: 19 Ulzer and Brüll  
 1896: 14 Rürup
- (g) **Kessler.**  
 1872: 5 Kessler  
 1872: 6 Kessler  
 1879: 6 Kessler  
 1887: 13 Lax
- (h) **Leclerc.**  
 1872: 7 Leclerc  
 1881: 9 Forguignon  
 1885: 19 Schlagdenhauffen
- (i) **Lenssen.**  
 1860: 3 Lenssen.  
 1864: 2 Fresenius
- (j) **Meineke.**  
 1883: 10 Meineke  
 1883: 11 Meineke  
 1885: 15 Meineke  
 1886: 15 Meineke  
 1886: 17 Müller  
 1886: 23 Reinhardt  
 1887: 13 Lax  
 1891: 5 Chemiker - Commission
- (k) **Morawski and Stingl.**  
 1878: 4 Morawski and Stingl  
 1884: 15 Meineke
- (l) **Pattinson.**  
 1879: 9 Pattinson  
 1880: 18 Wright and Menke  
 1884: 11 Ledebur  
 1886: 1 Atkinson  
 1886: 20 Pattinson  
 1887: 13 Lax  
 1891: 21 Pattinson
- 1893: 9 Jean  
 1894: 13 Saniter
- (m) **Reinhardt.**  
 1888: 13 Reinhardt  
 1891: 5 Chemiker - Commission
- (n) **Rössler.**  
 1879: 13 Rössler  
 1880: 15 Rössler  
 1894: 14 Seeliger
- (o) **Rürup.**  
 1891: 2 Blum  
 1891: 25 Rubricius  
 1891: 26 Rürup
- (p) **Särnström.**  
 1881: 15 Särnström  
 1883: 7 Kerl  
 1883: 15 Särnström  
 1890: 6 Hellman  
 1896: 12 Mixer and Dubois  
 1897: 1 Auchy
- (q) **Schneider.**  
 1889: 17 Schneider  
 1895: 17 Reddrop and Ramage  
 1898: 4 Campredon
- (r) **Schöffel and Donath.**  
 1883: 14 Särnström  
 1883: 17 Schöffel and Donath  
 1886: 24 Schöffel and Donath  
 1887: 13 Lax  
 1891: 5 Chemiker - Commission
- (s) **Volhard.**  
 1879: 14 Volhard  
 1880: 5 Haswell  
 1880: 7 v. Jüptner  
 1881: 7 Emmerton  
 1882: 8 Haswell  
 1883: 6 v. Jüptner  
 1883: 11 Meineke  
 1884: 6 Gmelin  
 1884: 11 Ledebur  
 1884: 15 Meineke  
 1887: 9 Jolles  
 1888: 6 Iles  
 1891: 2 Blum  
 1891: 4 Brown  
 1891: 16 Moldenhauer

- (s) **Volhard**—*Continued*
- 1891: 20 Namias  
 1891: 25 Rubricius  
 1891: 26 Rürup  
 1892: 1 Aller  
 1892: 12 v. Reis  
 1892: 16 Rubricius  
 1892: 17 Rubricius  
 1894: 13 Saniter  
 1895: 2 Auchy  
 1895: 18 Thomas  
 1896: 1 Auchy  
 1896: 13 Murkewitsch  
 1896: 14 Rürup  
 1896: 15 Stone  
 1897: 6 Devisse  
 1897: 10 Longi and Camilla  
 1898: 4 Campredon  
 1898: 14 Lehnkering  
 1899: 1 Brearley  
 1899: 4 Daw  
 1899: 8 Herting  
 1899: 10 Namias  
 1900: 8 Jouët
- (t) **Weissmann.**  
 1888: 17 Stein  
 1888: 20 Weissmann  
 1895: 19 Ulzer and Brüll
- (u) **Williams.**  
 1881: 18 Williams  
 1883: 9 Mackintosh  
 1883: 21 Troilius  
 1884: 12 Mackintosh  
 1885: 3 Cheever  
 1891: 4 Brown  
 1892: 2 Bastin  
 1893: 13 Parry and Morgan  
 1895: 2 Auchy  
 1896: 5 Dudley  
 1898: 6 Ford and Bregowsky  
 1899: 16 J. T.  
 1900: 6 Ibbotson and Brearley
- V. By miscellaneous methods.
- (a) by means of alkali sulphides.  
 1894: 10 Neumann
- (b) by reduction of potassium ferri-  
 cyanide.  
 1860: 3 Lenssen  
 1864: 2 Fresenius
- (c) by means of potassium ferro-  
 cyanide.  
 1889: 13 Moldenhauer  
 1891: 3 Blum  
 1891: 14 Luckow  
 1891: 17 Moldenhauer  
 1897: 12 Miller  
 1897: 13 Miller and Mathews  
 1897: 16 Stone and van In-  
 gen
- (d) by means of tartaric or malic  
 acids.  
 1868: 2 Juette
- (e) by means of silver nitrate (in-  
 direct).  
 1879: 13 Rössler  
 1880: 15 Rössler  
 1894: 14 Seeliger
- (f) by the titration of manganate.  
 1881: 10 Iles  
 1885: 12 Kalmann and Smolka  
 1899: 14 Reichard
- (g) by the titration of manganic  
 phosphate.  
 1883: 4 Hampe.  
 1891: 18 Moore
- (h) by means of iodine (indirect).  
 1890: 16 Vortmann
- (i) by solution of ignited oxide in  
 reducing agents.  
 1876: 3 Galbraith  
 1886: 2 Barlow
- (C) BY COLORIMETRIC METH-  
 ODS.
- I. By oxidation to permanganic acid  
 by means of
- (a) bismuth tetroxide.  
 1895: 7 Forestier  
 1896: 11 Mignot
- (b) lead peroxide.  
 1872: 8 Pichard  
 1876: 5 Peters  
 1881: 5 Deshayes  
 1883: 1 Goetz  
 1882: 11 Ledebur  
 1886: 8 Cheever  
 1886: 13 Hunt

**(b) lead peroxide—Continued.**

- 1887: 5 Cheever  
 1887: 16 Morgan  
 1893: 13 Parry and Morgan  
 1895: 7 Forestier  
 1896: 1 Auchy  
 1896: 11 Mignot  
 1897: 11 Lemaire  
 1897: 15 Schneider  
 1898: 18 Pichard

**II. By the formation of metaphosphate.**

- 1885: 16 Osmond  
 1891: 24 Rossi

**III. By the formation of manganate.**

- 1873: 1 Brünner  
 1874: 1 Koppmayer

**IV. By the liberation of iodine.**

- 1874: 2 Morrell  
 1875: 4 Morrell

**(D) GENERAL DISCUSSION OF METHODS.**

- 1875: 1a Bolton  
 1881: 11 Kent  
 1882: 6 Dunn  
 1882: 15 Tamm  
 1883: 16 Schmitt  
 1884: 13 Mackintosh  
 1884: 16 Stone  
 1885: 19 Schlagdenhauffen  
 1887: 13 Lax  
 1888: 10 Meineke  
 1889: 4 Finkener  
 1891: 21 Pattinson  
 1894: 13 Saniter  
 1895: 15 v. Jüptner  
 1895: 16 Neumann  
 1896: 1 Auchy  
 1896: 4 Dewey  
 1896: 10 v. Jüptner  
 1896: 14 Rürup  
 1897: 15 Schneider  
 1898: 13 Kaepfel (electro-lytic)  
 1898: 21 Wolman (electro-lytic)  
 1899: 3 Brearley

**(E) SEPARATION FROM OTHER ELEMENTS.****(a) from alkaline earths.**

- 1852: 2 Gibbs  
 1853: 9 Parkinson  
 1861: 4 Möller  
 1886: 2 Barlow

**(b) from aluminum.**

- 1860: 6 Rose  
 1865: 2 Gibbs  
 1865: 5 Rube  
 1879: 4 Classen  
 1879: 14 Volhard  
 1881: 3 Classen  
 1899: 9 Hess and Campbell

**(c) from arsenic.**

- 1837: 4 Sheerer  
 1895: 13 Jannasch and Kammerer

**(d) from cadmium.**

- 1889: 3 Brand  
 1891: 27 Smith  
 1892: 21 Warwick  
 1895: 14 Jannasch and Röttgen

**(e) from calcium.**

- 1827: 3 Stromeayer  
 1860: 6 Rose  
 1877: 4 Classen  
 1889: 2 Blum  
 1889: 16 Reitmar  
 1892: 14 Riggs

**(f) from cerium.**

- 1864: 3 Gibbs

**(g) from chromium.**

- 1865: 2 Gibbs  
 1884: 5 Classen  
 1894: 6 Kassner  
 1894: 11 Poleck  
 1895: 10 Jannasch and Cloedt  
 1898: 3 Brearley  
 1899: 7 Friedheim and Brühl

**(h) from cobalt by means of****(1) chlorine.**

- 1866: 5 Terreil

**(2) citrates.**

- 1892: 10 Moore

- (3) cyanides.  
 1841: 3 Liebig  
 1853: 2 Flajolot  
 1887: 10 Klobb  
 1889: 11 McCulloch
- (4) electrolysis.  
 1888: 12 Oettel  
 1889: 3 Brand  
 1891: 15 Le Roy  
 1898: 5 Engels
- (5) hydrogen peroxide.  
 1886: 2 Barlow  
 1887: 7 Donath and Zeller  
 1891: 10 Jannasch and Fran-  
 zek  
 1896: 9 Jannasch and Leh-  
 nert
- (6) hypochlorite, hydrofluoric  
 acid and ammonia.  
 1841: 4 Ullgren
- (7) magnesium.  
 1832 2 Döbereiner
- (8) Mercuric oxide.  
 1835: 2 Persoz
- (9) nitroso- $\beta$ -naphthol.  
 1896: 2 Burgass
- (10) oxalates.  
 1827: 1 Du Menil
- (11) phosphates.  
 1858: 2 Henry  
 1900: 12 Truchot
- (12) potassium permanganate.  
 1866: 5 Terreil
- (13) potassium polysulphide.  
 1845: 1 Cloez
- (14) silver nitrate and ammonia.  
 1839: 3 W.
- (15) sodium peroxide.  
 1893: 5 Clark
- (16) solubility of chlorides in  
 ether.  
 1837: 1 Döbereiner
- (17) the solubilities of the sul-  
 phides.  
 1838: 2 Wackenroder  
 1846: 1 Barreswil  
 1847: 3 Rose  
 1847: 4 Strecker  
 1849: 1 Ebelmen
- 1865: 2 Gibbs  
 1866: 3 Frohde  
 1869: 7 Muck  
 1881: 4 Delvaux  
 1886: 26 Sprenger  
 1890: 5 Fresenius and Hintz  
 1897: 8a Hillebrand  
 1900: 3 Hillebrand
- (18) volatility of chloride.  
 1846: 4 Völker
- (i) from copper.  
 1869: 5 Luckow  
 1884: 5 Classen  
 1887: 11 v. Knorre  
 1887: 12 v. Knorre  
 1889: 3 Brand  
 1893: 14 Rüdorff  
 1895: 14 Jannasch and Rött-  
 gen  
 1896: 2 Burgass  
 1896: 8 Jannasch  
 1897: 8a Hillebrand  
 1899: 6 Fernberger and Smith  
 1899: 7 Friedheim and Brühl
- (j) from gallium.  
 1882: 1 de Boisbaudran
- (k) from iron by means of  
 (1) acetates.  
 1841: 2 Henry  
 1862: 1 Abel  
 1865: 2 Gibbs  
 1866: 2 Eggertz  
 1866: 4 Reichardt  
 1867: 4 Tosh  
 1869: 2 Damour  
 1870: 8 Rowan  
 1872: 5 Kessler  
 1872: 6 Kessler  
 1874: 3 Piesse  
 1874: 6 Willis  
 1875: 1 Boussingault  
 1875: 4 Morrell  
 1877: 13 Krämer  
 1877: 18 Riley  
 1877: 19 Rosenthal  
 1877: 20 Stöckman  
 1878: 3 Matzurka  
 1878: 6 Müller  
 1879: 8 Mackintosh



## 108 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

(1) acetates—*Continued.*

- 1880: 4 Dunston  
 1880: 6 Jewett  
 1881: 11 Kent  
 1881: 17 Troilius  
 1882: 2 Cabot  
 1882: 4 Dewey  
 1882: 9 Jewett  
 1884: 3 Bloxam  
 1886: 1 Atkinson  
 1886: 12 Deane  
 1886: 16 Müller  
 1886: 22 Reinhardt  
 1886: 26 Sprenger  
 1887: 18 ———  
 1888: 4 Ghilian  
 1888: 10 Meineke  
 1888: 14 v. Reis  
 1888: 21 ———  
 1889: 9 Mayer (qualitative)  
 1892: 4 Campredon  
 1892: 11 Priwoznik  
 1892: 14 Riggs  
 1893: 9 Jean  
 1893: 11 Kosman  
 1893: 13 Parry and Morgan  
 1895: 7 Forestier  
 1897: 3 Brearley  
 1897: 4 Brearley  
 1899: 2 Brearley  
 1900: 8 Joüet  
 1900: 9 McKenna

## (2) ammonia in the presence of ammonium chloride.

- 1813: 1 Hatchett  
 1830: 2 Fuss  
 1876: 4 Kern

## (3) arsenates.

- 1827: 1 Du Menil  
 1827: 2 Quesneville  
 1829: 3 Martini

## (4) benzoic acid.

- 1806: 1 Berzelius  
 1812: 1 Pfaff  
 1829: 3 Martini  
 1836: 2 Thomson  
 1877: 9 Funaro

## (5) camphoric acid.

- 1832: 5 Kastner

## (6) chlorate.

See "precipitation by means of chlorate." See pp. 98 and 101

## (7) chlorides.

- 1797: 1 Kirwan  
 1837: 4 Scheerer  
 1863: 3 Lippert

## (8) chlorine.

- 1853: 12 Schiel  
 1861: 4 Möller

## (9) electrolysis.

- 1830: 1 Becquerel  
 1881: 2 Classen  
 1881: 3 Classen and v. Reis  
 1882: 10 Keiser  
 1885: 5 Classen  
 1886: 10 Classen  
 1886: 11 Classen  
 1888: 12 Oettel  
 1889: 7 Kohn and Woodgate  
 1891: 15 Le Roy  
 1896: 6 Engels  
 1898: 5 Engel

## (10) ether.

- 1892: 15 Rothe

## (11) fusion with alkali and nitrate.

- 1833: 2 Planiawa  
 1894: 14 Seeliger

## (12) ferrocyanide.

- 1886: 5 Blum

## (13) hydrogen peroxide.

- 1888: 11 Moore

## (14) iodine.

- 1879: 1 Beilstein and Jawein  
 1881: 1 Beilstein and Jawein

## (15) a magnet after ignition in hydrogen.

- 1875: 2 Kern

## (16) neutralization with carbonates.

- 1799: 1 Vauquelin  
 1812: 1 Pfaff  
 1821: 1 Herschell  
 1831: 1 Fuchs  
 1831: 2 Liebig  
 1832: 2 Döbereiner  
 1832: 6 Liebig  
 1834: 1 Demarçay

- (16) neutralization with carbonates—*Continued.*
- 1853: 8 Morfit and Booth  
 1856: 1 Gurlt  
 1867: 2 Forbes  
 1885: 11 v. Jüptner  
 1888: 1 Campbell  
 1888: 4 Ghilian  
 1888: 10 Meineke  
 1890: 5 Fresenius and Hintz
- (17) neutralization with metallic oxides.
- 1835: 2 Persoz  
 1857: 3 Field  
 1860: 1 Field  
 1865: 5 Rube  
 1872: 9 de Rezende  
 1879: 14 Volhard  
 1888: 10 Meineke  
 1894: 15 Smith and Heyl  
 See also (27).
- (18) nitroso- $\beta$ -naphthol.
- 1887: 11 v. Knorre  
 1887: 12 v. Knorre  
 1888: 10 Meineke  
 1890: 8 de Koninck  
 1896: 2 Burgass
- (19) oxalates.
- 1806: 2 John  
 1811: 1 Bucholz  
 1827: 1 Du Menil  
 1829: 2 Lassaigne  
 1877: 6 Classen  
 1879: 4 Classen  
 1879: 5 Classen
- (20) potassium "anthrazothionate"
- 1817: 1 Grotthuss
- (21) suberic acid.
- 1832: 5 Kastner
- (22) succinic acid.
- 1806: 1 Berzelius  
 1806: 2 John  
 1812: 1 Pfaff  
 1827: 2 Quesneville  
 1829: 3 Martini  
 1872: 10 Tamm  
 1877: 9 Funaro  
 1886: 4 Bein
- 1888: 4 Ghilian  
 1896: 11 Mignot
- (23) sulphates.
- 1827: 2 Quesneville  
 1837: 4 Scheerer  
 1872: 5 Kessler  
 1872: 6 Kessler  
 1879: 6 Kessler  
 1888: 10 Meineke  
 1896: 14 Rürup
- (24) solubilities of the sulphides.
- 1838: 2 Wackenroder  
 1886: 6 Carnot
- (25) tartrates.
- 1792: 1 Herbststädt  
 1796: 1 Richter  
 1812: 1 Pfaff
- (26) volatilization of ferric chloride.
- 1814: 1 Davy  
 1819: 1 Brandes  
 1877: 12 Kern  
 1880: 3 Drown and Shimer  
 1888: 3 Friedmann
- (27) zinc oxide.
- 1879: 14 Volhard  
 1880: 5 Haswell  
 1880: 7 v. Jüptner  
 1881: 7 Emmerton  
 1883: 10 Meineke  
 1884: 6 Gmelin  
 1884: 18 Wolff  
 1885: 14 Mathesius  
 1885: 20 Wolff  
 1887: 9 Jolles  
 1887: 14 Meineke  
 1887: 17 Reinhardt  
 1888: 10 Meineke  
 1895: 7 Forestier  
 1895: 19 Ulzer and Brüll
- (28) (method not indicated.)
- 1786: 1 Rinmann  
 1819: 2 Faraday  
 1819: 3 Pfaff
- (l) from lead.
- 1896: 13a Neumann
- (m) from magnesium.
- 1827: 3 Stromeyer  
 1860: 6 Rose

- (m) from magnesium—*Continued.*  
 1868: 4 Terreil  
 1869: 4 Damour
- (n) from mercury.  
 1886: 11 Classen and Ludwig  
 1889: 3 Brand  
 1894: 12 Rüdorff  
 1895: 9 Jannasch and Cloedt  
 1898: 12 Jannasch and Alfbers
- (o) nickel, by means of  
 (1) ammonium carbonate.  
 1872: 10 Tamm  
 (2) atmospheric oxygen.  
 1881: 4 Delvaux  
 (3) chlorine.  
 1853: 12 Schiel  
 1866: 5 Terreil  
 (4) electrolysis  
 1886: 14 Langbein  
 1886: 19 Moore  
 1889: 3 Brand  
 1891: 15 Le Roy  
 1896: 6 Engels  
 1898: 5 Engels  
 (5) hypochlorites, hydrofluoric acid, and ammonia.  
 1841: 4 Ullgren  
 (6) mercuric oxide.  
 1835: 2 Persoz  
 (7) peroxides.  
 1852: 2 Gibbs  
 1853: 9 Parkinson  
 1860: 7 Rose  
 1886: 2 Barlow  
 1887: 7 Donath and Zeller  
 1891: 10 Jannasch and Fran-  
 zek  
 1893: 5 Clark  
 1896: 9 Jannasch and Lehnert  
 1899: 7 Friedheim and Brühl
- (8) phosphates.  
 1858: 2 Henry  
 1900: 12 Truchot
- (9) potassium permanganate.  
 1866: 5 Terreil
- (10) through the solubilities of the sulphides.  
 1838: 2 Wackenroder  
 1847: 3 Rose  
 1849: 1 Ebelmen  
 1863: 3 Lippert  
 1865: 2 Gibbs  
 1866: 3 Frohde  
 1886: 6 Carnot  
 1886: 26 Sprenger  
 1888: 11 Moore  
 1890: 5 Fresenius and Hintz  
 1894: 3 Fleitmann  
 1897: 8a Hillebrand  
 1900: 3 Hillebrand  
 (11) (method not indicated.)  
 1882: 14 Mills and Becket
- (p) from phosphoric acid.  
 1881: 2 Classen
- (q) from silica.  
 1886: 12 Deane  
 1898: 6 Ford and Bregowsky
- (r) from silver.  
 1895: 12 Jannasch and Kam-  
 merer
- (s) from thallium.  
 1864: 1 Crookes
- (t) from tin.  
 1853: 7 Löwenthal.  
 1861: 6 Rose
- (u) from tungstic acid.  
 1896: 16 Taggart and Smith
- (v) from vanadium.  
 1889: 15 Radau
- (w) from zinc by means of  
 (1) carbonate.  
 1872: 10 Tamm  
 1879: 3 Classen  
 (2) acetic acid.  
 1788: 1 Porcel  
 1837: 3 Richter  
 1886: 4 Bein  
 (3) ammonium sulphocarbonate  
 1882: 7 Guyard  
 (4) ammonium sulphocyanate.  
 1880: 20 Zimmermann  
 (5) bromine  
 1869: 3 Galetti  
 1892: 3 Blum  
 (6) cyanides.  
 1853: 2 Flajalot  
 (7) electrolysis.  
 1830: 1 Becquerel.

- (7) electrolysis—*Continued.*  
 1889: 3 Brand  
 1891: 21 Warwick  
 1899: 15 Riederer
- (8) peroxides.  
 1852: 2 Gibbs  
 1853: 9 Parkinson  
 1860: 7 Rose  
 1886: 2 Barlow  
 1887: 7 Donath and Zeller  
 1890: 7 Jensch  
 1891: 7 Donath  
 1891: 11 Jannasch and Mac-Gregory  
 1891: 12 Jannasch and Niederhofheim  
 1893: 5 Clark  
 1895: 11 Jannasch and Cloedt  
 1897: 8a Hillebrand  
 1899: 7 Friedheim and Brühl  
 1900: 3 Hillebrand
- (9) phosphates.  
 1869: 9 Renard  
 1886: 14a Lösekann and Meyer
- (10) solubilities of the sulphides.  
 1838: 2 Wackenroder  
 1842: 3 Otto  
 1849: 1 Ebelmen  
 1863: 3 Lippert  
 1865: 2 Gibbs  
 1868: 4 Terreil  
 1885: 9 Hampe  
 1887: 2 Bayley  
 1889: 14 Neumann  
 1890: 5 Fresenius and Hintz  
 1890: 14 Riban
- (F) APPLICATIONS OF QUANTITATIVE METHODS.
- Determination in**
- (1) **chromite.**  
 1890: 5 Fresenius and Hintz
- (2) **chromium alloys.**  
 1877: 11 Kern  
 1892: 19 Schneider  
 1899: 16 J. T.  
 1900: 5 Ibbotson and Brearley  
 1900: 9 McKenna
- (3) **commercial aluminum.**  
 1891: 22 Regelsberger
- (4) **commercial copper.**  
 1882: 13 Löwe  
 1900: 12 Truchot
- (5) **commercial nickel.**  
 1894: 3 Fleitmann
- (6) **ferromanganese.**  
 1870: 8 Rowan  
 1877: 12 Kern  
 1878: 2 Deshayes.  
 1879: 6 Kessler  
 1885: 12 Kalmann and Smolka  
 1891: 21 Pattinson  
 1895: 15 v. Jüptner  
 1896: 10 v. Jüptner
- (7) **flue deposits.**  
 1890: 7 Jensch
- (8) **food stuffs.**  
 1888: 17 Stein
- (9) **German silver.**  
 1888: 12 Oettel
- (10) **glass.**  
 1846: 3 Rowney
- (11) **irons.**  
 1853: 8 Morfit and Booth  
 1862: 1 Abel  
 1863: 3 Lippert  
 1866: 2 Eggertz  
 1867: 4 Tosh  
 1872: 8 Pichard  
 1873: 1 Brunner  
 1874: 1 Koppmayer  
 1874: 3 Piesse  
 1874: 6 Willis  
 1875: 2 Kern  
 1876: 4 Kern  
 1876: 5 Peters  
 1877: 8 Deby  
 1878: 2 Deshayes  
 1879: 7 Ledebur  
 1881: 8 Ford  
 1881: 18 Williams  
 1882: 10 Keiser  
 1883: 1 Goetz  
 1883: 17 Schoeffel and Donath  
 1884: 3 Bloxam  
 1885: 3 Cheever  
 1886: 12 Deane

112 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

(11) **irons**—*Continued.*

- 1886: 26 Sprenger  
 1887: 1 Babbitt  
 1887: 16 Morgan  
 1887: 18 —————  
 1887: 19 —————  
 1888: 13 Reinhardt  
 1888: 20 Weismann  
 1888: 21 —————  
 1890: 6 Hellman  
 1891: 2 Blum  
 1891: 4 Brown  
 1891: 24 Rossi  
 1891: 25 Rubricius  
 1892: 12 v. Reis  
 1892: 17 Rubricius  
 1893: 10 Julian  
 1895: 7 Forestier  
 1895: 19 Ulzer and Brüll  
 1896: 11 Mignot  
 1896: 13 Murkewitsch  
 1896: 14 Rürup  
 1898: 6 Ford and Bregowsky  
 1898: 16 Murmann  
 1899: 8 Herting  
 1900: 10 Mignot

(12) **iron ores.**

- 1866: 2 Eggertz  
 1872: 8 Pichard  
 1873: 1 Brünner  
 1874: 1 Koppmayer  
 1878: 9 Funaro  
 1877: 9 Ledebur  
 1879: 9 Pattinson  
 1879: 10 Pattinson  
 1883: 23 Zulkowsky  
 1885: 12 Kalmann and Smolka  
 1886: 1 Atkinson  
 1887: 3 Blair  
 1890: 13 Myhlertz  
 1891: 19 Norris  
 1891: 21 Pattinson  
 1897: 1 Auchy  
 1898: 6 Ford and Bregowsky

(13) **manganese bronze.**

- 1894: 5 Jones

(14) **manganese phosphides.**

- 1897: 8 Granger

(15) **manganic acid.**

- 1824: 1 Frommherz

(16) **meteorites.**

- 1879: 12 Pellitz

(17) **mineral or sea waters.**

- 1841: 2 Henry  
 1876: 2 Fresenius  
 1889: 5a Gooch and Whitfield  
 1899: 11 Natterer

(18) **plants.**

- 1897: 11 Lemaire  
 1898: 18 Pichard

(19) **Pyrolusite (and other manganese ores)** See "Quantitative Determination of Manganese Peroxide."

(20) **slags or silicates.**

- 1881: 10 Iles  
 1883: 8 Knop  
 1884: 10 Iles  
 1888: 6 Iles  
 1889: 5 Friedburg  
 1890: 13 Myhlertz  
 1891: 19 Norris  
 1891: 20 Namias  
 1900: 3 Hillebrand

(21) **soils.**

- 1890: 2 van Benmeln  
 1897: 2 van Benmeln  
 1898: 18 Pichard

(22) **spiegeleisen.**

- 1870: 4 Parker  
 1870: 8 Rowan  
 1874: 4 Parry  
 1874: 6 Willis  
 1875: 2 Kern  
 1875: 4 Morrell  
 1876: 3 Galbraith  
 1877: 8 Deby  
 1877: 12 Kern  
 1877: 18 Riley  
 1877: 20 Stöckmann  
 1878: 2 Deshayes  
 1879: 6 Kessler  
 1879: 9 Pattinson  
 1879: 10 Pattinson  
 1881: 8 Ford  
 1883: 19 Stone  
 1884: 2 Atkinson  
 1884: 3 Bloxam

**(22) spiegeleisen—Continued.**

- 1884: 8 Holdich
- 1884: 16 Stone
- 1885: 12 Kalmann and Smolka
- 1891: 21 Pattinson
- 1893: 9 Jean
- 1897: 3 Brearley

**(23) steels.**

- 1867: 2 Forbes
- 1872: 8 Pichard
- 1873: 1 Brünner
- 1874: 1 Koppmayer
- 1875: 1 Boussingault
- 1875: 2 Kern
- 1876: 5 Peters
- 1877: 8 Deby
- 1878: 2 Deshayes
- 1878: 6 Müller
- 1878: 7 Prochaska
- 1879: 9 Pattinson
- 1879: 10 Pattinson
- 1879: 14 Volhard
- 1880: 4 Dunston
- 1881: 7 Emmerton
- 1881: 9 Forguignon
- 1881: 11 Kent
- 1881: 17 Troilius
- 1881: 18 Williams
- 1882: 4 Dewey
- 1882: 10 Keiser
- 1883: 17 Schoeffel and Donath
- 1885: 3 Cheever
- 1886: 26 Sprenger
- 1887: 1 Babbitt
- 1887: 16 Morgan
- 1887: 18 ———
- 1887: 19 L'Assemblée Rep.  
Fab. Rails.
- 1888: 7 Julian
- 1888: 20 Weissmann
- 1888: 21 ———
- 1891: 2 Blum
- 1891: 24 Rossi
- 1891: 25 Rubricius
- 1895: 7 Forestier
- 1896: 7 Giorgis
- 1896: 11 Mignot
- 1896: 13 Murkewitsch
- 1896: 14 Rürup

1900: 6 Ibbotson and Brearley

1900: 7 Jervis

1900: 10 Mignot

**(24) tungsten alloys.**

1890: 18 Ziegler

1900: 5 Ibbotson and Brearley

1900: 7 Jervis

1900: 9 McKenna

**(25) Weldon mud.**

1874: 5 Pouchet

1875: 3 Lunge

1880: 8 Jurisch

1880: 11 Lunge

1880: 14 Post

1881: 12 Lunge

1889: 10 McKellar

**(26) wolframite.**

1890: 15 Sellik

**(G) MISCELLANEOUS NOTES.****(a) Determination of the state of oxidation of manganese.**

1841: 1 Berzelius

1842: 1 Lea

1861: 3 Mohr

1876: 6 Phipson

**(b) Study of the oxides of manganese.**

1878: 9 Wright and Luff

1880: 17 Wright and Menke

1880: 19 Veley

**(c) Effect of copper on precipitation of manganese.**

1870: 4 Parker

**(d) Effect of organic acids and grape sugar on precipitation of manganese.**

1858: 4 Spiller

1869: 4 How

1882: 12 Lefort and Thiebault

**(e) Use of mercuric chloride to aid filtration of sulphide.**

1898: 15 Murmann

**(f) Use of powdered glass in basic acetate separation from iron.**

1890: 17 Warren

- (g) Filtration aided by addition of a concentrated solution of sodium acetate.  
1888: 16 Schürmann
- (h) Destruction of organic matter by means of barium peroxide before titration with permanganate.  
1887: 4 Brand  
1892: 12 v. Reis
- (i) Determination of moisture in the analysis of pyrolusite.  
1855: 3 Fresenius
- (j) Use of hydrofluoric acid to hold silicic acid in solution.  
1891: 19 Norris  
1898: 6 Ford and Bregowsky  
1900: 5 Ibbotson and Brearley.

QUANTITATIVE DETERMINATION OF MANGANESE PEROXIDE.

- I. By evolution of chlorine, and absorption in solutions of
- (a) alkaline hydroxides and determination of the hypochlorite formed.  
1829: 1 Gay-Lussac  
1835: 1 Gay-Lussac  
1844: 1 Ettling  
1869: 10 Sherer and Rumpf  
1870: 10 Sherer and Rumpf  
1870: 12 Tissandier  
1877: 16 Perrey
- (b) arsenious acid.  
1853: 10 Price  
1860: 4 Machnea
- (c) ferrous sulphate.  
1831: 3 Turner  
1842: 4 Otto  
1867: 1 Braun  
1868: 3 Lunge  
1869: 8 Prior  
1885: 2 Charpentier
- (d) potassium iodide, and titration of iodine.  
1853: 1 Bunsen  
1853: 5 Krieger

- 1861: 4 Möller  
1869: 10 Sherer and Rumpf  
1870: 1 Fresenius  
1870: 5 Pattinson  
1870: 10 Sherer and Rumpf  
1877: 15 Parreño  
1877: 16 Perrey  
1879: 11 Pickering  
1881: 13 Lunge  
1888: 9 de Koninck and Icrenier
- (e) silver nitrate.  
1843: 1 Baumann
- (f) stannous chloride.  
1851: 2 Müller
- (g) sulphurous acid (precipitation barium sulphate).  
1832: 3 Duflos  
1832: 4 Duflos  
1837: 2 Ebelmen  
1838: 1 Gieseler  
1874: 5 Pouchet
- II. By solution in presence of a reducing agent.
- (a) antimonious chloride.  
1872: 5 Kessler
- (b) arsenious acid.  
1898: 2 Bialobzcski
- (c) ferrous salts.  
1842: 2 Levöl  
1847: 2 Levöl  
1851: 4 Schabus  
1856: 2 Schreiner  
1869: 11 Teschenmacher and Smith  
1870: 5 Pattinson  
1877: 10 Hannay  
1880: 11 Lunge  
1881: 16 Terreil  
1889: 4 Finkener  
1889: 10 M'Kellar
- (d) formic acid (with absorption carbon dioxide).  
1833: 1 Göbel
- (e) oxalates (with absorption carbon dioxide).  
1843: 3 Fresenius and Will  
1847: 6 De Vry  
1861: 2 Kolbe

- (e) **oxalates**—*Continued.*  
 1863: 1 Fresenius  
 1869: 6 Mohr  
 1869: 10 Sherer and Rumpf  
 1869: 11 Teschenmacher and Smith  
 1870: 5 Pattinson  
 1870: 10 Sherer and Rumpf  
 1871: 4 Luck  
 1877: 16 Perry  
 1881: 13 Lunge  
 1882: 3 Darton  
 1890: 1 Baumann
- (f) **oxalic acid (volumetric).**  
 1870: 6 Paul  
 1889: 4 Finkener
- (g) **potassium iodide and acid.**  
 1858: 1 Hempel  
 1882: 5 Diehl  
 1883: 5 Hempel
- (h) **stannous chloride.**  
 1865: 1 Alfraise  
 1883: 3 Harvey
- III. By gasometric methods. Measurement of**
- (a) **carbon dioxide.**  
 1832: 1 Berthier  
 1833: 3 Zenneck
- (b) **nitrogen.**  
 1832: 1 Berthier  
 1833: 3 Zenneck  
 1897: 14 Purgotti
- (c) **oxygen evolved from hydrogen peroxide.**  
 1885: 13 Lunge  
 1890: 1 Baumann  
 1890: 9 Lunge  
 1890: 10 Lunge  
 1890: 11 Lunge  
 1893: 3 Carnot  
 1893: 4 Carnot  
 1894: 7 Kippenberger  
 1894: 8 Lunge  
 1895: 3 Bodländer
- (d) **oxygen expelled on ignition.**  
 1833: 3 Zenneck
- IV. By loss of weight of metallic copper.**  
 1839: 1 Fikentscher  
 1839: 2 Fuchs  
 1851: 3 Personne and Lhermite  
 1859: 1 Fikentscher  
 1859: 2 Nolté  
 1861: 5 Quadrat  
 1864: 5 ———
- V. By fusion with chromic oxide and alkali.**  
 1882: 17 Wagner
- VI. By the method of**
- (a) **Bunsen.**  
 1853: 1 Bunsen  
 1853: 5 Krieger  
 1861: 4 Möller  
 1869: 10 Sherer and Rumpf  
 1870: 1 Fresenius  
 1870: 5 Pattinson  
 1870: 9 Sherer  
 1870: 10 Sherer and Rumpf  
 1874: 5 Pouchet  
 1877: 16 Perrey  
 1880: 13 Pattinson  
 1881: 13 Lunge  
 1889: 4 Finkener
- (b) **Fresenius and Will.**  
 1843: 8 Fresenius and Will  
 1847: 6 De Vry  
 1862: 2 Röhr  
 1863: 1 Fresenius  
 1869: 6 Mohr  
 1869: 10 Sherer and Rumpf  
 1869: 11 Teschenmacher and Smith  
 1870: 5 Pattinson  
 1870: 9 Sherer  
 1870: 10 Sherer and Rumpf  
 1871: 4 Luck  
 1874: 5 Pouchet  
 1877: 16 Perry  
 1881: 13 Lunge  
 1890: 1 Baumann
- (c) **Gay-Lussac.**  
 1829: 1 Gay-Lussac  
 1836: 3 Wittstein  
 1844: 1 Ettling  
 1860: 4 Machnea  
 1877: 16 Perry  
 1893: 9 Jean



**(d) Lunge (gasometric).**

- 1885: 13 Lunge  
 1890: 1 Baumann  
 1890: 9 Lunge  
 1890: 10 Lunge  
 1890: 11 Lunge  
 1893: 3 Carnot  
 1893: 4 Carnot  
 1894: 8 Lunge

**(e) Nolté.**

- 1859: 2 Nolté  
 1864: 5 ———

**VII. Modification of apparatus for the method of****(a) Bunsen.**

- 1888: 5 de la Harpe and Réverdin  
 1894: 1 Christomanos  
 1894: 17 Ullmann

**(b) Gay-Lussac.**

- 1847: 1 Bobierre  
 1878: 5 Morawski and Stingl

**(c) Lunge.**

- 1890: 11 Lunge  
 1894: 7 Kippenberger

**(d) loss of weight on evolution of carbon dioxide from oxalic acid.**

- 1898: 17 Northomb

**QUALITATIVE DETECTION OF MANGANESE.****Detection by means of****(a) ammonium thiosulphate.**

- 1883: 12 Orłowski

**(b) fusion with alkalis.**

- 1785: 1 Hjelm  
 1836: 1 Kraskowitz  
 1836: 2 Thomson  
 1852: 1 Chapman  
 1854: 1 Davy  
 1877: 2 Chapman  
 1889: 19 Wells and Vulté

**(c) fusion with silica and the alkalis.**

- 1878: 1 Bong

**(d) blow-pipe bead tests.**

- 1820: 1 Gahn

**(e) blow-pipe reactions.**

- 1866: 1 Bunsen  
 1877: 2 Chapman

**(f) bromate or bromine.**

- 1897: 5 Cushman  
 1898: 20 Vitali

**(g) hydrogen peroxide.**

- 1888: 8 Klein  
 1889: 6 Klein

**(h) formation of metaphosphate.**

- 1815: 1 John

**(i) microchemical tests.**

- 1886: 3 Behrens  
 1887: 8 Haushofer  
 1891: 1 Behrens  
 1892: 8 Frey  
 1899: 12 Pozzi-Escot

**(j) oxidation to permanganic acid.**

- 1845: 2 Crum  
 1852: 2 Gibbs  
 1853: 3 Heizel  
 1853: 6 Löwe  
 1858: 3 Rose  
 1870: 7 Polacci  
 1883: 2 Guyard  
 1884: 14 Maumené  
 1886: 7 Christensen  
 1895: 1 Alvarez and Jean  
 1898: 19 Pichard

**(k) ozone.**

- 1847: 5 Schönbein

**(l) phosphoric acid.**

- 1846: 2 Phillips  
 1857: 1 Barreswil  
 1859: 3 Von Kobell  
 1867: 1 Braun  
 1876: 1 Campani  
 1881: 14 v. Reis  
 1885: 1 Bloxam

**(m) fusion with potassium chlorate.**

- 1857: 2 Böttger  
 1872: 2 Böttger  
 1880: 1 Böttger

**(n) potassium ferricyanide.**

- 1885: 6 Dean  
 1885: 8 Draper

**(o) potassium ferrocyanide.**

- 1850: 1 Davy

- (o) **potassium ferrocyanide**—*Continued.*
- 1854: 1 Davy
- (p) **sodium hypobromite.**
- 1892: 6 Deniges
- (q) **sodium peroxide.**
- 1893: 7 Hempel
- (r) **spectrum analysis.**
- 1862: 3 Simmler
- 1872: 4 Horner
- 1875: 5 Vogel
- 1880: 12 Parry and Tucker
- 1898: 10 de Gramont
- (s) **lead peroxide.**
- 1889: 8 de Koninck
- (t) **separation from iron by means of nitrites.**
- 1897: 17 Wynkoop

## AUTHOR INDEX.

- Abel, F., A., 1862: 1  
 Alfiers, F. See Jannasch and Alfiers.  
 Alfraise, P., 1865: 1  
 Allen, A. H., 1871: 1; 1872: 1  
 Aller, 1892: 1  
 Alt, H., 1889: 1  
 Alvarez, P., and Jean F., 1895: 1  
 Anger, C., 1884: 1  
 Assemblée rep. fab. rails., 1887: 1  
 Atkinson, A. J., 1884: 2  
 Atkinson, R. W., 1886: 1  
 Auchy, G., 1895: 2; 1896: 1; 1897: 1  
 Austin, M., 1898: 1. See also Gooch and Austin.
- Babbitt, H. C., 1887: 1  
 Barlow, J. J., 1886: 2  
 Barreswil, 1846: 1; 1857: 1  
 Bastin, C., 1892: 2  
 Bauman, H., 1843: 1  
 Baumann, A., 1890: 1  
 Bayley, T., 1887: 2  
 Becquerel, 1830: 1  
 Behrens, T. H., 1886: 3; 1891: 1  
 Beilstein, F., and Jawein, L., 1879: 1; 1881: 1  
 Bein, S., 1886: 4  
 Berthier, P., 1832: 1  
 Berzelius, J., 1806: 1; 1841: 1  
 Bialobzcski, M., 1898: 2  
 Blair, A. A., 1887: 3  
 Bloxam, C. L., 1884: 3; 1885: 1  
 Blum, L., 1886: 5; 1889: 2; 1891: 2; 1891: 3; 1892: 3  
 Bobierre, W., 1847: 1  
 Bodländer, G., 1895: 3  
 Böttger, R., 1857: 2; 1872: 2; 1880: 1  
 Böttger, W., 1900: 1  
 de Boisbaudran, L., 1882: 1  
 Bolton, H. C., 1875: 1a; 1877: 1
- Bong, G., 1878: 1  
 Booth, J. C. See Morfit and Booth.  
 Boussingault, 1875: 1  
 Boyd, R. C., 1890: 3  
 Brand, A., 1887: 4; 1889: 3  
 Brandes, R., 1819: 1  
 Braun, C. D., 1867: 1; 1868: 1  
 Brearley, H., 1897: 3; 1897: 4; 1898: 3; 1899: 1; 1899: 2; 1899: 3. See also Ibbotson and Brearley.  
 Bregowsky, J. M. See Ford and Bregowsky.  
 Brown, D. H., 1891: 4  
 Brühl, E. See Friedheim and Brühl.  
 Brüll, J. See Ulzer and Brüll.  
 Brünner, A., 1873: 1  
 Bucholz, 1811: 1  
 Bunsen, R., 1853: 1; 1866: 1  
 Burgass, R., 1896: 2  
 Büttgenbach, F., 1896: 3
- Cabot, J. W., 1882: 2  
 Camilla, S. See Longi and Camilla.  
 Campani, G., 1876: 1  
 Campbell, A. C., 1888: 1  
 Campbell, E. D. See Hess and Campbell.  
 Campredon, L., 1892: 4; 1898: 4  
 Carnot, A., 1879: 2; 1886: 6; 1887: 6; 1888: 2; 1890: 4; 1893: 1; 1893: 2; 1893: 3; 1893: 4; 1895: 4  
 Chapman, 1852: 1  
 Chapman, E. J., 1877: 2  
 Charpentier, P., 1885: 2  
 Chatard, T. M., 1871: 2  
 Cheever, B. W., 1885: 3; 1886: 8; 1887: 5  
 Chemiker-Commission der Verein deutscher Eisenhüttenleute, 1891: 5; 1892: 5

- Christensen, O. T., 1886: 7  
 Christomanos, A. C., 1894: 1  
 Clark, J., 1893: 5  
 Classen, A., 1869: 1; 1877: 3; 1877: 4;  
 1877: 5; 1877: 6; 1877: 7; 1879: 3;  
 1879: 4; 1879: 5; 1881: 2; 1884: 4;  
 1884: 5; 1885: 4; 1885: 5; 1886: 9;  
 1886: 10; 1894: 2  
 Classen, A., and Ludwig, R., 1886: 11  
 Classen, A., and v. Reis, 1881: 3  
 von Cloedt, E. See Jannasch and v.  
 Cloedt.  
 Cloez, 1845: 1  
 Crookes, W., 1864: 1  
 Crum, W., 1845: 2  
 Cushman, A. R., 1897: 5
- Dakin, H. D., 1900: 2  
 Damour, 1869: 2  
 Darton, N. H., 1882: 3  
 Davy, E., 1850: 1; 1854: 1  
 Davy, J., 1814: 1  
 Daw, F. W., 1899: 4  
 Deane, L. M., 1885: 6; 1886: 12  
 Deby, 1877: 8  
 Delffs, H., 1880: 2  
 Delvaux, G., 1881: 4  
 Demarçay, 1834: 1  
 Deniges, 1892: 6; 1898: 4a  
 Deshayes, V., 1878: 2; 1881: 5  
 Deville, H. St.-C., 1853: 1a  
 Devisse, N., 1897: 6  
 Dewey, F. P., 1882: 4; 1896: 4  
 Diehl, W., 1882: 5; 1885: 7  
 Döbereiner, 1832: 2; 1837: 1  
 Donath, E., 1881: 6; 1891: 6; 1891: 7;  
 1892: 7. See also Schoeffel and  
 Donath.  
 Donath, E., and Zeller, R., 1887: 7.  
 Draper, C. N., 1885: 8  
 Drown, T. M., and Shimer, P. W.,  
 1880: 3  
 Dubois, H. W. See Mixer and Dubois  
 Dudley, C. B., 1896: 5  
 Duflos, A., 1832: 3; 1832: 4  
 Du Menil, 1827: 1  
 Dunn, J. D., 1882: 6  
 Dunnington, F. P., 1899: 5  
 Dunston, W. R., 1880: 4
- Ebelmen, 1837: 2; 1843: 2; 1849: 1  
 Eggertz, V., 1866: 2  
 Emmerton, F. A., 1881: 7  
 Engels, C., 1895: 5; 1895: 6; 1897: 7  
 Engels, M., 1896: 6; 1898: 5  
 Ettling, 1844: 1
- Faraday, M., 1819: 2  
 Fernberger, H. M., and Smith, E. F.,  
 1899: 6  
 Field, F., 1857: 3; 1860: 1  
 Fikentscher, F. C., 1839: 1; 1859: 1  
 Finkener, 1890: 4  
 Flajolot, 1853: 2  
 Fleitmann, J., 1894: 3  
 Forbes, D., 1867: 2  
 Ford, A. P., and Bregowsky, J. M.,  
 1898: 6  
 Ford, S. A., 1881: 8  
 Forestier, H., 1895: 7  
 Forguignon, 1881: 9  
 Fränkel, L. K. See Smith and Frän-  
 kel.  
 Franzek, C. J. See Jannasch and  
 Franzek.  
 Fresenius, R., 1855: 3; 1861: 1;  
 1863: 1; 1864: 2; 1870: 1; 1872: 3;  
 1876: 2  
 Fresenius, R., and Hintz, E., 1890: 5  
 Fresenius, R., and Will, H., 1843: 3  
 Frey, 1892: 8  
 Friedburg, L. H., 1889: 5  
 Friedheim, C., and Brüll, E., 1899: 7  
 Friedmann, A., 1888: 3  
 Fröhde, A., 1866: 3  
 Frommherz, C., 1824: 1  
 Fuchs, J. N., 1831: 1; 1839: 2  
 Funaro, A., 1877: 9  
 Fuss, W. E., 1830: 2
- Gahn, 1820: 1  
 Galbraith, W., 1876: 3  
 Galetti, M., 1869: 3  
 Gay-Lussac, 1829: 1; 1835: 1  
 Ghilian, A., 1888: 4  
 Gibbs, W., 1852: 2; 1864: 3; 1865: 2;  
 1867: 3; 1870: 2; 1873: 2  
 Gieseler, 1838: 1  
 Giorgis, G., 1896: 7

## 120 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- Gmelin, O., 1884: 6  
 Göbel, 1833: 1  
 Goetz, 1883: 1  
 Gooch, F. A., and Austin, M., 1898: 7;  
 1898: 8; 1898: 9  
 Gooch, F. A., and Whitfield, J. E.,  
 1889: 5a  
 Gorgeu, A., 1860: 2; 1893: 6  
 de Gramont, A., 1898: 10  
 Granger, A., 1897: 8  
 Gröger, M., 1895: 8  
 Grotthuss, T., 1817: 1  
 Gurlt, A., 1856: 1  
 Guyard, A., 1863: 2; 1882: 7; 1883: 2
- Habich, R., 1865: 3  
 Hambly, F. J. See Thorpe and Hambly.  
 Hampe, W., 1883: 4; 1885: 9; 1885:  
 10; 1891: 8; 1891: 9; 1892: 9  
 Handy, J. O., 1896: 7a  
 Hannay, J. B., 1877: 10  
 Hanowsky, 1884: 7  
 de la Harpe, C., and Réverdin, F.,  
 1888: 5  
 Harvey, J. W. C., 1883: 3  
 Haswell, A. E., 1880: 5; 1882: 8  
 Hatchett, 1813: 1  
 Haushofer, 1887: 8  
 Heizel, 1853: 3  
 Hellman, C. G., 1890: 6  
 Hempel, W., 1853: 4; 1858: 1; 1883: 5;  
 1893: 7  
 Henry, T. H., 1841: 2; 1858: 2  
 Hermbstädt, 1792: 1  
 Herschell, J. F. W., 1821: 1  
 Herting, O., 1899: 8  
 Hess, W. H., and Campbell, E. D.,  
 1899: 9  
 Heyl, P. See Smith and Heyl.  
 Hillebrand, W. F., 1897: 8a; 1898: 11;  
 1900: 3  
 Hintz, E. See Fresenius and Hintz.  
 Hiorns, A., 1900: 4  
 Hjelm, P. J., 1785: 1  
 Holdich, 1884: 8  
 Holthoff, C., 1884: 9  
 Horner, 1872: 4  
 How, 1869: 4.  
 Hunt, A. E., 1886: 13
- Ibbotson, F., and Brearley, H., 1900: 5  
 1900: 6  
 Iles, M. W., 1881: 10; 1884: 10;  
 1888: 6
- Jannasch, P., 1896: 8  
 Jannasch, P., and Alffers, F., 1898: 12  
 Jannasch, P., and v. Cloedt, E., 1895: 9  
 1895: 10; 1895: 11  
 Jannasch, P., and Franzek, C. J.,  
 1891: 10  
 Jannasch, P., and Kammerer, H.,  
 1895: 12; 1895: 13  
 Jannasch, P., and Lehnert, H., 1896: 9  
 Jannasch, P., and MacGregory, J. F.,  
 1891: 11  
 Jannasch, P., and Niederhofheim,  
 1891: 12  
 Jannasch, P., and Röttgen, A., 1895: 14  
 Jawein, L. See Beilstein and Jawein.  
 Jean, F., 1893: 8; 1893: 9. See also  
 Alvarez and Jean.  
 Jensch, E., 1890: 7  
 Jervis, H., 1900: 7  
 Jewett, J., 1880: 6; 1882: 9  
 John, J. F., 1806: 2; 1815: 1  
 Jolles, A., 1887: 9  
 Jones, H. C., 1894: 4; 1894: 5  
 Jouët, C. H., 1900: 8  
 Juette, M., 1868: 2  
 Julian, F., 1888: 7; 1893: 10; 1897: 9  
 v. Jüptner, H., 1880: 7; 1883: 6;  
 1885: 11; 1895: 15; 1896: 10  
 Jurisch, K., 1880: 8
- Kaeppl, F., 1898: 13  
 Kalmann, W., and Smolka, A.  
 1885: 12  
 Kammerer, H., 1871: 3. See also  
 Jannasch and Kammerer.  
 Kassner, O., 1894: 6.  
 Kastner, 1832: 5  
 Keiser, E. H., 1882: 10  
 Kent, W., 1881: 11  
 Kerl, B., 1883: 7  
 Kern, S., 1875: 2; 1876: 4; 1877: 11;  
 1877: 12  
 Kessler, F., 1872: 5; 1872: 6; 1879: 6  
 Kirwan, 1797: 1

- Kippenberger, C., 1894: 7  
 Klein, J., 1888: 8; 1889: 6  
 Klobb, T., 1887: 10  
 Knop, W., 1883: 8  
 v. Knorre, G., 1887: 11; 1887: 12  
 v. Kobell, 1859: 3  
 Kohn, C. J., and Woodgate, J., 1889: 7  
 Kolbe, H., 1861: 2  
 de Koninck, L. L., 1880: 9; 1889: 8;  
 1890: 8  
 de Koninck, L. L., and Lecrenier, A.,  
 1888: 9  
 Koppmayer, M., 1874: 1  
 Kosman, B., 1893: 11  
 Kramer, C., 1877: 13  
 Kraskowitz, 1836: 1  
 Krieger, 1853: 5
- Laming, R., 1851: 1  
 Langbein, E., 1886: 14  
 Lassaigne, 1829: 2  
 Lax, E., 1887: 13  
 Lea, H. C., 1842: 1  
 Leclerc, A., 1872: 7  
 Lecrenier, A. See de Koninck and  
 Lecrenier.  
 Ledebur, A., 1879: 7; 1882: 11; 1884:  
 11  
 Lefort, J., and Thebault, P., 1882: 12  
 Lehnert, H. See Jannasch and Leh-  
 nert.  
 Lehnkering, P., 1898: 14  
 Leison, W. G., 1870: 3  
 Lemaire, M., 1897: 11  
 Lennsen, E., 1860: 3  
 LeRoy, G. A., 1891: 15  
 Levöl, 1842: 2; 1847: 2  
 Lhermite. See Personne and Lher-  
 mite.  
 Liebig, J., 1831: 2; 1832: 6; 1841: 3  
 Lippert, G., 1863: 3  
 Longi, A., and Camilla, S., 1897: 10  
 Lösekann, G., and Meyer, T., 1886: 14a  
 Low, A. H., 1893: 12  
 Löwe, J., 1853: 6; 1882: 13  
 Löwenthal, J., 1853: 7  
 Luck, E., 1871: 4  
 Luckow, C., 1865: 4; 1869: 5; 1880: 10;  
 1891: 13; 1891: 14
- Ludwig, R. See Classen and Ludwig.  
 Luff. See Wright and Luff.  
 Lunge, G., 1868: 3; 1875: 3; 1880: 11;  
 1881: 12; 1881: 13; 1885: 13; 1890: 9;  
 1890: 10; 1890: 11; 1894: 8
- MacGregory, J. F. See Jannasch and  
 MacGregory.  
 Machnea, M., 1860: 4  
 Mackintosh, B., 1883: 9  
 Mackintosh, J. B., 1879: 8; 1884: 12;  
 1884: 13  
 Martini, 1829: 3  
 Mathesius, W., 1885: 14  
 Mathews, J. A. See Miller and  
 Mathews.  
 Matzurke, G., 1878: 3  
 Maumene, E. J., 1884: 14  
 Mayer, F., 1889: 9  
 McCulloch, N., 1889: 11; 1889: 12  
 M'Kellar, W. G., 1889: 10  
 McKenna, A. G., 1890: 12; 1900: 9  
 Meineke, C., 1883: 10; 1883: 11; 1884:  
 15; 1885: 15; 1886: 15; 1887: 14;  
 1887: 15; 1888: 10  
 Menke, A. E. See Wright and Menke.  
 Meyer, T. See Lösekann and Meyer.  
 Mignot, A., 1896: 11; 1900: 10  
 Miller, E. H., 1897: 12  
 Miller, E. H., and Mathews, J. A.,  
 1897: 13  
 Mills, E. J., and Becket, J. H., 1882: 14  
 Mittenzwey, M., 1864: 4  
 Mixer, C. T., and Dubois, H. W.,  
 1896: 12  
 Möller, 1861: 4  
 Mohr, F., 1855: 1; 1861: 3; 1869: 6  
 Moldenhauer, F., 1889: 13; 1891: 16;  
 1891: 17  
 Moore, T., 1886: 18; 1886: 19;  
 1888: 11; 1891: 18; 1892: 10  
 Morawski, T., and Stingl, J., 1878: 4;  
 1878: 5; 1887: 16  
 Morgan, J. J. See Parry and Morgan.  
 Morfit, C., and Booth, J. C., 1832: 8  
 Morrell, T. T., 1874: 2; 1875: 4  
 Muck, 1869: 7  
 Müller, C. G., 1851: 2; 1886: 16;  
 1886: 17

## 122 BIBLIOGRAPHY OF ANALYTICAL CHEMISTRY OF MANGANESE

- Müller, F. C. G., 1878: 6  
 Müller, L., 1855: 2  
 Munroe, C. E., 1877: 14  
 Murkewitsch, M., 1896: 13  
 Murmann, E., 1898: 15; 1898: 16  
 Myhlertz, F. G., 1890: 13
- Namias, R., 1891: 20; 1899: 10  
 Nass, G., 1894: 9  
 Natterer, K., 1899: 11  
 Neumann, B., 1895: 16; 1896: 13a  
 Neumann, G., 1889: 14; 1894: 10  
 Niederhofheim. See Jannasch and Niederhofheim.  
 Nolté, G., 1859: 2  
 Norris, G. L., 1891: 19  
 Northomb, M., 1898: 17
- Oettel, F., 1888: 12  
 Orłowski, A., 1883: 12  
 Osmond, 1885: 16  
 Otto, 1842: 3; 1842: 4
- Parker, J. S., 1870: 4  
 Parkinson, 1853: 9  
 Parreño, A. G., 1877: 15  
 Parry, J., 1874: 4  
 Parry, J., and Morgan, J. J., 1893: 13  
 Parry, J., and Tucker, A. E., 1880: 12  
 Pattinson, J., 1870: 5; 1879: 9; 1879: 10; 1880: 13; 1886: 20  
 Pattinson, J., and H. S., 1891: 21; 1900: 11  
 Paul, B. H., 1870: 6  
 Pellitz, W., 1879: 12  
 Perillou, 1886: 21  
 Perrey, 1877: 16  
 Personne and Lhermite, 1851: 3  
 Persoz, J., 1835: 2  
 Peters, S., 1876: 5  
 Pfaff, C. H., 1812: 1; 1819: 3; 1821: 2  
 Phillips, R., 1846: 2  
 Phipson, T. L., 1876: 6  
 Pichard, P., 1872: 8; 1898: 18; 1898: 19  
 Pickering, S. U., 1879: 11  
 Piesse, C. H., 1874: 3  
 Planiawa, 1833: 2  
 Poleck, T., 1894: 11
- Pollacci, E., 1870: 7  
 Porcel, 1788: 1  
 Post, J., 1880: 14  
 Pouchet, A. G., 1874: 5  
 Pozzi-Escot, M. E., 1899: 12  
 Price, 1853: 10  
 Prior, M. E., 1869: 8  
 Priwoznik, 1892: 11  
 Prochaska, J., 1878: 7  
 Purgotti, A., 1897: 14
- Quadrat, B., 1861: 5  
 Quesneville, Jr., 1827: 2
- Radau, C., 1889: 15  
 Raimond, E., 1883: 13  
 Ramage, H. See Reddrop and Ramage.  
 Reddrop, J., and Ramage, H., 1895: 17  
 Regelsberger, F., 1891: 22  
 Reichard, C., 1899: 13; 1899: 14  
 Reichardt, E., 1866: 4  
 Reinhardt, C., 1885: 17; 1885: 18; 1886: 22; 1886: 23; 1887: 17; 1888: 13  
 v. Reis, M. A., 1881: 14; 1888: 14; 1891: 23; 1892: 12; 1892: 13. See also Classen and v. Reis.  
 Reitmair, O., 1889: 16  
 Renard, A., 1869: 9  
 Réverdin, F. See de la Harpe and Réverdin.  
 de Rezende, 1872: 9  
 Riban, J., 1890: 14  
 Riche, A., 1878: 8  
 Riche, M. A., 1877: 17  
 Richter, 1796: 1  
 Richter, W., 1837: 3  
 Riederer, E. J., 1899: 15  
 Riggs, R. B., 1892: 14  
 Riley, E., 1877: 18  
 Rinmann, S., 1786: 1  
 Rivot, 1853: 11  
 Röhr, R., 1862: 2  
 Rose, H., 1847: 3; 1858: 3; 1860: 5; 1860: 6; 1860: 7; 1861: 6  
 Rosenthal, G., 1877: 19  
 Rossi, A. J., 1891: 24  
 Rössler, C., 1879: 13; 1880: 15

